

31.05.2024

To,  
Deputy Director General of Forests (C),  
Ministry of Environment, Forest and Climate Change,  
Integrated Regional Office,  
Bays No. 24-25,  
Sector 31 A, Dakshin Marg,  
Chandigarh - 160030

**Subject:** - Submission of Half Yearly compliance status report of the environment clearance issued to Adani Logistics Limited for Industrial/Warehouse/Logistics Project located at Village- Firozpur, Tehsil & District- Palwal, Haryana by the Ministry of Environment, Forest and Climate Change (Impact Assessment Division) vide letter dated 17/06/2022 bearing number - EC22A038HR110364.

Dear Sir,

Please find enclosed herewith the half yearly compliance report of the condition stipulated in the above-subject mentioned environment clearance for the period from Oct-2023 to Mar-2024

This is for your information and records please.

Yours faithfully,

For Adani Logistics Limited

Authorized Signatory

Adani Logistics Limited, Palwal, Haryana



**Copy to: -**

1. The Chairman, State Environment Impact Assessment Authority, Bay No. 55-58, Paryatan Bhawan, Sector – 2, Panchkula, Haryana
2. The Regional Officer, Haryana State Pollution Control Board, 3rd Floor, HSIIDC Office Complex, IMT Manesar, Gurgaon

Adani Logistics Ltd  
Adani Corporate House, Shantigram,  
Near Vaishnodevi Circle, S.G. Highway,  
Khodiyar, Ahmedabad 382421  
Gujarat, India  
CIN: U63090GJ2005PLC046419

Tel+91 124 255 5555  
Fax +91 124 25555210  
[info@adani.com](mailto:info@adani.com)  
[www.adani.com](http://www.adani.com)

Registered Office: Adani Corporate House, Shantigram, Near Vaishnodevi Circle, S G Highway, Ahmedabad-382421, Gujarat, India.

No.	CONDITION	COMPLIANCE STATUS
<b>Specific Conditions as recommended by SEIAA</b>		
i	Abstraction of ground water shall be subject to the permission of Central Ground Water Authority (CGWA). Fresh water requirement shall not exceed 150 KLD during operational phase.	Noted.
ii	As proposed, wastewater shall be treated in the onsite STP having a total 248 KLD capacity. At least 178 KLD of treated water from the STP shall be recycled and re-used for flushing (80 KLD), filter backwash (3 KLD) and for gardening (95 KLD during dry season). Excess treated water (about 76 KLD during monsoon season and about 28 KLD during winter season) shall be supplied to the nearby farmers for irrigation purposes. PP shall submit MoU for the disposal of excess treated water (outside the site) to the Regional Office of MoEF&CC along with six-monthly compliance report.	Noted.
iii	The project proponents would commission a third-party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.	Noted and being Complied
iv	Area for greenery shall be provided as per the details provided in the project document i.e., area under plantation/greenery will be 36,905.35 sq. m. The project being located in the National Capital Region (NCR) which is severely affected by poor air quality, the project proponent shall develop dense plantation at the project site using appropriate techniques in consultation with the forest department/horticulture department/ experts/ consultants etc., comprising of at least 3,071 nos. plants (including trees and shrubs) during the operation phase of the project as committed.	Noted and being Complied
v	The local bye-law provisions on rainwater harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed, 10 RWH pits and stored in 2 Ponds of total 4,620 m <sup>3</sup> capacity shall be provided by PP for rainwater harvesting after filtration.	Noted and being complied.

Adani Logistics Ltd  
Adani Corporate House, Shantigram,  
Near Vaishnodevi Circle, S.G. Highway,  
Khodiyar, Ahmedabad 382421  
Gujarat, India  
CIN: U63090GJ2005PLC046419

Tel+91 124 255 5555  
Fax +91 124 25555210  
[info@adani.com](mailto:info@adani.com)  
[www.adani.com](http://www.adani.com)

vi	The solid waste shall be duly segregated into biodegradable and nonbiodegradable components and handled in separate area earmarked for segregation of solid waste, as per SWM Rules, 2016. As committed, biodegradable waste shall be utilized through the OWC/Bio-Gas generation plant/bio-bin unit to be installed within the site. Inert waste shall be disposed of as per norms at authorized site. The recyclable waste shall be sold to authorized vendors/recyclers. Construction & Demolition (C&D) waste shall be segregated and managed as per C&D Waste Management Rules, 2016.	Noted.
vii	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 Kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development and the P.W.D./competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.	Noted and being complied.
viii	The PP shall provide electric charging points in parking areas for e-vehicles as committed.	Noted.
ix	As committed, at least 10% of the electrical load shall be met through solar energy.	Noted.
x	The Environmental Clearance to the project is primarily under provisions of EIA Notification, 2006. The Project Proponent is under obligation to obtain approvals/ clearances under any other Acts/Regulations or Statutes as applicable to the project.	Noted
<b>Standard Conditions</b>		
<b>I</b>	<b>Statutory Compliance</b>	
i	The project proponent shall obtain all necessary clearance/permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	Noted and being complied.

ii	The approval of the Competent Authority shall be obtained for structural safety of building due to earthquakes, adequacy of firefighting equipment etc. as per National Building code including protection measures from lightening etc.	Noted and being Complied.
iii	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.	Not applicable. No forest land involved in the proposed development.
iv	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not applicable.
v	The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 197 4 from the concerned State Pollution Control Board/Committee.	Noted
vi	The project proponent shall obtain the necessary permission for drawl of ground water/surface water required for the project from the competent authority.	Noted.
vii	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Being complied
viii	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.	Noted and being complied.
ix	The provisions for the solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management Rules, 2016 shall be followed.	Noted
x	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power Strictly.	Noted
<b>II</b>	<b>Air quality monitoring and preservation</b>	
i.	Notification GSR 94(E) dated 25/1/2018 MoEF&CC regarding Mandatory implementation of Dust Mitigation Measures for Construction and Demolition Activities for project requiring Environmental Clearance shall be complied with.	Noted and Being Complied.
ii.	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.	Noted and being complied.

iii.	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/ criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.	Noted and being complied.
iv.	Diesel power generating sets proposed as source of backup power should be of the enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low Sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.	Noted.
v.	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, Murram and other construction materials prone to causing dust polluting at the site as well as taking out debris from the site	Noted and being Complied.
vi.	Sand, Murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.	Noted and being complied.
vii.	Wet jet shall be provided for grinding and stone cutting.	Noted.
viii.	Unpaved surface and loose soil shall be adequately sprinkled with water to suppress dust.	Noted.
ix.	All construction and demolition debris shall be stored at the site (not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules, 2016.	Noted and being complied.
x.	The diesel generator sets to be used during 'Construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection] prescribed for air and noise emission standards	Noted and being complied.
xi.	The gaseous emission from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms	Being complied.

xii.	For indoor air quality the ventilation provisions as per National Building Code of India.	Being complied.
<b>III</b>	<b>Water quality monitoring and preservation</b>	
i.	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rainwater.	Noted.
ii.	Buildings shall be designed to follow the natural topography as much as possible Minimum cutting and filling should be done	Noted.
iii.	The quantity of freshwater usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Noted.
iv.	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.	
v.	At least 20% of the open spaces as required by the local building byelaws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.	Noted and being complied.
vi.	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc. and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	Noted and being complied.
vii.	Use of water saving devices/fixtures (Viz. low flow flushing systems; use of low flow faucets taps aerators etc.) for water conservation shall be incorporated in the building plan.	Noted and being complied.
viii.	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.	Noted and being complied.

ix.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Noted and being Complied.
x.	Rain water harvesting recharge pits/ storage tanks shall be provided for ground water recharging as per the CGWB norms.	Noted and being Complied.
xi.	A rainwater harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meter of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible the rainwater should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.	Noted.
xii.	All recharges should be limited to shallow aquifer.	Noted.
xiii.	No ground water shall be used during construction phase of the project.	Noted.
xiv.	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	Noted.
xv.	The quantity of freshwater usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The recorded shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring report.	Noted.
xvi.	Sewage shall be treated in the STP with tertiary treatment	Noted.
xvii.	No sewage or untreated effluent water would be discharged through storm water drains.	Noted and being complied.
xviii.	Onsite sewage treatment of capacity of treating 100% wastewater to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated wastewater shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by the Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.	Noted
xix.	Periodical monitoring of the water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problems from STP.	Noted.

xx.	Sludge from the onsite sewage treatment including septic tanks. shall be collected, conveyed and disposed of as per the Ministry of Urban Development, Control Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems. 2013.	Noted.
<b>IV</b>	<b>Noise monitoring and prevention</b>	
i.	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase so as to conform to the stipulated standards by CPCB/SPCB.	Noted.
ii.	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	
iii.	Acoustic enclosures for DG sets, noise barriers for ground run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	Noted.
<b>V</b>	<b>Energy Conservation measures</b>	
i.	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured, building in the State which have notified their own ECBC, shall comply with the State ECBC	Noted and being complied.
ii.	Outdoor and common area lighting shall be LED	Noted and being complied.
iii.	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications	Noted.
iv.	Energy Conservation measure like installation of CFLs/LED"s for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning	Noted.
v.	Solar, wind or other renewable energy shall be installed to meet electricity generation equivalent to 1 % of the demand load or as per the state level /local building bye-laws requirement, which is higher	Noted.



vi.	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	Noted
<b>VI</b>	<b>Waste Management</b>	
i.	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the MSW generated from project shall be obtained.	Noted.
ii.	Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority	Noted.
iii.	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.	Noted and being complied.
iv.	Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.	Noted
v.	All non-biodegradable waste shall be handed over the authorized recyclers for which a written tie up must be done with the authorized recyclers.	Noted.
vi.	Any hazardous waste generated during construction phase, shall be disposed of as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	Noted.
vii.	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction materials quantity. These include fly ash brick, hollow bricks, MCs, Fly Ash Lime Gypsum block, compressed earth blocks and other environmentally friendly materials.	Noted and being complied.
viii.	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016 Ready mixed concrete must be used in building construction.	Noted and being complied.
ix.	Any wastes from construction and demolition activities related there to small be managed so as to	Noted.

	strictly conform to the construction and Demolition Rules, 2016.	
x.	Used CFLs and TFLs should be properly collected and disposed of/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.	Noted.
<b>VII</b>	<b>Green Cover</b>	
i.	No tree can be felled/ transplant unless exigencies demand. Where absolute necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (Planted).	Noted.
ii.	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping,	Noted.
iii.	Where the trees need to be cut with prior permission from the concerned local Authority, Compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.	Noted.
iv.	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stack plied appropriately in designated areas and reapplied during plantation of the proposed vegetations on site.	Noted.
<b>VIII</b>	<b>Transport</b>	
i.	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public and private networks. Roads should be designed with due consideration for the environment and safety of users. The road system can be designed with these basic criteria:	Noted and being complied.
ii.	a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic	Noted.
iii.	b. Traffic calming measures.	Noted.
iv.	c. Proper design of entry and exit points	Noted.
v.	d. Parking norms as per local regulation	Noted.

vi.	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.	Noted and being complied.
<b>IX</b>	<b>Human health issues</b>	
i.	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask	Noted and being complied.
ii.	For indoor air quality the ventilation provisions as per National Building Code of India.	Noted and being complied.
iii.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Noted and being complied.
iv.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile, STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Noted and being complied.
v.	Occupational health surveillance of the workers shall be done on a regular basis.	Noted and being complied.
vi.	A First Aid Room shall be provided in the project both during construction and operations of the project.	Noted and being complied.
<b>X</b>	<b>Miscellaneous</b>	
i.	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/ SEIAA website where it is displayed.	Complied Given as Annexure-1
ii.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Complied Given as Annexure-2
iii.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Noted and being complied.

iv.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Noted and being complied.
v.	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have a defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Noted.
vi.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.	Noted and being complied.
vii.	An action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year-wise funds earmarked for environmental protection measures shall be kept in separate accounts and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/ Regional Office along with the Six-Monthly Compliance Report	Noted
viii.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Noted.
ix.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted.
x.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted and being complied.

Adani Logistics Ltd  
Adani Corporate House, Shantigram,  
Near Vaishnodevi Circle, S.G. Highway,  
Khodiyar, Ahmedabad 382421  
Gujarat, India  
CIN: U63090GJ2005PLC046419

Tel+91 124 255 5555  
Fax +91 124 25555210  
[info@adani.com](mailto:info@adani.com)  
[www.adani.com](http://www.adani.com)

xi.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the State Expert Appraisal Committee (SEAC)	Being complied.
xii.	No further expansion or modification in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Noted.
xiii.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986	Noted.
xiv.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted.
xv.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted.
xvi.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/ monitoring reports.	Noted.
xvii.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & control of Pollution) Act, 1974, the Air (Prevention & control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon"ble Supreme Court of India/High Courts and any other Court of Law relating to the subject matter.	Noted.
xviii.	Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.

# **ANNEXURE - 1**







**ANNEXURE - 2**

Date: 25.06.2022

To

The District Town Planner  
Department of T&C Planning,  
Sector-12, Hathin Road,  
Palwal, Haryana.

Sir

Sub:- Adani Logistics Limited - Grant of Environmental Clearance (EC) for Industrial/Warehouse/Logistics Project located at Village- Firozpur, Tehsil & District- Palwal, Haryana under EIA Notification, 2006 - Copy furnished for displaying in the Notice Board - Reg.

Ref:- EC No. EC22A038HR110364 (File No. 21-15/2022-IA-III), dated 17/06/2022 of MoEF&CC, New Delhi.


We wish to inform you that MoEF&CC, New Delhi has granted Environmental Clearance (EC) to Adani Logistics Limited for Industrial/Warehouse/Logistics under EIA Notification, 2006.

In this regard, in compliance with the EC Miscellaneous Condition 2, the copy of the EC is herewith furnished to your good office and request you to display the same in the office Notice Board.

Thanking you.

Yours sincerely,

For Adani Logistics Limited

  
Authorized Signatory

Encl: a/a

Mahender Sharma  
5-7-22

Received by :-  
O/o District Town Planner  
PALWAL

Adani Logistics Ltd  
"Adani Corporate House", Shantigram  
Near Vaishno Devi Circle, S. G. Highway,  
Khodiyar, Ahmedabad 382421,  
Gujarat, India  
CIN: U63090GJ2005PLC046419

Tel +91 79 2555 5801  
Fax +91 79 2555 6490  
info@adani.com  
www.adani.com

# adani

Ports and  
Logistics

Date: 25.06.2022

To

The Add. Deputy Commissioner Palwal  
Municipal Council  
Near Bal Bhawan, Palwal, Haryana.

Sir

Sub:- Adani Logistics Limited – Grant of Environmental Clearance (EC) for Industrial/Warehouse/Logistics Project located at Village- Firozpur, Tehsil & District- Palwal, Haryana under EIA Notification, 2006 – Copy furnished for displaying in the Notice Board – Reg.

Ref:- EC No. EC22A038HR110364 (File No. 21-15/2022-IA-III), dated 17/06/2022 of MoEF&CC, New Delhi.


We wish to inform you that MoEF&CC, New Delhi has granted Environmental Clearance (EC) to Adani Logistics Limited for Industrial/Warehouse/Logistics under EIA Notification, 2006.

In this regard, in compliance with the EC Miscellaneous Condition 2, the copy of the EC is herewith furnished to your good office and request you to display the same in the office Notice Board.

Thanking you.

Yours sincerely,

For Adani Logistics Limited

  
Authorized Signatory

Encl: a/a



Adani Logistics Ltd  
"Adani Corporate House", Shantigram  
Near Vaishno Devi Circle, S. G. Highway,  
Khodiyar, Ahmedabad 382421,  
Gujarat, India  
CIN: U63090GJ2005PLC046419

Tel +91 79 2555 5801  
Fax +91 79 2555 6490  
info@adani.com  
www.adani.com