

Karaikal Port - EC& CRZ No. 10-42/2009-IA. III dated the 22nd September, 2009 - Six Monthly Compliance Report - October to March 2022 - Submission - Regarding

Rajendiran K <rajendiran.k@karaikalport.com>

Wed 13/04/2022 10:30

To: ECCOMPLIANCE-PY@GOV.IN <ECCOMPLIANCE-PY@GOV.IN>

Cc: RO.MOEFCCC@GOV.IN <RO.MOEFCCC@GOV.IN>;saranya.p@gov.in <saranya.p@gov.in>;dste.pon@nic.in <dste.pon@nic.in>;vlaxmi.cpcb@nic.in <vlaxmi.cpcb@nic.in>;ambitiondrives@gmail.com <ambitiondrives@gmail.com>;akps1962@gmail.com <akps1962@gmail.com>;Capt. Vijay Nicodemus <vijay.nicodemus@karaikalport.com>;Ravishankar D <ravishankar.d@karaikalport.com>;Ariharapriyan M <ariharapriyan.m@karaikalport.com>

Respected Sir/Madam,

Ministry of Environment & Forest has accorded Environmental and CRZ clearance for Expansion of Karaikal Port (Phase II) at Puducherry by M/s. Karaikal Port Pvt. Ltd. MoEF&CC. EC vide letter reference No. 10-42/2009-IA. III dated the 22nd September, 2009.

Six Monthly Compliance Report on the conditions imposed in the said Environmental & CRZ Clearance for the Period starts from October to March 2022 along with the supporting documents (Compiled as One PDF Document) are attached herewith for your kind reference.

For your kind information please.

Thanking you,
Warm Regards,
Rajendiran.K
Environment Department
Karaikal Port Pvt Ltd.,
Karaikal District
Puducherry State
8754417465

KPPL/ENV/MoEF&CC/2022/01

Date: 07.04.2022

To

The Regional Officer,
Integrated Regional Office,
Ministry of Environment, Forest & Climate Change (MoEF&CC),
1st Floor, Additional Office Block for GPOA,
Shastri Bhawan, Haddows Road, Nungambakkam - 600006

Sub: Submission of Compliance Report by end of 31st March, 2022 – Regarding


Ref: Environmental & CRZ Clearance letter (No.10 - 42/2009 - IA – III, dated 22.09.2009), from Govt of India, Ministry of Environment, Forest and Climate Change

Sir,

As per the conditions stipulated in Environmental & CRZ Clearance letter (No.10 - 42/2009 - IA – III, dated 22.09.2009), from Govt of India, Ministry of Environment, Forest and Climate Change IA.III Section (MOEF&CC, IA.III Section), herewith we are submitting the status of compliance reports including results of monitored data for the period of October 2021 to March 2022.

Thanking you,

Yours faithfully,


(Capt. Vijay Nicodemus)
Chief Operating Officer

Cc:

1. The Regional Director, CPCB Regional Directorate/Project Office at Chennai
2. The Member Secretary, Puducherry Pollution Control Committee at Puducherry

KARAIKAL PORT PRIVATE LIMITED

CIN: U45203PY2006PTC001945

Registered Office

Kheezhavanjoor Village, T.R. Pattinam, PB No. 33, Karaikal - 609 606. Tel. : +91 4365 256600 (5 Lines) Fax : +91 4365 256603

Corporate Office

9th Floor, Prestige Polygon, Annasalai, Rathna Nagar, Nandanam, Chennai- 600 035, Tamil Nadu.

Tel : +91 44-4562 2000, Fax : +91 44-4562 2080

www.karaikalport.com

Enclosures:

Annexure 1: Details of Project Cost

Annexure 2: Year Wise Expenditure / EMP Expenses

Annexure 3: River Reassessment Report

Annexure 4: Permission from PCZMA

Annexure 5: STP analysis report

Annexure 6: Indian Coast Guard Approval for Oil Spill Contingency Plan.

Annexure 7: Photographs of Navigational Aids (Lighted buoys)

Annexure 8: Environment Management Cell

Annexure 9: Certificate for the procurement of quarry materials

Annexure 10: License from Petroleum & Explosives Safety Organization (PESO)

Annexure 11: Copy of advertisement in Newspaper for the EC issuance

Annexure 12: Monitoring Reports (October 2021 to March 2022)

Annexure 13: Annual Environment Statement in Form V (FY 2021-22)

Annexure 14: Present Status of Project

Annexure 15: Other Compliances (Joint Committee Recommendations)

SIX MONTHLY EC COMPLIANCE REPORT FOR THE PERIOD OF OCTOBER TO MARCH 2022

Subject:Environmental and CRZ clearance for expansion of Karaikal Port (Phase II) at Puducherry by M/s. Karaikal Port Pvt. Ltd.

Reference:MoEF&CC'sEC letter of No. 10-42/2009-IA. III dated the 22nd September, 2009.

PART I

DATA SHEET

1		Project Type River valley / Mining / Industry / Thermal / Nuclear / Other Specify	:	Infrastructure Project – Port Operations
2		Name of the project	:	Environmental and CRZ Clearance for expansion of Karaikal Port (Phase II) at Puducherry.
3		Clearance letter(s) / OM No. and dated	:	MoEF EC Letter No.10-42/2009-IA.III dated 22 nd Sep 2009 ; 03 rd Feb 2015 and 14 th May, 2018
4		<u>Locations</u>	:	
	a.	Taluk(s) District	:	KaraikalTaluk and District
	b.	State (s)	:	Puducherry
	c.	Latitudes / Longitudes	:	10° 50' N and 79° 51' E
5		<u>Address of correspondence</u>		
	a.	Address of concerned project Chief Engineer (with Pin Code & telephone / telex / fax numbers	:	Karaikal Port Pvt. Ltd., Keezhavanjore Village T.R.Pattinam 609606Karaikal+91-4365 256600 Fax: +91-4365 256603
	b.	Address of Executive Project Engineer/ Manager (with Pin Code/fax numbers)	:	Same as above.
6		<u>Salient features:</u>		
	a.	of the project	:	Green field multi cargo , all weather Port Project

SIX MONTHLY EC COMPLIANCE REPORT FOR THE PERIOD OF OCTOBER TO MARCH 2022

	b.	of the environmental management plans	:	<p>Port has Mechanized Coal Handling System which includes Ship Unloaders, Conveyors, Stacker cum Reclaimers, Wagon Loading & Truck Loading Systems etc are in place and operational. This infrastructure helps in achieving efficient operations and in maintaining clean environment.</p> <p>Highly efficient water sprinkling/ spraying system for dust suppression have been installed to address the coal dust emission.</p> <p>HDPE/Corrugated sheets of various heights have been put along the Coal Stock yards, boundary & Railway sidings</p> <p>In the Southern side of the Port, we have installed a water curtain screen height of 12 Meters</p> <p>24/7 online continuous ambient air quality monitoring systems have been installed at three locations. The CAAQMS are linked to the PPCC servers and the GLens servers which are the authorized servers for the CPCB for monitoring the results.</p> <p>State of the art Tyre wash system is in place where the effluent after treatment is reused in the same unit.</p> <p>Rain water harvesting pond developed at 3 locations in the port Premises. Rain water Harvesting Pits at 15 locations (Roof water) are made available.</p> <p>Guard Pond covering the open stock yard inside the port to collect runoff water has been developed at Mechanization Area.</p> <p>Port has made an arrangement of contour bund at two locations to help arrest the run-off of the Rain water and help in the irrigation of the Plantation in the area.</p> <p>Monitoring of Marine water, Marine sediment, and Marine environment is in place.</p> <p>Hazardous Waste is being disposed to the registered recyclers as per the Hazardous Waste Management Rules, 2016.</p> <p>Biodegradable Solid waste is segregated and used in producing compost for in house nursery and Gardening and promotion of Green Belt.</p>
7		<u>Breakup of the project area:</u>		
	a	Project area	:	Total Area 243 Hectares has reported in the EC.
8		Break up of project affected population with enumeration of those losing houses / dwelling units only, agricultural land only, both dwelling units and agricultural land and landless labourers / artisans		Nil
	a	SC,ST/Adivasis	:	Nil
	b	Others	:	Nil
9		<u>Financial Details:</u>		

SIX MONTHLY EC COMPLIANCE REPORT FOR THE PERIOD OF OCTOBER TO MARCH 2022

	a	Project cost as originally planned and subsequent revised estimates and the years of price reference	:	Project Cost (Phase II) is Attached at Annexure 1.
	b	Allocations made for environmental management plans, with item wise and year wise breakup	:	The detailed item wise and year wise allocations made for environmental management plan is attached at Annexure 2
	c	Benefit cost ratio / internal rate of return and the years of assessment	:	Cargo ramp- up has not happened as envisaged. In view of this cost benefit and internal rate of return has not been assessed so far.
	d	Whether (c) includes the cost of environmental management as shown in (b) above.	:	In view of above nil information.
	e	Total expenditure on the Project so far	:	Attached at Annexure 1 above.
	f	Actual expenditure incurred on the Environmental management plans so far.	:	Detailed item wise and year wise expenditure is attached at Annexure 2as above
10		<u>Forest land requirement:</u>	:	NA
	a	The status of approval for a diversion of forest land for non-forestry use	:	NA
	b	The status of compensatory afforestation, if any	:	Nil
	c	The status of clear felling	:	Nil
	d	Comments on the viability and sustainability of compensatory afforestation programme in the light of actual field experience so far	:	Nil
11		The status of clear felling in non-forest area (such as submergence area of reservoir, approach road), if any, with quantitative information	:	NA
12		<u>Status of construction:</u>		
	a	Date of commencement	:	30 th September, 2009.
		Date of completion (actual and / or planned)	:	30 th Sep 2019
13		Reasons for the delay if the project is yet to start.	:	NA
14		<u>Date of site visit:</u>		
	a	The dates on which the project was monitored by the Regional Office on previous occasions, if any	:	01.03.2022 RO/MoEFCC
	b	Date of site visit for this monitoring report	:	NA
15		Details of correspondence with project authorities for obtaining action plans, information and status of compliance to safeguards	:	Compliance reports sent on regular basis to the regulatory authorities. Various recommendations by the state pollution control committee are implemented as advised/ directed.

SIX MONTHLY EC COMPLIANCE REPORT FOR THE PERIOD OF OCTOBER TO MARCH 2022

PART II

DESCRIPTIVE REPORT ON STATUS OF COMPLIANCE TO THE CONDITIONS OF ENVIRONMENTAL CLEARANCE AND ENVIRONMENTAL MANAGEMENT

Subject: Environmental and CRZ clearance for expansion of Karaikal Port (Phase II) at Puducherry by M/s. Karaikal Port Pvt. Ltd.

Reference: MoEF&CC's EC letter of No. 10-42/2009-IA.III dated the 22nd September, 2009.

6. Specific Conditions:

Sl.No	Conditions stipulated	Compliance Status
(I)	The quality of both the rivers shall be re assessed and report shall be submitted to the Ministry within three months	The quality of two rivers joining the sea near the Port i.e., river Pravadanayar on the North and the river Vettar on the South were reassessed and Report submitted to the Ministry within three months. Report is at Annexure 3.
(II)	No construction work other than those permitted in Coastal Regulation Zone Notification shall be carried out in Coastal Regulation Zone area.	In Coastal Regulation Zone Area, as per the permission received from PCZMA the requisite constructions were made. The same is attached at Annexure 4.
(III)	Washing from Auction Hall/Sewage shall be treated and the treatment facility shall be provided in accordance with the Coastal Regulation Zone Notification, 1991. The disposal of treated water shall conform the regulation of Puducherry Pollution Control Board.	The provision of Auction Hall is not required for the Project. In respect of Sewage Treatment Plant (STP), with a capacity of 25 KLD is installed for treatment of domestic sewage. Report containing treated water quality conforming to the regulation of PPCC/CPCB/MoEF&CC is at Annexure 5.
(IV)	Putrefied and discarded parts of fishes shall be removed and disposed off in the approved landfill/used as manure/poultry feed.	Not applicable.

SIX MONTHLY EC COMPLIANCE REPORT FOR THE PERIOD OF OCTOBER TO MARCH 2022

Sl.No	Conditions stipulated	Compliance Status
(V)	Oil Spills if any shall be properly collected and disposed as per the Rules.	Till date there is no Oil Spill occurrence. However, the provisions containing the Oil Spill Contingency Plan is in place with the requisite equipment procured. Annexure 6.
(VI)	The approach channel shall be properly demarcated with lighted buoys for safe navigation and adequate traffic control guidelines shall be framed. The fishermen shall be suitably educated and informed about the traffic guidelines.	In accordance with International norms requisite provisions are in place thereby following Navigation and traffic control guidelines. Photograph containing lighted buoys for safe navigation is at Annexure 7. Through Department of Fisheries, Govt. of Puducherry awareness and Education are regularly imparted to the fishermen including the said traffic guidelines.
(VII)	The project proponent shall set up separate environmental management cell for effective implementation of the stipulated environmental safeguards under the supervision of a Senior Executive.	Karaikal Port Private Limited is an ISO 14001 Company. The EMC meets to discuss the implementation of the stipulated Environment Safeguards. The EMC is attached at Annexure 8.
(VIII)	The project proponent shall take up mangrove plantation/green belt in the project area, wherever possible. Adequate budget shall be provided in the Environment Management Plan for such mangrove development.	At the project site a Nursery of indigenous variety of plantation is maintained with adequate personnel including specialist of draught resistance and fruit yielding Palm species. Requisite funds allocation is provided annually as a part of Environment Management Plan. Beyond the routine maintenance around 5403 Saplings/Trees were planted during this financial year.

SIX MONTHLY EC COMPLIANCE REPORT FOR THE PERIOD OF OCTOBER TO MARCH 2022

SI.No	Conditions stipulated	Compliance Status
(IX)	The funds earmarked for environment management plan shall be included in the budget and this shall not be diverted for any other purposes.	The funds earmarked for Environment Management Plan will not be diverted for any other purposes. The funds allocated for the following purposes. Mechanized Coal handling facility, CAAQM, Monitoring, recurring expenses of nursery and maintenance of plantation, O&M of Dust Suppression System, Truck Tyre Wash System, STP, ETP, Environment Infrastructure; Road Cleaning and procurement of miscellaneous and other contingent requirements.
7.General Conditions		
SI.No	Conditions stipulated	Compliance Status
(I)	Adequate provision for infrastructure facilities including water supply, fuel and sanitation must be ensured for construction workers during the construction phase of the project to avoid any damage to the environment.	The workers involved for Construction were habitated nearby areas of the Project site. During construction phase, potable water supply and sanitation was arranged. However, for the skilled construction workers make shift arrangement of accommodation to the requisite period was provided and adequate provisions were made so as to maintain sanitation.
(II)	Appropriate measures must be taken while undertaking digging activities to avoid any likely degradation of water quality.	Appropriate measures which includes advanced technological practices with least digging areas so as to avoid any likely degradation of water quality

SIX MONTHLY EC COMPLIANCE REPORT FOR THE PERIOD OF OCTOBER TO MARCH 2022

SI.No	Conditions stipulated	Compliance Status
(III)	<p>Borrow sites for each quarry sites for road construction material and dump sites must be identified keeping in view the following:</p> <p>(a) No excavation or dumping on private property is carried out without written consent of the owner.</p> <p>(b) No excavation or dumping shall be allowed on wetlands, forest areas or other ecologically valuable or sensitive locations.</p> <p>(c)Excavation work shall be done in close consultation with the Conservation and watershed Development Agencies working in the area, and</p> <p>(d) Construction spoils including bituminous material and other hazardous materials must not be allowed to contaminate water courses and the damp sites for such materials must be secured so that they shall not leach into the ground water.</p>	<p>The existing roads in the Project area is made use of for implementation of Phase II of the Project.</p> <p>No excavation or dumping is carried out and in the Project area no wetlands and forest area is in place.</p> <p>No excavation was necessary to implement the Project.</p> <p>As reported at (a), (b) and (c) above, this condition is not applicable.</p>
(IV)	<p>The construction material shall be obtained only from approved quarries. In case new quarries are to be opened specific approvals from the competent authority shall be in this regard.</p>	<p>M/s MARG Constructions Limited was assigned the Construction activity of this Project the quarries obtained from authorized agency out side the Project area only. A certificate to this effect is at Annexure 9.</p>
(V)	<p>Adequate precautions shall be taken during transportation of the construction material so that it does not affect the environment adversely.</p>	<p>Necessary precautionary measures were taken during transportation.</p>

SIX MONTHLY EC COMPLIANCE REPORT FOR THE PERIOD OF OCTOBER TO MARCH 2022

Sl.No	Conditions stipulated	Compliance Status
(VI)	Full support shall be extended to the officers of this Ministry/Regional Office at Bangalore by the project proponent during inspection of the project for monitoring purposes by furnishing full details and action plan including action taken reports in respect of mitigation measures and other environmental protection activities.	Full support is being extended for the said activities.
(VII)	Ministry of Environment & Forests or any other competent authority may stipulate any additional conditions or modify the existing ones, if necessary in the interest of environment and the same shall be complied with.	Agree to comply.
(VIII)	The Ministry reserves the right to revoke this clearance if any of the conditions stipulated are not complied with the satisfaction of the Ministry.	Noted and Agreed upon.
(IX)	In the event of a change in project profile or change in the implementation agency, a fresh reference shall be made to the Ministry of Environment & Forests.	Noted and Agreed upon.
(X)	The project proponents shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work.	On 12 th June 2009, the Financial Closure was achieved.
(XI)	Puducherry Pollution Control Board shall display a copy of the clearance letter at the Regional Office, District Industries Center and Collector's Office/Tehsildar's office for 30 days.	Complied by Puducherry Pollution Control Committee

SIX MONTHLY EC COMPLIANCE REPORT FOR THE PERIOD OF OCTOBER TO MARCH 2022

Sl.No	Conditions stipulated	Compliance Status
8	These stipulations would be enforced among others under the provisions of water (Prevention & Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act 1991 and EIA Notification 1994, including the amendments and rules made thereafter.	Being complied.
9	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives. Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and wildlife (Protection) Act, 1972 etc. Shall be obtained as applicable by project proponents from the respective competent authorities.	Requisite Clearances obtained from the concerned Competent Authorities by the M/s. Karaikal Port Private Limited. The same are at Annexure 10.
10	The project proponent shall advertise in at two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing, that the project has been accorded Environmental Clearance and copies of Clearance letters are available with the Puducherry Pollution Control Board and may also be seen on the website of the Ministry of Environment & Forests at http://www.enfor.nic.in . The advertisement should be made within 10 days from the date of the receipt of the Clearances letter and a copy of the same should be forwarded to the Regional Office of this Ministry.	Complied. Copy is enclosed at Annexure 11.
11	Environmental Clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundations Vs. Union of India in Writ Petition (Civil)No.460 of	Agreed upon.

SIX MONTHLY EC COMPLIANCE REPORT FOR THE PERIOD OF OCTOBER TO MARCH 2022

Sl.No	Conditions stipulated	Compliance Status
	2004 as may be applicable to this project.	
12	Any appeal against the Environment Clearance shall be with the National Environment Appellate Authority, if preferred, within a period of 30 days as prescribed under Section 11 off the National Environment Appellate Act, 1997.	Noted
13	A copy of Clearance letter shall be sent by the proponent to concerned Panchayat,ZillaParisad/Municipal Corporation. Urban Local body and the Local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	Copy of the Clearance letter sent by Karaikal Port to the said concerned Agencies. The clearance letter also put on the website (www.karaikalport.com) of the company.
14	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant level namely SPM, RSPM, SO ₂ , NO _x (Ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Being complied.

SIX MONTHLY EC COMPLIANCE REPORT FOR THE PERIOD OF OCTOBER TO MARCH 2022

Sl.No	Conditions stipulated	Compliance Status
15	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB	Compliance reports submitted regularly to the Regional Office of the MoEF&CC at Chennai, CPCB Zonal Office at Chennai / Bangalore & PPCC at Puducherry. Latest report is attached at Annexure 12.
16	The environmental Statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986 as amended subsequently shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	The environmental Statement for each Financial Year ending 31 st March in Form-V submitted regularly to PPCC, Puducherry & RO/MOEF&CC at Chennai Latest Statement ending 31 st March 2022 is at Annexure 13.

Present Status of Project: Project construction has been completed and operations have started (Annexure at 14)


(Capt. Vijay Nicodemus)

Chief Operating Officer

Karaikal Port Private Limited				
<u>KPPL Project Assests Cost</u>				
Pariculars	Project Cost In Crore	Projects work & Direct capitalized / completed in crores	Balance Work	Asset Capitalized
Project Cost	2,500.52	2,500.52	NIL	2,500.52

Year wise		2012-13	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19	2019-20	2020-21	2021-22
		5,069,335	4,428,471.23	6,403,102.36	15,107,829	15,973,489	24,778,929	27,525,288	24,221,000	26,116,900	26,158,498
Environmental Operating expenses	Activities	Fifty Lakhs Sixty Nine Thousand Three Hundred Thirty Five	Forty Four Lakhs Twenty Eight Thousand Four Hundred Seventy One	Sixty Four Lakhs Three thousand one hundred Two	One Crore Fifty One Lakhs Seven Thousand Eight Hundred & Twenty Nine	One Crore Fifty Nine Lakhs Seventy Three Thousand Four Hundred & Eighty Nine	Two crore Forty seven Lakhs Seventy Eight Thousands Nine Hudnred & Twenty Nine only	Two crore Seventy Five Lakhs Thirty Eight Thousands Nine Hudnred & Eighty One only	Two crore Forty Two Thousand Twenty One Only	Two Crore Sixty One Lakhs Sixteen Thousand & Nine Hundred Only	Two Crore Sixty One Lakhs Fifty Eight Thousand & Four Hundred and Ninety Eight Only
Air Pollution Equipments, Oil Spill Equipments, STP, ETP, Tyre wash, Dust Suppression Systems, Wind screens, Agash Ganga, Green Belt Development, Waste Mangement, , Road Cleaning etc.	Environment Pollution Monitoring	19.2	12.6	20	37.7	40.8	75.1	91.2	59.2	66.5	68.8
	GBD Maintenance	18.1	7.8	7.1	16.5	15.6	36.7	30.4	34.2	36.3	36.7
	EMC Running Exp Excl salary part and misc	8.9	9.3	17.2	15.1	12.7	15.8	24.2	21.8	19	24.8
	Dust Suppression System (Incl Road wetting, Coal Wetting etc.)	8.5	14.9	18.2	55.4	62.8	76.2	76.5	84.65	80	76.8
	Waste Management	7.5	4.1	6.03	14.3	12.9	10.3	14.7	12.58	14.89	14.98
	STP, ETP, Tyre Wash, Oil Spill equipment	7.6	8.1	15.5	12.1	14.9	33.6	38.3	43.5	46	39.5
		50.7 lakh	44.3 lakh	64.03 lakh	151.10 lakh	159.7 lakh	247.7 lakh	275 lakh	242.2 lakh	261.1 lakh	261.58 Lakh
The above expenses are over and above Rs. 500 Crores towards the Mechanized Coal Handling System which helps in achieving efficient operations and in maintaining clean environment.											

To,

The Director (IA.III)
Ministry of Environment and Forest
Govt. of India
New Delhi


Sir,

Ref: Phase II Environmental Clearance No 10-42/2009-IA.III dated 22.9.2009


Sub: Re assessment of River water quality

With reference to Environmental Clearance specific conditions no (i), water quality of both the rivers (Pravadanayar and Vettar) has been re assessed and enclosed herewith for your record.

Sincerely,


Manjunath
Manager

Encl: Water quality analysis report



IVC LABS & ENVIRONMENTAL SERVICES

Pollution Control People

Head Office : IVC HOUSE, No : 1048, Burma Colony,
Second Street, Perungudi, Chennai - 600 096.
Ph : 044 - 2496 0600 / 2496 3939
email : ivclabs@yahoo.co.in | ivclabs@dataone.in

Branch Office : 218, 5th Street, Gandhipuram,
Coimbatore - 12. Ph : 0422 - 6958580




WATER QUALITY ANALYSIS REPORT

DATE : 12.01.2010

Report No. : MARG-W-01
Sample From : KARAİKAL PORT PRIVATE LIMITED
'MARG AXIS',
4/318, OLD MAHABALIPURAM ROAD,
KOTTIVAKKAM, CHENNAI – 600 041
Sample Dated : 26.12.2009
Nature of Sample : River Water
Sampling Location : VETTAR River water (up stream)
Karaikal Port Project,
KeelaVanjoor, Karaikal

SL.No.	PARAMETERS	RESULTS
1.	Colour (hazan)	2
2.	Odour	agreeable
3.	pH	8.0
4.	Turbidity NTU	5.0
5.	Total dissolved solids mg/l	625
6.	Total Alkalinity	283
7.	Phenolphthalein Alkalinity	-
8.	Residual Chlorine (mg/l)	<0.2
9.	Total Hardness as CaCO ₃	385
10.	Calcium as Ca mg/l	120
11.	Magnesium as Mg (mg/l)	16
12.	Chlorides as Cl (mg/l)	267



Conti...

13.	Sulphates as SO ₄ (mg/l)	75
14.	Oil & Grease mg/l	0.3
15.	Nitrate Nitrogen (mg/l)	2.8
16.	Fluoride as Fe (mg/l)	0.17
17.	Iron as Fe (mg/l)	0.18
18.	Ammonia as NH ₃ mg/l	BDL
19.	Mercury as Hg (mg/l)	BDL
20.	Cadmium as Cd (mg/l)	<0.01
21.	Copper as Cu (mg/l)	<0.01
22.	Total Chromium as Cr (mg/l)	0.03
23.	Zinc as Zn (mg/l)	<0.01
24.	Manganese as Mn (mg/l)	<0.01
25.	Aluminium as Al (mg/l)	BDL
26.	Cyanide as CN (mg/l)	NIL
27.	Selenium as Se (mg/l)	BDL
28.	Boron as Bo (mg/l)	BDL
29.	Anionic Active Surfactants MABS	NIL
30.	Total Coli forms per/100ml	7
31.	Fecal Coli forms per/100ml	2

BDL – Below detectable limit

For IVC LABS & ENVIRONMENTAL SERVICES

T. Chandrasekhar
12/01
Chief Analyst



IVC LABS & ENVIRONMENTAL SERVICES

Pollution Control People

Head Office : IVC HOUSE, No : 1048, Burma Colony,
Second Street, Perungudi, Chennai - 600 096.
Ph : 044 - 2496 0600 / 2496 3939
email : ivclabs@yahoo.co.in | ivclabs@dataone.in

Branch Office : 218, 5th Street, Gandhipuram,
Coimbatore - 12. Ph : 0422 - 6958580



WATER QUALITY ANALYSIS REPORT

DATE : 12.01.2010

Report No. : MARG-W-02
Sample From : KARAİKAL PORT PRIVATE LIMITED
'MARG AXIS',
4/318, OLD MAHABALIPURAM ROAD,
KOTTIVAKKAM, CHENNAI – 600 041
Sample Dated : 26.12.2009
Nature of Sample : River Water
Sampling Location : VETTAR River water (middle)
Karaikal Port Project
KeelaVanjoor, Karaikal

SL.No.	PARAMETERS	RESULTS
1.	Colour (hazan)	2.5
2.	Odour	agreeable
3.	pH	8.1
4.	Turbidity NTU	7.0
5.	Total dissolved solids mg/l	720
6.	Total Alkalinity	290
7.	Phenolphthalein Alkalinity	6
8.	Residual Chlorine (mg/l)	<0.2
9.	Total Hardness as CaCO ₃	392
10.	Calcium as Ca mg/l	128
11.	Magnesium as Mg (mg/l)	20
12.	Chlorides as Cl (mg/l)	272

Conti...



13.	Sulphates as SO ₄ (mg/l)	77
14.	Oil & Grease mg/l	0.3
15.	Nitrate Nitrogen (mg/l)	2.9
16.	Fluoride as Fe (mg/l)	0.17
17.	Iron as Fe (mg/l)	0.20
18.	Ammonia as NH ₃ mg/l	BDL
19.	Mercury as Hg (mg/l)	BDL
20.	Cadmium as Cd (mg/l)	<0.01
21.	Copper as Cu (mg/l)	<0.01
22.	Total Chromium as Cr (mg/l)	0.03
23.	Zinc as Zn (mg/l)	<0.01
24.	Manganese as Mn (mg/l)	<0.01
25.	Aluminium as Al (mg/l)	BDL
26.	Cyanide as CN (mg/l)	NIL
27.	Selenium as Se (mg/l)	BDL
28.	Boron as Bo (mg/l)	BDL
29.	Anionic Active Surfactants MABS	NIL
30.	Total Coli forms per/100ml	9
31.	Fecal Coli forms per/100ml	3

BDL - Below detectable limit

For IVC LABS & ENVIRONMENTAL SERVICES


14/01
Chief Analyst



IVC LABS & ENVIRONMENTAL SERVICES

Pollution Control People

Head Office : IVC HOUSE, No : 1048, Burma Colony,
Second Street, Perungudi, Chennai - 600 096.
Ph : 044 - 2496 0600 / 2496 3939
email : ivclabs@yahoo.co.in | ivclabs@dataone.in

Branch Office : 218, 5th Street, Gandhipuram,
Coimbatore - 12. Ph : 0422 - 6958580



WATER QUALITY ANALYSIS REPORT

DATE : 12.01.2010

Report No. : MARG-W-03
Sample From : KARAICAL PORT PRIVATE LIMITED
'MARG AXIS',
4/318, OLD MAHABALIPURAM ROAD,
KOTTIVAKKAM, CHENNAI – 600 041
Sample Dated : 26.12.2009
Nature of Sample : River Water
Sampling Location : VETTAR River water (Mouth)
Karaikal Port Project
KeelaVanjoor, Karaikal

SL.No.	PARAMETERS	RESULTS
1.	Colour (hazan)	9
2.	Odour	agreeable
3.	pH	8.2
4.	Turbidity NTU	9.0
5.	Total dissolved solids mg/l	22250
6.	Total Alkalinity	316
7.	Phenolphthalein Alkalinity	12
8.	Residual Chlorine (mg/l)	NIL
9.	Total Hardness as CaCO ₃	7150
10.	Calcium as Ca mg/l	685
11.	Magnesium as Mg (mg/l)	824
12.	Chlorides as Cl (mg/l)	12153

Conti...



13.	Sulphates as SO ₄ (mg/l)	2485
14.	Oil & Grease mg/l	1.5
15.	Nitrate Nitrogen (mg/l)	3.2
16.	Fluoride as Fe (mg/l)	0.8
17.	Iron as Fe (mg/l)	1.3
18.	Ammonia as NH ₃ mg/l	BDL
19.	Mercury as Hg (mg/l)	BDL
20.	Cadmium as Cd (mg/l)	0.09
21.	Copper as Cu (mg/l)	<0.01
22.	Total Chromium as Cr (mg/l)	0.02
23.	Zinc as Zn (mg/l)	<0.5
24.	Manganese as Mn (mg/l)	<0.04
25.	Aluminium as Al (mg/l)	BDL
26.	Cyanide as CN (mg/l)	NIL
27.	Selenium as Se (mg/l)	BDL
28.	Boron as Bo (mg/l)	BDL
29.	Anionic Active Surfactants MABS	NIL
30.	Total Coli forms per/100ml	12
31.	Fecal Coli forms per/100ml	4

BDL – Below detectable limit

For IVC LABS & ENVIRONMENTAL SERVICES


Chief Analyst



IVC LABS & ENVIRONMENTAL SERVICES

Pollution Control People

Head Office : IVC HOUSE, No : 1048, Burma Colony,
Second Street, Perungudi, Chennai - 600 096.
Ph : 044 - 2496 0600 / 2496 3939
email : ivclabs@yahoo.co.in | ivclabs@dataone.in

Branch Office : 218, 5th Street, Gandhipuram,
Coimbatore - 12. Ph : 0422 - 6958580




WATER QUALITY ANALYSIS REPORT

DATE : 12.01.2010

Report No. : MARG-W-04
Sample From : KARAİKAL PORT PRIVATE LIMITED
'MARG AXIS',
4/318, OLD MAHABALIPURAM ROAD,
KOTTIVAKKAM, CHENNAI – 600 041
Sample Dated : 26.12.2009
Nature of Sample : River Water
Sampling Location : PRAVIDAYAR River water (Up-stream)
Karaikal Port Project
KeelaVanjoor, Karaikal

SL.No.	PARAMETERS	RESULTS
1.	Colour (hazan)	2.5
2.	Odour	agreeable
3.	pH	7.9
4.	Turbidity NTU	3.0
5.	Total dissolved solids mg/l	570
6.	Total Alkalinity	185
7.	Phenolphthalein Alkalinity	-
8.	Residual Chlorine (mg/l)	<0.1
9.	Total Hardness as CaCO ₃	335
10.	Calcium as Ca mg/l	115
11.	Magnesium as Mg (mg/l)	18
12.	Chlorides as Cl (mg/l)	155



Conti...

13.	Sulphates as SO ₄ (mg/l)	70
14.	Oil & Grease mg/l	0.5
15.	Nitrate Nitrogen (mg/l)	2.5
16.	Fluoride as Fe (mg/l)	0.12
17.	Iron as Fe (mg/l)	0.15
18.	Ammonia as NH ₃ mg/l	BDL
19.	Mercury as Hg (mg/l)	BDL
20.	Cadmium as Cd (mg/l)	<0.01
21.	Copper as Cu (mg/l)	0.02
22.	Total Chromium as Cr (mg/l)	<0.01
23.	Zinc as Zn (mg/l)	<0.01
24.	Manganese as Mn (mg/l)	BDL
25.	Aluminium as Al (mg/l)	NIL
26.	Cyanide as CN (mg/l)	BDL
27.	Selenium as Se (mg/l)	BDL
28.	Boron as Bo (mg/l)	BDL
29.	Anionic Active Surfactants MABS	NIL
30.	Total Coli forms per/100ml	3
31.	Fecal Coli forms per/100ml	1

BDL – Below detectable limit

For IVC LABS & ENVIRONMENTAL SERVICES


 Chief Analyst



IVC LABS & ENVIRONMENTAL SERVICES

Pollution Control People

Head Office : IVC HOUSE, No : 1048, Burma Colony,
Second Street, Perungudi, Chennai - 600 096.
Ph : 044 - 2496 0600 / 2496 3939
email : ivclabs@yahoo.co.in | ivclabs@dataone.in

Branch Office : 218, 5th Street, Gandhipuram,
Coimbatore - 12. Ph : 0422 - 6958580



WATER QUALITY ANALYSIS REPORT

Report No.
Sample From

: MARG-W-05
: KARAIKAL PORT PRIVATE LIMITED
'MARG AXIS',
4/318, OLD MAHABALIPURAM ROAD,
KOTTIVAKKAM, CHENNAI - 600 041

DATE : 12.01.2010

Sample Dated
Nature of Sample
Sampling Location

: 26.12.2009
: River Water
: PRAVIDAYAR River water (Middle)
Karaikal Port Project
KeelaVanjoor, Karaikal

SL.No.	PARAMETERS	RESULTS
1.	Colour (hazan)	
2.	Odour	2.5
3.	pH	agreeable
4.	Turbidity NTU	8.0
5.	Total dissolved solids mg/l	3.2
6.	Total Alkalinity	582
7.	Phenolphthalein Alkalinity	192
8.	Residual Chlorine (mg/l)	-
9.	Total Hardness as CaCO ₃	<0.1
10.	Calcium as Ca mg/l	341
11.	Magnesium as Mg (mg/l)	119
12.	Chlorides as Cl (mg/l)	20
		160



Conti...

13.	Sulphates as SO ₄ (mg/l)	73
14.	Oil & Grease mg/l	0.5
15.	Nitrate Nitrogen (mg/l)	2.6
16.	Fluoride as Fe (mg/l)	0.12
17.	Iron as Fe (mg/l)	0.16
18.	Ammonia as NH ₃ mg/l	BDL
19.	Mercury as Hg (mg/l)	BDL
20.	Cadmium as Cd (mg/l)	<0.01
21.	Copper as Cu (mg/l)	0.02
22.	Total Chromium as Cr (mg/l)	<0.01
23.	Zinc as Zn (mg/l)	<0.01
24.	Manganese as Mn (mg/l)	BDL
25.	Aluminium as Al (mg/l)	NIL
26.	Cyanide as CN (mg/l)	BDL
27.	Selenium as Se (mg/l)	BDL
28.	Boron as Bo (mg/l)	BDL
29.	Anionic Active Surfactants MABS	NIL
30.	Total Coli forms per/100ml	6
31.	Fecal Coli forms per/100ml	3

BDL – Below detectable limit

For IVC LABS & ENVIRONMENTAL SERVICES


Chief Analyst





WATER QUALITY ANALYSIS REPORT

DATE : 12.01.2010

Report No. : MARG-W-06
Sample From : KARAİKAL PORT PRIVATE LIMITED
'MARG AXIS',
4/318, OLD MAHABALIPURAM ROAD,
KOTTIVAKKAM, CHENNAI – 600 041
Sample Dated : 26.12.2009
Nature of Sample : River Water
Sampling Location : PRAVIDAYAR River water (Mouth)
Karaikal Port Project
KeelaVanjoor, Karaikal

SL.No.	PARAMETERS	RESULTS
1.	Colour (hazan)	8
2.	Odour	agreeable
3.	pH	8.1
4.	Turbidity NTU	8.5
5.	Total dissolved solids mg/l	21950
6.	Total Alkalinity	310
7.	Phenolphthalein Alkalinity	9
8.	Residual Chlorine (mg/l)	NIL
9.	Total Hardness as CaCO ₃	6936
10.	Calcium as Ca mg/l	669
11.	Magnesium as Mg (mg/l)	812
12.	Chlorides as Cl (mg/l)	11866



Conti...

13.	Sulphates as SO ₄ (mg/l)	2310
14.	Oil & Grease mg/l	1.5
15.	Nitrate Nitrogen (mg/l)	3.1
16.	Fluoride as Fe (mg/l)	0.9
17.	Iron as Fe (mg/l)	1.1
18.	Ammonia as NH ₃ mg/l	BDL
19.	Mercury as Hg (mg/l)	BDL
20.	Cadmium as Cd (mg/l)	0.08
21.	Copper as Cu (mg/l)	<0.01
22.	Total Chromium as Cr (mg/l)	0.02
23.	Zinc as Zn (mg/l)	<0.5
24.	Manganese as Mn (mg/l)	<0.04
25.	Aluminium as Al (mg/l)	BDL
26.	Cyanide as CN (mg/l)	NIL
27.	Selenium as Se (mg/l)	BDL
28.	Boron as Bo (mg/l)	BDL
29.	Anionic Active Surfactants MABS	NIL
30.	Total Coli forms per/100ml	13
31.	Fecal Coli forms per/100ml	5

BDL – Below detectable limit

For IVC LABS & ENVIRONMENTAL SERVICES

T. [Signature]
12/01
Chief Analyst



GOVERNMENT OF PUDUCHERRY
DEPARTMENT OF SCIENCE, TECHNOLOGY & ENVIRONMENT
PONDICHERRY COASTAL ZONE MANAGEMENT AUTHORITY
ANNA NAGAR, PUDUCHERRY-5

Phone : (0413) 2201256

FAX : (0413) 2203494

* * *

Puducherry, the

To
Dr. A. Senthilvel
Additional Director
Member Secretary, National Coastal Zone Management Authority
Ministry of Environment & Forests.

Letter No. DST&E/PCZMA/NOC/JE/2009/3092

Room No. 708, Paryavaran Bhavan, CGO Complex, Lodi Road,
New Delhi - 110 003.

Sir,


Sub: DST&E - PCZMA - Recommendation of PCZMA for Extension of Karaikal Port Facilities - Reg.

Ref: i) Lr. dated 09th Feb 2009 received from M/s. Karaikal Port Pvt. Ltd.
ii) Lr. dated 20th December 2008 received from M/s. Karaikal Port Pvt. Ltd.

* * *

With reference to the above, it is informed that the proposal of M/s. Karaikal Port Pvt. Ltd. for expansion of Karaikal Port by construction of three additional berths, enhancement of cargo handling capacity from 4.0 MTPY to 20.5 MTPY and deepening of Navigational Channels, Basin and Turning Circle within the existing Port Layout has been discussed in the 19th meeting of Puducherry Coastal Zone Management Authority held on 12.02.2009 and the Authority decided that the proposal for expansion of Karaikal Port shall be recommended to MoE&F for obtaining Environmental Clearance as the proposal falls in land classified under CRZ - III.

For and on behalf of PCZMA,


(G. RAJAMOHAN)
Member Secretary

Puducherry Coastal Zone Management Authority

Copy to :

M/s. Karaikal Port Private Limited

E-mail : test@mettexlab.com
Web : www.mettexlab.com

Phone : 044-22323163, 22311034
42179490, 42179491



CHENNAI METTEX LAB PRIVATE LIMITED

Jothi Complex, 83, M.K.N. Road, Guindy, Chennai - 600 032.

TEST REPORT – MARCH- 2022

Page No. 1 of 1

ISSUED TO : M/s. Karaikal Port Private Limited,
Khezhavanjoor Village,
T.R.Pattinam,
Karaikal- 609 606.

T.C Date : 28.03.2022

T.C No : CML/21-22/77835

Date Of Receipt : 15.03.2022

Cust. Ref : SRF Dated : 15.03.2022

Analysis Commenced On : 15.03.2022

Lab No : 2283491

Analysis Completed On : 21.03.2022

Sample Description : STP Outlet Water
(as stated by customer)

Date of Sampling: 15.03.2022

Sl.No.	Test Parameters	Protocol	Results	CPCB Limit (Land for Irrigation)
Discipline : Chemical			Group: Pollution & Environment	
01	pH @ 25°C	IS: 3025 Part 11-1983 (Reaff.2017)	7.56	5.5 – 9.0
02	Total Suspended Solids	IS: 3025 Part 17-1984 (Reaff.2017)	22 mg/l	200 mg/l
03	Total Dissolved Solids	IS: 3025 Part 16-1984 (Reaff.2017)	1456 mg/l	NS
04	Chloride as Cl	IS: 3025 Part 32-1988 (Reaff.2019)	650 mg/l	NS
05	Sulphate as SO ₄	IS: 3025 Part 24 -1986(Reaff.2019)	14 mg/l	NS
06	Oil & Grease	IS: 3025 Part 39-1991 (Reaff.2019)	5 mg/l	10 mg/l
07	BOD @ 27°C for 3 days	IS: 3025 Part 44-1993 (Reaff.2019)	11 mg/l	100 mg/l
08	COD	IS:3025 Part 58 - 2006 (Reaff.2017)	65 mg/l	NS
09	Total Kjeldahl Nitrogen	IS:3025 Part 34 - 1988 (Reaff.2019)	15 mg/l	NS
10	Ammonical Nitrogen	IS:3025 Part 34 – 1988 (Reaff.2019)	14 mg/l	NS
Discipline : Biological			Group: Pollution & Environment	
11	Faecal Coliforms	APHA 23 rd Edn . 2017 : 9221 'E'	210 MPN/100ml	NS

Abbreviation : MPN : Most Probable Number; APHA : American Public Health Association. NS : Not Specified.

-----End of Report-----


B. ARUNAN
Technical Manager-Microbiology



For Chennai Mettex Lab Pvt Ltd.,


P. KAVITHA
Technical Manager

NOTE: Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders will be liable for legal action. Unless otherwise stated the submitted results in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only from the completion date of testing .. except in case of regulatory samples, which will be retained for a specific period as per statutory requirement; while perishable & environmental testing related remnant samples will be discarded consequent upon completion of testing. Samples are not drawn by us unless otherwise stated. This document cannot be reproduced Except in full, without prior written approval of the laboratory. This report is for the exclusive use of Chennai Mettex Lab's customer, and is provided in accordance with the agreement between Chennai Mettex Lab and its Customer.

16/03 2020 11:35AM FAX 04368224900

ICGS. KARIKAL

Telefax: 04368-226500
Email : cgs-kkl@indiancoastguard.nic.in
Reply should be addressed to
The Commanding Officer

BHARATIYA TATRAKSHAK
AVASTHAN KARIKAL
ICGS Karaikal
No.64, Bharathi Nagar,
Karaikal – 609 604

731/7

16 Mar 2020

The Manager
(Marine Operations)
Karaikal Port Pvt Ltd
Kheezhavanjoor Village
TR Pattinam, PB No.33
Karaikal-609606

OIL SPILL CONTINGENCY PLAN – KARIKAL PORT PVT LTD

1. Refer to CGRHQ(E) letter 7604 dated 02 Mar 17 and this station letter 704/6 dated 17 Apr 17.
2. The revised Oil Spill Contingency Plan (OSCP) of Karaikal Port Pvt Ltd had been approved by competent Coast Guard authority w.e.f 02 Mar 17 for a period of five years.

Thanking you,

Yours faithfully,



(Praveen Kumar)
Asst Commandant
Station Ops Officer
for Commanding Officer

End. As above

OSR EQUIPMENT – AVAILABLE WITH KARAIKAL PORT

Sl. No.	Description	Quantity
1.	Air Inflatable Boom	250 M
2.	Air filled Light Oil Boom	500 meters
3.	Rigid Boom	500 M
4.	Sorbent Boom	200 M
5.	Sorbent Pads	1000 Nos
6.	OSD	600 Ltrs
7.	Skimmer	2 - 30 TPH
8.	Boom reel	01
9.	Power Pack with accessories	02
10.	Anchors & accessories for booms	as per set
11.	Oil Spill Dispersant	500 liters
12.	Reusable Adsorbents	For up to 1000 ltr absorption

SAFETY / SHORELINE CLEANUP EQUIPMENTS AVAILABLE WITH KARAIKAL PORT

Sl. No.	Description	Quantity
1.	PCV hand gloves – small 14”	20
2.	PCV hand gloves – small 16”	20
3.	PCV hand gloves – small 18”	20
4.	Mops with handle	20
5.	Hand shovel with wooden handle	20
6.	Wheel Barrow	10
7.	Rake with handle	10
8.	Tarpaulin-standard size 30’ X 27’	4
9.	Gunny bags	50
10.	HDPE bags	50
11.	Safety Helmets	14
12.	Liquid Soap (in canes)	50 Ltrs
13.	Water Flask 20 Liters	02
14.	Saw Dust packed in gunny bags	100 Kgs
15.	Disposable Coveralls – Small	10
16.	Disposable Coveralls – Medium	20

17.	Disposable Coveralls – Large	20
18.	Disposable Coveralls – Extra Large	20
19.	Gum boot – Small	15
20.	Gum boot – Medium	15
21.	Gum boot – Large	15
22.	Plastic Buckets – 10 liters	15
23.	Plastic Buckets – 20 liters	15
24.	Plastic Mug – 1 liter	15
25.	Cotton Rag – in bags	100 Kg.
26.	Trolley	03
27.	Detergent Powder	25 Kg
28.	Work / Lift vests	06
29.	Disposable cups / glasses	200
30.	Plastic Chairs	6
31.	Folding Tables	2
32.	First Aid Kit	01 Set

KPPL/MAR/ICGS/2021-22/006

21-Feb-2022

To,
The Commanding Officer
ICGS Karaikal


Sub:- Renewal for Oil Spill Contingency-Plan – Karaikal Port.

Dear Sir,

With reference to the letter no 704/6, dtd, 13th April 2017, our revised Oil Spill Contingency Plan was approved for a period of five years from 15th March 2017, which is due to expire on 14th March 2022.

We request you to kindly renew our OSCP for further period of 5 years.

With Best Regards,


Capt Vijay Nicodemus
Chief Operating Officer
Karaikal Port Pvt Ltd.




KARAİKAL PORT PRIVATE LIMITED.
CIN: U45203PY2006PTC001945


Registered Office

101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000

BUOYS



Environment Management Cell



12/12/2019



भारत सरकार /Government of India
 वाणिज्य और उद्योग मंत्रालय /Ministry of Commerce & Industry
 पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो) /Petroleum & Explosives Safety Organisation (PESO)
 PESO's ONLINE LICENSING SYSTEM

ईमेल /E-mail : explosives@explosives.gov.in
 दूरभाष /Phone/Fax No : 0712 -2510248, Fax-2510577
 दिनांक/Dated : 12/12/2019

संख्या/No : P/SC/PY/14/136(P203909)

सेवा में / To,

M/S.Karalkal Port Private Limited,
 Kheezhavanjoor Village,
 T R Pattinam, PB No 33,
 Karalkal,
 District: KARAIKAL,
 State: Pondicheri
 PIN: 609606

विषय / Sub : Existing Petroleum Class A,B Retail Outlet at Plot No, R.S.166/2 of Vanjore Revenue Village In, NA, Karalkal, District: KARAIKAL, State: Pondicheri, PIN: 999999 - Licence No. P/SC/PY/14/136 (P203909) - Reg Online Renewal of Licence.

महोदय / Sir(s),

Please refer to your online renewal application filed in the PESO's online Licensing System on 12/12/2019. The license No. P/SC/PY/14/136(P203909) granted under Petroleum Rules, 2002 has been renewed up to 31/12/2022 and PESO's records have been updated accordingly.

The validity of the subject license can be verified by entering Dockey through the Public Domain link available on PESO's website : <http://peso.gov.in>. You are advised to keep this communication attached with your subject original/latest amended license issued by this organisation.

For further renewal, please submit application online on or before the date on which the subject license expires.

This is a system generated online letter which does not require signature and reply to this letter is not warranted.

PESO's ONLINE LICENSING SYSTEM

[अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए कृपया हमारी वेबसाइट <http://peso.gov.in> देखें]
 (For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Form XIV
(See paragraph 5 of First Schedule)
FORM XIV
(see Article 5 of the First Schedule)

License for petroleum storage in tanks or tanks in connection with pump outfits for fueling motor vehicles
LICENCE TO STORE PETROLEUM IN TANK / S IN CONNECTION WITH PUMP OUTFIT FOR FUELING MOTOR
CONVEYANCES

License no. (License No.): **P / SC / PY / 14/136 (P203909)**

Fee Rupees (Fee Rs.) **5000 / - per year**

M / S.Karalkal Port Private Limited, Kheezhavanjoor Village, TR for storage of 40.00 KL of Petroleum class B in tanks / tanks subject to the provisions of the Petroleum Act, 1934 and the rules made thereunder and additional conditions of this license. **Pattinam, PB No 33, Karalkal, District: KARAİKAL, State: Pondicheri, PIN: 609606** In the respective licensed premises under the previous Upbdhd map Number **P / SC / PY / 14/ 136 (P203909)** on **12/12/2019** in As shown, valid licenses are allowed for.

License is hereby granted to **M / S.Karalkal Port Private Limited, Kheezhavanjoor Village, TR Pattinam, PB No 33, Karalkal, District: KARAİKAL, State: Pondicheri, PIN: 609606** valid only for the storage of **40.00 KL of Petroleum class B** in tank / s in the signed premises described below and shown on the plan no: **P / SC / PY / 14/136 (P203909)** dated **12/12/2019** attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this license.

This license will be valid till **31st day of December 2022** .

The License shall remain in force till the **31st day of December 2022**

February 21, 2008

For Jt. Chief Controller of Explosives
SC, Chennai

1). Amendment dated - 02/08/2010

Description and location of permitted premises
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

The licensed premises whose boundaries are shown in the attached map are located at **Plot No: RS166 / 2 of Vanjore Revenue Village in, NA, Karalkal, District: KARAİKAL, State: Pondicheri, PIN: 999999** and include the following :

The licensed premises, the boundaries of which are shown in the attached plan, are located at **Plot No: RS166 / 2 of Vanjore Revenue Village in, NA, Karalkal, District: KARAİKAL, State: Pondicheri, PIN: 999999** and consist of :

- A** Underground gas tight tanks of **NIL** kiloliter capacity / **1** capacity for petroleum class A complex connected to electrically / manual **NIL** dispensing pumps.
 - a** **1** number (s) underground gas tight tanks of capacity **NIL** kilolitres respectively of petroleum class A connected with **NIL** number (s) electrically / manually operated dispensing pump (s)
- B** Petroleum class B / C complex **20k00+ 20.00** / respectively kiloliter capacity: **2** capacity of underground gas-tight tank, which electrically / Manual **2** are associated with Dispensing pumps.
- b** **2** number (s) underground gas tight tanks of capacity **20.00+ 20.00** kilolitres respectively of Petroleum Class B connected with **2** number (s) electrically / manually operated dispensing pump (s).
- C** A sales room / kiosk
- c** A sales room / kiosk
- D** Service related facilities including **Security room & BOWZER PARKING AREA** .
- d** Servicing facilities consisting of security room & bower parking area as per attached plan



भारत सरकार

Government of India

वाणिज्य और उद्योग मंत्रालय

Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसे)

Petroleum & Explosives Safety Organisation (PESO)

A और D - विंग, ब्लॉक 1-8, दूसरा तल, शास्त्री भवन, 26 हार्दोस रोड, नुंगम्बक्कम
चेन्नई - 600006A & D - Wing, Block 1-8, IInd Floor, Shastrī Bhavan, 26 Haddous Road, Nungambakkam,
Chennai - 600006

E-mail: jtccechennai@explosives.gov.in

Phone / Fax: 044 - 28287118, 28284848

दिनांक /Date: 27/12/2019

संख्या /No. P/SC/PY/19/1001(P391570)

शेरा में /To,

M/s. KARAIKAL PORT PVT.LTD.,
Khaazhavanjoor Village,
Karaikal,
Taluka: Karaikal,
District: KARAIKAL,
State: Pondicheri
PIN: 609606

विषय /Sub: रजिस्ट्रेशन नंबर PY-02 Q3665 के रिफ्यूएलर द्वारा भू मार्ग से पेट्रोलियम उत्पादों के परिवहन के लिए अनुज्ञापित के नवीकरण के संबंध में ।

Licence to transport Petroleum Products on land by Refueller bearing Reg.No PY-02 Q3665 - Renewal of licence regarding

गृहोदय /Sir

(s).

कृपया आपके पत्र क्रमांक OIN419046 दिनांक 12/12/2019 का अवलोकन करें ।

Please refer to your letter No. OIN419046, dated 12/12/2019

निम्नलिखित पेट्रोलियम पदार्थों के वर्ग तथा मात्रा के टैंक ट्रक पंजीकरण संख्या PY-02 Q3665 द्वारा परिवहन के लिए पेट्रोलियम नियम, 2002 के अधीन प्ररूप-
XIX में जारी, दिनांक 31/12/2022 तक नवीकृत अनुज्ञापित संख्या P/SC/PY/19/1001 (P391670) दिनांक 12/04/2017 अशेषित की जा रही है ।Licence No. P/SC/PY/19/1001 (P391570) dated 12/04/2017 in Form XIX under the Petroleum Rules, 2002 and renewed till 31/12/2022 for the
transport of the following kind and quantities of Petroleum by tank truck Reg.No PY-02 Q3665 is forwarded herewith.

पेट्रोलियम का विवरण /Description of Petroleum

अनुज्ञापित क्षमता (किलोलीटर में) /Total
Quantity licenced in K.L.

High Speed Diesel

11.00 KL

कृपया पेट्रोलियम नियम, 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कड़ाई से पालन करें और अनुज्ञापित के नवीकरण हेतु संपूर्ण दस्तावेज,
अनुज्ञापित की वधता समाप्ती की तारीख या उससे 10 ज्त. Chief Controller of Explosives, South Circle Office, Chennai, so as to reach his कार्यलय में
प्रस्तुत करें ।Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for further renewal of the
licence to Jt. Chief Controller of Explosives, South Circle Office, Chennai, so as to reach his office on or before the date on which licence
expires

शुभदीय /Your's faithfully,

(अहिम नदी)
(AHIM NADI)
उप विस्फोटक नियंत्रक
Dy. Controller of Explosives
कृते संयुक्त मुख्य विस्फोटक नियंत्रक
For Jt. Chief Controller of Explosives
चेन्नई/Chennai

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट: <http://peso.gov.in> देखें)(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

प्ररूप XIX
(प्रथम अनुसूची का अनुच्छेद 11 देखिए)
FORM XIX
(see Article 11 of the First Schedule)

यन्त्रचालित यानों अर्थात् रिफ्यूएलर द्वारा भू माग्न से वर्ग क या वर्ग ख प्रपुञ्ज पेट्रोलियम के परिवहन के लिए अनुज्ञप्ति
LICENCE TO TRANSPORT PETROLEUM CLASS A OR CLASS B IN BULK ON LAND BY
MECHANICALLY PROPELLED VEHICLES VIZ. REFUELLER

(क) वायुयानों के रिफ्यूएलर के लिए पेट्रोलियम वर्ग क/ख

या
(ख) बहनों/मशीनरी/स्थिर उपस्करों में साईट पर रिफ्यूएलिंग के लिए वर्ग क/ख पेट्रोलियम

(a) Petroleum Class A or B for Refueller of Aircrafts
or

(b) Petroleum Class A or B for on site refuelling of Vehicles/
Machineries/Stationery Equipments.

अनुज्ञप्ति संख्या /Licence No. : P/SC/PY/19/1001(P391570)

फीस रूपर /Fee Rs. 2006/- Per Year

KARAIKAL PORT PVT.LTD., Kheezhavanjoor Village, Karaikal, Taluka: Karaikal, District: KARAIKAL, State: Pondicheri PIN: 609606 को वायुयानों/मारी यानों/मशीनरी/स्थैतिक उपस्करों में नीचे यथा वर्णित रिफ्यूएलर द्वारा स्थल पर इंधन भरने के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों और उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अन्य शर्तों के अधीन रहते हुए प्रपुञ्ज में वर्ग क/ख पेट्रोलियम के भूमि पर परिवहन के लिए अनुज्ञप्ति अनुदत्त की जाती है।

Licence is hereby granted to KARAIKAL PORT PVT.LTD., Kheezhavanjoor Village, Karaikal, Taluka: Karaikal, District: KARAIKAL, State: Pondicheri PIN: 609606 to transport petroleum in bulk on land for onsite refueling of the Aircraft/Heavy vehicles/machineries/stationery equipments by the refueller as described below subject to the provision of the Petroleum Act, 1934 and rules made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31/12/2022 तक विधिमाम्य रहेगी।

The Licence shall remain valid upto the 31/12/2022.

जारी करने की तारीख /Date of issue April 12, 2017

For Jt. Chief Controller of Explosives
SC, Chennai

विवरण /DESCRIPTION

- यान में लदाई संलग्न अनुमोदित नक्शा संख्या P/SC/PY/14/136(P203909) में वर्णित विशेष रूप से तैयार किए गए क्षेत्र में अनुज्ञप्त भंडारकरण परिसरों में की जाती है।
The vehicle is loaded in the specially prepared area described in approved plan attached to Licence no. P/SC/PY/14/136(P203909).
- सक्रिया के क्षेत्र और भरे जाने वाले उपस्कर KARAIKAL PORT.
The area of operation and the equipments to be filled KARAIKAL PORT.
- रिफ्यूएलर इससे संलग्न अनुमोदित आरेखण संख्या P/SC/PY/19/1001(P391570) दिनांक 24/04/2017 और नीचे दी गई विशिष्टियों के अनुरूप है :-
The refueller conforms to the approved drawing No P/SC/PY/19/1001(P391570) Date 24/04/2017 attached hereto and to the further particulars given below :

मेक और माडल /Make and model	ASHOK LEYLAND 11616 IL	इंजन नंबर /Engine Number	FVEZ423704
चेसिस नंबर /Chassis Number	MB1A3CFD7FETT3940	रजिस्ट्रेशन नंबर /Registration Number	PY-02 Q3665
रजिस्ट्रिकृत स्वामी का नाम /Name of the registered owner	Karaikal Port Pvt.Ltd.,		
वाहन में ले जाने हेतु पेट्रोलियम के अधिकृत वर्ग /Class(es) of petroleum authorised to be carried in the vehicle.	Class B		

टैंक और कम्पार्टमेंटों की प्राधिकृत वहन क्षमता

AUTHORISED CARRYING CAPACITY OF THE TANK & COMPARTMENTS

कम्पार्टमेंट सं. (Compartment No.)	1	2	3	4	5	6	7	कुल क्षमता (किलोलीटर में) (Total Capacity in KL.)
किलोलीटर में क्षमता (Capacity in KL.)	11	0	0	0	0	0	0	11.00 KL

कुल लदाई वजन 16200 किलोग्राम से अधिक नहीं होना चाहिए।
Gross Laden weight should not exceed 16200 Kgs.

पार्किंग पता /Parking Address : M/S. Karaikal Port Private Limited, Keezhavanjoor Village tr Pattinam, Karaikal, District: Karaikal, State: Pondicheri, pin: 609606.

पेज सं. 2


अनुज्ञप्ति संख्या-(Licence No.) P/SC/PY/19/1001 (P391570)

नवीनीकरण के पृष्ठांकन के लिए स्थान
SPACE FOR ENDORSEMENT OF RENEWALS

<p>यह अनुज्ञप्ति पेट्रोलियम अधिनियम, 1934 या उसके अधीन बनाए गए नियमों के उपबंधों या अनुज्ञप्ति की शर्तों का उल्लंघन न होने की दशा में फीस में किसी रियायत के बिना दस वर्ष के लिए नवीकरणीय होगी।</p> <p>This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.</p>	<p>नवीकरण की तारीख Date of Renewal</p>	<p>समाप्ति की तारीख Date of Expiry of license</p>	<p>अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature and office stamp of the licencing authority.</p>
--	--	---	--

1).

27/12/2019 31/12/2022


AHIN NANDI
 Dy. Controller of
 Explosives
 For Jt. Chief Controller of
 Explosives
 Chennai

यदि परिसर, अनुज्ञप्ति के संलग्न शर्तों के अनुरूप नहीं पाया जाता है और जिन नियमों और शर्तों के अधीन यह अनुज्ञप्ति मंजूर की गई है उन में से किसी का उल्लंघन होने की दशा में यह अनुज्ञप्ति रद्द की जा सकती है और अनुज्ञप्तिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक का हो सकता है, या जुर्माने से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चात्कर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक का हो सकता है या जुर्माने से, जो पांच हजार रुपये तक हो सकता है, या दोनों से, दण्डनीय होगा।

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.



To,

Dr U. Sridharan,
Additional Director
Ministry of Environment and Forests
Regional Office (Southern Zone)
Bangalore- 560 034

Sir,

Sub: Environmental and CRZ clearance for the expansion of Karaikal Port (Phase II)
Ref: No 10-42/2009-IA.III, dated 22.9.2009

The Ministry of Environment and Forest has accorded Environmental and CRZ clearance for the expansion of Karaikal Port (Phase II) letter dated 22nd September 2009 (No 10-42/2009-IA.) As per the general conditions stipulated in the EC letter, an advertisement was made in two local news papers informing the public regarding Clearance and the copies are enclosed as directed by the ministry to forward the same to the regional office, Bangalore.

We are also enclosing a report on the Environmental Monitoring Program covering the period from March 2009 to August 2009 for your kind consideration and the same has been already submitted to Pondicherry Pollution Control Committee.

Sincerely,


MJB
14/10/09
Manjunath Bhat
Manager-Environment

Encl:

1. Copies of the Advertisement in the News Paper
2. Report on Environmental Monitoring Program

sent through courier

KARAIKAL PORT PRIVATE LIMITED



KARAIKAL PORT PRIVATE LIMITED

392 & 393, Rajiv Gandhi Salai, Kottivakkam,
Chennai - 600 041.

Wishes to inform that its Phase II expansion project for its Karaikal Port has been accorded environmental and CRZ clearance by the Ministry of Environment and Forests, Government of India and copies of clearance letters are available with the Puducherry Pollution Control Board and also on the website of the Ministry of Environment and Forests at <http://www.envfor.nic.in>.

Date : 13.10.2009

EXECUTIVE DIRECTOR

Change of Name

D. Narendran of Thiru D. Dhasarathan, born on 10th February 1990 (native district : Tiruchirappalli), residing at No. 7, New No. 4, Bharathidasan Street, Ponnalampatti, Tiruchirappalli - 620 004, shall henceforth be known as **D. NARENDRAN, A.D.**

D. NARENDRAN,
Tiruchirappalli, 4th August 2009.

Change of Name

K. V. Sadasivam, son of Thiru K. Vetsamy born on 10th May 1968 (native district : Karur), residing at No. 3-277, P. Sellandipalayam, Pallapalayam Post, Karur - 639 002, shall henceforth be known as **V. SADASSIVAM.**

V. SADASSIVAM,
Pallapalayam, 10th August 2009.

SOUTHERN RAILWAY ANNOUNCEMENT

As announced by Honourable Minister of Railways on 03/07/09 in the Budget Speech for 2009-10, the existing system of coupon books for credited press correspondents is being replaced by a photo identity card based system. Photo identification card will be issued by Railways to credited press correspondents instead of coupon books. Photo identification card will be issued on the production of the certification by the Press Information Bureau and other competent state and local authorities as per laid down Railway Board guidelines. This new system of concession based Photo Identity card along with increased concession (50%) on Rajdhani and Shatabdi trains will be effective from 15/10/09.

For further details and enquiry, the following person may be contacted :

Senior Commercial Manager,
Passenger Reservation System,
Southern Railway, Chennai.
Phone No.044-25351621

SERVING CUSTOMERS WITH A SMILE

FORM No.5
(New Rule 29)

Form of Advertisement of Petition
IN THE HIGH COURT OF
JUDICATURE AT MADRAS
(Original Jurisdiction)

COMPANY PETITION NO.225 OF 2009
CONNECTED WITH COMPANY
APPLICATION NO.686 OF 2009
In the matter of Companies Act, 1956
AND

In the matter of Scheme of
Amalgamation Under Section
391 to 394 of the Companies Act
BETWEEN

In the matter of Scheme of
Amalgamation of Salzer
Cables Limited with Salzer
Electronics Limited

Salzer Electronics Limited
a Company incorporated under the
Companies Act, 1956 and having its
Registered office at
Senthilnathan,
Jothipuram (V), Coimbatore 641 047
Represented by its Director
S. Senthilnathan

... PETITIONER /
TRANSFEREE COMPANY

FORM OF ADVERTISEMENT OF PETITION

A petition under Section 391 to 394 of the Companies Act, 1956 for amalgamation / merger of Salzer Cables Limited with Salzer Electronics Limited as presented by petitioner on the 29th day of July 2009 and the said petition is fixed for hearing before the Company Judge on 26.10.2009. Any person desirous of supporting or opposing the said petition should send to the petitioner's advocates, notice of his intention, signed by him or his advocates, with his name and address, so as to reach the petitioner's advocate not later than two days before the date fixed for the hearing of the petition. Where he seeks to oppose the petition, the grounds of opposition or a copy of the affidavit shall be furnished with such notice. A copy of the petition will be furnished by the undersigned to any person requiring the same on payment of the prescribed charges for the same.

Dated 16.9.2009.

K.J.Rebello
S. Elambharathi
A. Senthilnathan
Sunitha. K
(Advocate for petitioner)

Address : No.364, Kurupam Court
Lloyds Road, Gopalapuram,
Chennai - 600 086.

FORM No.5
(New Rule 29)

Form of Advertisement of Petition
IN THE HIGH COURT OF
JUDICATURE AT MADRAS
(Original Jurisdiction)

COMPANY PETITION NO.224 OF 2009
CONNECTED WITH COMPANY
APPLICATION NO.685 OF 2009
In the matter of Companies Act, 1956
AND

In the matter of Scheme of
Amalgamation under Section
391 to 394 of the Companies Act
BETWEEN

In the matter of Scheme of
Amalgamation of Salzer
Cables Limited with Salzer
Electronics Limited

Salzer Cables Limited
a Company incorporated under the
Companies Act, 1956 and having its
Registered office at
No.863, Coimbatore Main Road,
Bettahalli, Karambadal - 641 004.
Represented by its Director
D. Rajesenthil

... PETITIONER /
TRANSFEREE COMPANY

FORM OF ADVERTISEMENT OF PETITION

A petition under Section 391 to 394 of the Companies Act, 1956 for amalgamation / merger of Salzer Cables Limited with Salzer Electronics Limited as presented by petitioner on the 29th day of July 2009 and the said petition is fixed for hearing before the Company Judge on 26.10.2009. Any person desirous of supporting or opposing the said petition should send to the petitioner's advocates, notice of his intention, signed by him or his advocates, with his name and address, so as to reach the petitioner's advocate not later than two days before the date fixed for the hearing of the petition. Where he seeks to oppose the petition, the grounds of opposition or a copy of the affidavit shall be furnished with such notice. A copy of the petition will be furnished by the undersigned to any person requiring the same on payment of the prescribed charges for the same.

Dated 16.9.2009.

K.J.Rebello
S. Elambharathi
A. Senthilnathan
Sunitha. K
(Advocate for petitioner)

Address : No.364, Kurupam Court
Lloyds Road, Gopalapuram,
Chennai - 600 086.

ய
கல்

அக்ட-14-
போது
லமை
செயின்
கிறது.
2011-ம்
வரை

மற்றும்
ல 15
ரகவே
முடி
நிதித்
வடச
தனா
சையில்,
க்குள்
மன்
என்
தயா
இறுதி
என்று

ங்கை
தற்கு
பரும்
எ
வற்றி
கட்
தப்ப
திபர்
நடத்
வற்றி



நிடாமங்கலம் ரெயில்வே கேட் பகுதியில் சாலைபொம் கழிவுநீர் சாக்கடைபில் கவிழ்த்து விட்கும் உம் ஏற்றிய லாரி.

நிடாமங்கலம் அருகே

உரம் ஏற்றிய லாரி கழிவுநீர் கால்வாயில் கவிழ்த்தது

நிடாமங்கலம், அக்ட-14-
நிடாமங்கலத்தில் உரம் ஏற்
றிய லாரி கழிவுநீர் கால்வா
யில் கவிழ்த்தது.

உரம் ஏற்றிய லாரி
திருவாரூர் மாவட்டம் நிடா
மங்கலம் நகரில் நெடுஞ்சாலை
பெறமுடியும் என்பதை கருத்
தில் கொண்டு இந்த முடிவை
அனுப்பி அதற்கான கட்டி எடுத்த
துள்ள து.

யில்- ரெயில்வே கேட்டை
ஒட்டி கழிவு நீர் கால்வாய்
செல்கிறது. இந்த நிலையில்
நேற்று முன்தினம் சென்னை
யில் இருந்து நிடாமங்கலத்
துக்கு ரெயில் மூலம் 1308 டன்
ஐ.பி.எல். டி.ஏ.பி. உரம்
கொண்டு வரப்பட்டு லாரிகள்
மூலம் தொடக்கவேண்டாம்மை
கட்டுறவு வங்கிகளுக்கு
அனுப்பி வைக்கப்பட்டது.
இதன்படி நேற்று மதியம் 15

டன் டி.ஏ.பி. உரம் ஏற்றிய ஒரு
லாரி திருவாரூர்மேல்வரம் நோக்கி
ரெயில் நிலையத்தில் இருந்து
புறப்பட்டது. அப்போது
எதிரே வந்த வாகனத்திற்கு
வழிவிட வாரியை சாலையின்
ஒரம் ஒதுக்கிய போது லாரி
கால்வாயில்
சாலையை அரித்துக்கொண்டு
சரிந்தது. இதனால் லாரியில்
இருந்த உரமூட்டைகள் கீழே
சரிந்தன.

தலைமறைவு
சம்பவ இடத்தில் இருந்து
லாரி டிரைவர் தலைமறை
வாகி விட்டார். இது குறித்த
தகவல் அறிந்த
நிடாமங்கலம் போலீஸ்
இன்ஸ்பெக்டர் சமரசம் மற்
றும் போலீசார் சம்பவ இடத்
திற்கு விரைந்து சென்று விசா
ரணை மேற்கொண்டனர்.
லாரியின் டிரைவர் தலைம
றைவானதால் அவர் யார்?
எந்த ஊரைச் சேர்ந்தவர்? என
தெரியவில்லை.

**மன்னார் குடி அருகே
ஆம்புலன்ஸ் மோதி
விவசாயி பரி**

கோட்டூர், அக்ட-14-
மன்னார் குடி அருகே உள்ள
நெடுவாக்கோட்டை வடக்கு
தெருவை சேர்ந்தவர் கந்தசாயி
(வயது 60) விவசாயி. நேற்று
இரவு 8 மணி அளவில் சைக்கி
ளில் விட்டுக்கு சென்று
கொண்டிருந்தார். அப்போது
மன்னார் குடியில் இருந்து தஞ்
சைக்கு சென்ற ஆம்புலன்ஸ்
வேன் ஒன்று சைக்கிள் பீது
மோதியது. இதில் படுகாயம்
அடைந்த கந்தசாயி ஆஸ்பத்
திரிக்கு கொண்டு செல்லும்
வழியில் பரிதாபமாக செத்
தார். இது குறித்து மன்னார்
குடி போலீசார் வழக்குப்பதிவு
செய்து ஆம்புலன்ஸ் டிரைவர்
காமராஜை கைது செய்தனர்.
மேலும் விசாரணை நடந்து
வருகிறது.

வாடிக்கையாளர்களுக்கு தித்திக்கும்
தீபாவளி நல்வாழ்த்துக்கள்!

உங்கள் மணசூற்று

பிடிக்கு ஏராளமான

முசைசன்களில்

4 சிய பொலிவுடன்

சாகரி சில்க் ஹவுஸ்
ரெடிமேட்ஸ்

5/7, பெரியகடைத்தெரு,
மன்னார் குடி-614001. போன்: 252266.

கலைஞரின் பொற்கால ஆட்சியில்
கலைவரையும் வாழ்க! வாழ்க! என உயிர் தவிழ்க
தீபாவளி வாழ்த்துக்களை தெரிவித்துக் கொள்கிறேன்.

சின்னிடர் தட்டிடுப்பாட்டர்? கேள்விகளை உயர்வா?
இன்கவலை கில்லை.

ஆரோ கிப்ட் கார்னர்

ஆரோ கிரியடி விற்பனை ஆண்டு முழுவதும்
இன்டக்சன் ஸ்டல்
(Direct Importer)

150 9001-2008 Company
ரூ.1750/- முதல் 1 வகுட & 2 வகுட உத்தரவாதத்துடன்
வாய் தலைவர் பாத்திரங்களுடன் கிடைக்கும்.

நாகை, தஞ்சை, திருவாரூர், காரைக்கால், கடலூர்
மாநகரங்களில் அங்கீகரிக்கப்பட்ட Distributor, தேவை.

சியமீதர் மேக்கர்	ரூ. 2500	2500
கிளிக்சன் தோலாக்கி	ரூ. 2000	2000
கிளிக்சன் குடிசை (100)	ரூ. 2500	2500

3, 5, 7, 9 வீட்டு இன்டக்சன் குக்கர்கள் கிடைக்கும்.
27, மாப்பறா கால்பள்கம், பெரிய கடைத்தெரு, மாப்பறா தெருவரை - 1
செல்: 9842475117, 222903

காரைக்கால் போர்ட் பிரைவேட் லிமிடெட்
392 & 393, ராஜீவ்காந்தி சாலை, கொட்டிவாக்கம், சென்னை-600 041.

இதன் மூலம் காரைக்கால் துறைமுகத்தின் கிரண்டாம்
கட்ட வரிவாக்கத் திட்டத்திற்கு சுற்றுச்சூழல் மற்றும் கடற்கரை
ஒழுங்குமுறை மண்டலத்தின் (CRZ) கீழ், இந்திய அரசின்
சுற்றுச்சூழல் மற்றும் வனத்துறை அமைச்சகத்தால் அனுமதி
வழங்கப்பட்டுள்ளது என்று தெரிவித்துக் கொள்ளப்படுகிறது.
மேற்படி அனுமதி கடிதத்தின் நகல்கள் புதுச்சேரி மாசுக்கட்டுப்பாட்டு
வாரியத்திலும் மற்றும் சுற்றுச்சூழல் வனத்துறை அமைச்சகத்தின்
கிணையநளமான <http://www.envfor.nic.in> லும் உள்ளது.

தே: 13.10.2009 **செயலாக்க தியக்குநர்**



KPPL/ENV/MoEF&CC/2021/03

07.10.2021

To

Additional Principal Chief Conservator of Forests (C),
 Ministry of Environment, Forests and Climate Change,
 Regional Office (SEZ),
 Chennai – 600034

Sub: Submission of Compliance Report by end of 30th September, 2021– Regarding

**Ref: Environmental & CRZ Clearance letter (No.10 - 42/2009 - IA – III, dated 22.09.2009),
 issued by, Ministry of Environment, Forest and Climate Change, Govt. of India**

Sir,

Reference to Environmental & CRZ Clearance letter (No.10 - 42/2009 - IA – III, dated 22.09.2009), issued by Ministry of Environment, Forest and Climate Change, Govt. of India. IA.III Section (MOEF&CC, IA.III Section), Karaikal Port herewith submit the compliance Status Report along with Annexures for the period from April to September 2021.

Thanking You,

Yours faithfully,

(Capt. Vijay Nicodemus)
 Chief Operating Officer

Cc:

1. The Regional Director, CPCB Regional Directorate/Project Office at Chennai
2. The Member Secretary, Puducherry Pollution Control Committee at Puducherry

KARAIKAL PORT PRIVATE LIMITED

CIN: U45203PY2006PTC001945

Registered Office

Kheezhavanjoor Village, T.R. Pattinam, PB No. 33, Karaikal - 609 606. Tel. : +91 4365 256600 (5 Lines) Fax : +91 4365 256603

Corporate Office

New No.145 (Old No. 81) Royapettah High Road, Mylapore, Chennai - 600 004. Landmark - Tiruvalluvar Statue Bus Stop.

Tel : +91 44-4562 2000 Fax : +91 44-4562 2080

Karaikal Port Private Limited 3rd Party Noise Level Results for the Month of Oct 2021 to Mar 2022

Sampling Locations:

1. Latitude: N 10°51'6.9912", Longitude: E 79°50'43.8252",

2. Latitude: N 10°50'02.9436", Longitude: E 79°50'21.426",

3. Latitude: N 10°49'22.0224", Longitude: E 79°50'33.2376"

Month		Oct-21			Nov-21			Dec-21			Jan-22			Feb-22			Mar-22		
Date of Sampling		18.10.2021 to 19.10.2021			17.11.2021 to 18.11.2021			23.12.2021 to 24.12.2021			18.01.2022 to 19.01.2022			15.02.2022 to 16.02.2022			15.03.2022 to 16.03.2022		
S.No	Time	1.Leq dB(A)	2.Leq dB(A)	3.Leq dB(A)	1.Leq dB(A)	2.Leq dB(A)	3.Leq dB(A)	1.Leq dB(A)	2.Leq dB(A)	3.Leq dB(A)	1.Leq dB(A)	2.Leq dB(A)	3.Leq dB(A)	1.Leq dB(A)	2.Leq dB(A)	3.Leq dB(A)	1.Leq dB(A)	2.Leq dB(A)	3.Leq dB(A)
1	07.00 AM	46.1	46.5	47.3	45.9	46.3	46.2	46.9	47.3	48.1	45.9	47.3	46.3	46.1	47.2	46.2	46.9	47.6	48.2
2	8	46.8	46.9	48.5	46.5	47.2	47.1	47.2	48.2	48.6	46.2	47.6	46.9	47.8	48.8	46.9	48.1	48.9	49.7
3	9	47.1	47.3	49.2	46.9	48.5	47.6	48.5	48.9	49.5	47.5	48.2	47.6	48.6	49.6	48.2	48.5	49.5	51.2
4	10	47.6	48.1	50.1	47.5	49.3	48.5	48.6	49.5	50.3	48.3	49.5	47.5	49.1	50.2	48.7	49.3	50.6	51.6
5	11	47.2	48.2	49.5	47.9	49.6	48.3	48.2	49.6	51.7	48.2	49.2	47.3	48.7	50.4	49.1	50.4	51.2	51.9
6	12.00 PM	47.0	47.6	49.6	47.1	49.1	48.9	48.5	49.9	50.4	48.1	49.1	47.6	48.5	50.6	49.2	50.6	51.3	50.4
7	1	46.8	47.2	50.2	47.0	48.6	48.5	48.1	49.8	50.1	48.2	48.6	48.1	48.8	50.8	49.1	50.8	51	50.9
8	2	46.5	47.6	50.7	46.8	48.2	47.3	47.9	50.2	49.6	47.8	48.8	48.3	48.9	50.4	48.9	50.6	51.2	51.3
9	3	47.0	47.9	49.8	47.2	48.7	47.7	48.1	50.4	49.2	47.6	49.2	48.0	48.6	50.2	48.7	49.7	51.4	51.4
10	4	47.3	48.1	49.2	47.5	49.1	47.2	48.3	49.8	50.1	47.3	49.3	47.7	48.5	49.9	48.5	49.5	51.2	51.1
11	5	47.5	48.3	50.2	47.8	49.3	47.9	48.6	49.2	50.6	47.9	49.6	47.5	48.2	49.7	48.6	49.4	50.9	50.8
12	6	47.8	48.0	50.8	48.2	49.0	48.3	48.3	48.6	51.1	48.1	49.5	48.1	47.9	50.1	48.8	49.2	51.3	50.9
13	7	47.1	47.2	51.3	48.3	48.6	47.9	47.8	48.1	50.8	47.6	49.2	48.3	47.5	49.8	49.1	48.5	50.8	51.2
14	8	46.2	46.9	51.1	48.0	47.6	47.6	47.5	47.5	50.4	47.5	48.6	48.1	47.1	49.5	49.2	47.3	50.2	51.6
15	9	46.0	46.3	50.4	47.2	47.3	46.2	47.2	47.2	49.3	47.2	48.1	47.6	45.9	48.3	48.6	46.2	49.6	50.2
16	10	45.8	46.1	48.6	45.6	46.9	45.5	46.7	47.3	48.7	45.4	47.6	47.2	45.2	47.6	47.9	46.1	48.3	48.9
17	11	45.2	45.9	48.1	44.9	46.1	44.3	45.3	46.5	47.6	45.3	46.9	46.9	45.1	46.7	45.6	45.8	47.5	47.3
18	12.00 AM	44.2	45.2	47.3	44.3	45.3	46.8	44.9	46.1	46.1	45.1	46.7	46.2	44.8	45.8	44.8	44.7	46.1	45.6
19	1	44.1	44.9	44.9	43.5	44.8	43.5	44.2	44.8	44.9	44.8	46.2	45.3	44.3	45.3	43.7	44.2	45.7	43.8
20	2	43.9	44.6	44.5	43.1	44.2	43.1	43.6	44.2	44.2	44.5	45.5	44.5	43.7	46.2	43.5	44.1	44.9	43.5
21	3	43.5	44.2	44.1	43.6	42.5	42.8	43.7	44.7	44.1	44.2	44.9	44.1	43.2	45.7	43.2	43.8	44.5	43.2
22	4	44.2	44.7	44.6	43.8	44.8	42.9	44.2	44.9	44.6	44.1	44.6	43.9	43.2	44.9	43.6	43.5	44.6	43.7
23	5	44.5	45.8	44.9	44.2	45.3	43.5	44.6	45.8	45.9	44.2	44.3	44.6	43.8	44.5	45.4	43.7	45.8	44.9
24	6	45.3	46.1	46.8	45.6	46.1	45.7	45.1	46.2	47.1	45.1	45.7	45.3	45.1	45.8	46.7	45.9	46.7	46.4

Note: As per the ministry of environment and forest vide gazette notification dated 14 th march 2000 and as amended in March 2010 standards for

S.No	Category of Area	Day Time dB(A)	Night Time dB(A)
1	Industrial	75	70
2	Commercial	65	55
3	Residential	55	45

Karaikal Port Private Limited 3rd Party Harbour Basin Marine Water Results for the Month of Oct 2021 to Mar 2022

Characteristics Test	Unit	Protocol	Oct	Nov	Dec	Jan	Feb	Mar
Date of Sampling			20.10.2021	17.11.2021	23.12.2021	19.01.2022	16.02.2022	15.03.2022
Latitude:			N 10°50'04.71"	N 10°49'53.42"	N 10°49'58.23"	N 10°49'56.43"	N 10°49'39.4"	N 10°50'17.61"
Longitude:			E 79°50'55.22"	E 79°50'53.74"	E 79°50'58.4"	E 79°50'49.35"	E 79°50'51.2"	E 79°50'54.91"
Salinity	%	By Argentometric Titration	2.32%	2.28%	2.68	3.09	3.35	3.95
pH @ 25°C	-	IS:3025 Part 11-1983 (Reaff:2017)	8.12	8.04	8.32	8.05	7.94	8.18
Temperature	°C	IS:3025 Part 9-1984 (Reaff:2017)	27	25	27	27	28	25
Electrical Conductivity	µmhos/cm	IS:3025 Part 14- 2013	54200	41860	48400	42740	42900	30800
Turbidity	NTU	IS:3025 Part 10-1984 (Reaff:2017)	1.6	1	2	1.9	1.1	1.4
Total Suspended Solids	mg/l	IS:3025 Part 17-1984 (Reaff:2017)	11	10	8	14	7	14
Total Dissolved Solids	mg/l	IS:3025 Part 16-1984(Reaff:2017)	44179	32210	34752	31280	36668	25760
Dissolved Oxygen	mg/l	IS:3025 Part 38-1989 (Reaff:2014)	6.7	7.1	7	7.2	7.1	6.7
BOD @ 27°C for 3 days	mg/l	IS:3025 Part 44-1993 (Reaff:2014)	4	4	5	3	5	7
COD	mg/l	IS:3025 Part 58-2006 (Reaff:2017)	14	12	18	15	18	17
Chloride as Cl	mg/l	IS:3025 Part 32-1988 (Reaff:2014)	23215	21791	16803	16803	18194	21493
Sulphate as SO ₄	mg/l	IS:3025 Part 24-1986 (Reaff:2014)	2152	2120	2628	1328	2401	1847
Sodium as Na	mg/l	IS:3025 Part 45 - 1993 (Reaff:2014)	10020	10018	9640	9340	12401	8492
Calcium as Ca	mg/l	IS:3025 Part 40-1991 (Reaff:2014)	521	501	377	578	448	762
Magnesium as Mg	mg/l	IS:3025 Part 46-1994 (Reaff:2014)	1727	1677	1045	1337	1702	2381
Potassium as K	mg/l	IS:3025 Part 45 -1993(Reaff:2014)	542	542	560	365	794	396
Oil & Grease	mg/l	IS:3025 Part 39-1991 (Reaff:2014)	BDL	BDL	BDL	BDL	BDL	BDL
Iron as Fe	mg/l	IS:3025 Part 53:2003 (Reaff:2014)	0.05	0.257	0.06	0.395	0.397	0.053
Zinc as Zn	mg/l	IS:3025 Part 2-2004 (Reaff:2014)	BDL	0.217	BDL	0.349	BDL	BDL
Manganese as Mn	mg/l	IS:3025 Part 2:2004 (Reaff:2014)	BDL	BDL	BDL	BDL	BDL	BDL
Cadmium as Cd	mg/l	IS:3025 Part 2-2004 (Reaff:2014)	BDL	BDL	BDL	BDL	BDL	BDL
Chromium as Cr	mg/l	IS:3025 Part 2-2004 (Reaff:2014)	BDL	BDL	BDL	BDL	BDL	BDL
Mercury Hg	mg/l	IS:3025 Part 48 -1994(Reaff:2014)	BDL	BDL	BDL	BDL	BDL	BDL
Nitrite as NO ₂	mg/l	IS:3025 Part 34-1988 (Reaff:2014)	BDL	BDL	BDL	BDL	BDL	BDL
Nitrate as NO ₃	mg/l	IS:3025 Part 34-1988 (Reaff:2014)	25	22	8.19	7.10	8.25	19
Free Ammonia NH ₃	mg/l	IS:3025 Part 34-1988 (Reaff:2014)	BDL	BDL	BDL	BDL	BDL	BDL
Total Kjeldahi Nitrogen	mg/l	IS:3025 Part 34-1988 (Reaff:2014)	BDL	BDL	BDL	BDL	8.25	9
Inorganic Phosphate	mg/l	IS:3025 Part 31-1988 (Reaff:2014)	BDL	BDL	BDL	BDL	BDL	BDL
Total Phosphate	mg/l	IS:3025 Part 31-1988 (Reaff:2014)	BDL	BDL	BDL	BDL	BDL	BDL
Silica as SiO ₂	mg/l	IS:3025 Part 35-1988(Reaff:2014)	0.36	0.4	0.45	0.55	3.12	0.217
Total Coliform	MPN/100ml	APHA 23 rd Edn 2017:9221 B	430	280	220	280	210	170
Faecal Coliforms	MPN/100ml	APHA 23 rd Edn 2017:9221 E	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
PHYTOPLANKTON								
Total Cell Count	Nollit		26,800	27,800	27,500	27,800	27,700	27,800
Total Genus	Nos		8	8	8	8	8	8
Genus			Anabena	Anabena	Anabena	Anabena	Anabena	Anabena
			Dianophysis	Dianophysis	Dianophysis	Dianophysis	Dianophysis	Dianophysis
			Leptocylindrus	Leptocylindrus	Leptocylindrus	Leptocylindrus	Leptocylindrus	Leptocylindrus
			Scillatoros	Scillatoros	Scillatoros	Scillatoros	Scillatoros	Scillatoros
			Triceratium sp	Triceratium sp	Triceratium sp	Triceratium sp	Triceratium sp	Triceratium sp
			Bacillaria sp	Bacillaria sp	Bacillaria sp	Bacillaria sp	Bacillaria sp	Bacillaria sp
			Cyclotellasp	Cyclotellasp	Cyclotellasp	Cyclotellasp	Cyclotellasp	Cyclotellasp
		Podosiras p	Podosiras p	Protoperidinium sp	Protoperidinium sp	Protoperidinium sp	Protoperidinium sp	

ZOOPLANKTON								
Total Cell Count	Nollit		20,900	23,100	23,800	22,900	23,100	24,900
Total Geneus	Nos		5	5	5	5	5	5
Geneus			Protozoa	Protozoa	Protozoa	Protozoa	Protozoa	Protozoa
			Arrow worm	Arrow worm	Arrow worm	Arrow worm	Arrow worm	Arrow worm
			Acartia	Acartia	Acartia	Acartia	Acartia	Acartia
			Rotifera	Rotifera	Rotifera	Rotifera	Rotifera	Rotifera
			Oithonasp	Oithonasp	Oithonasp	Oithonasp	Oithonasp	Oithonasp
ZOOPLANKTON								
Population	No.m ³		25,100	26,800	26,400	25,800	25,300	26,500
Faunal Groups	Nos		5	5	5	5	4	5
Major Groups			Polychaete larvae	Polychaete larvae	Copepodnauplii	Copepodnauplii	Copepodnauplii	Copepodnauplii
			Gastropod	Fish eggs	Polychaete larvae	Polychaete larvae	Polychaete larvae	Polychaete larvae
			Crab zoea	Crab zoea	Crab zoea	Crab zoea	Crab zoea	Crab zoea
			Protozoa	Protozoa	Protozoa	Protozoa	Protozoa	Protozoa
			Copepodnauplii	Copepodnauplii	Gastropod	Gastropod		Gastropod



Ref No: KPPL/ENV/PPCC/2022/ 07

Date: 07.04.2022

To

The Member Secretary,

Puducherry Pollution Control Committee,

Department of Science, Technology & Environment,

Puducherry – 605 005.

Sub: Submission of Annual Environmental Statement in Form V for the Financial Year 2021-22

Respected Madam,

Please find attached an Annual Environmental Statement in Form V for the financial year ending 31st March 2022.

Thanking you.

Yours Sincerely,


(Capt. Vijay Nicodemus)
Chief Operating Officer

Encl: Annual Environmental Statement Form V: 2021-22

Cc:

The Regional Officer, Integrated Regional Office, Ministry of Environment, Forest & Climate Change (MoEF&CC), 1st Floor, Additional Office Block for GPOA, Shastri Bhawan, Haddows Road, Nungambakkam - 600006

KARAIKAL PORT PRIVATE LIMITED

CIN: U45203PY2006PTC001945

Registered Office

Kheezhavanjoor Village, T.R. Pattinam, PB No. 33, Karaikal - 609 606. Tel. : +91 4365 256600 (5 Lines) Fax : +91 4365 256603

Corporate Office

9th Floor, Prestige Polygon, Annasalai, Rathna Nagar, Nandanam, Chennai- 600 035, Tamil Nadu.

Tel : +91 44-4562 2000 Fax : +91 44-4562 2080

www.karaikalport.com

ENVIRONMENTAL STATEMENTS**FORM – V
(See Rule 14)**

The Ministry of Environment & Forest vide its notification dated 13th March, 1992 directed all industries which need to have consent under Water (Prevention & Control of Pollution) 1974 and Air (Prevention & Control of Pollution) 1981 to file the environmental statement every year. This is to be filed for the period ending March by September every year. The format for the same is as follows:

Environmental Statement for the financial year ending the 31st March, 2022

PART – A

- i. Name and Address of the owner/occupier of the industry operation or process.

Registered Office	KPPL Site office
Karaikal Port Private Limited, 81/A MaideenPalli Street Post Box No 33 Karaikal - 609602 India Phone: +91 4368 224773	Karaikal Port Private Limited, Keezhvanjore Village T.R.Pattinam – 609606 Phone: +91 4365 256600 Fax: +91 4365 256603

- ii. Industry category Primary : **Infrastructure(4400)** ; Secondary : **Minor Port**
(SIC Code)
- iii. Production capacity 21.5MMTPA(Handling Capacity)
- Cargo Quantity is 16.5 MMTPA (Coal 10 MMTPA+General Cargo 3.5 MMTPA +Crude & Petroleum 1 MMTPA+Edible Oil 0.5 MMTPA + Sand 1 MMTPA + Cement in Bulk 0.5 MMTPA) as per the Consent from Puducherry Pollution Control Committee.
- iv. Year of Establishment:2006 with the issue of EC. Port operations started in the year 2009.
- v. Date of the last environmental statement submitted, 20.04.2021

PART – B

Water and Raw Material Consumption

- i. Water consumption m³ / day:350 KL(Domestic, Supply to Ships, Gardening, Fire Service & Pollution Control & Miscellaneous) as per the water consent order.

Process : Effluent & Sewage Treatment Plants, Gardening, Miscellaneous consented quantity is 150 KLD

Cooling : Pollution Control (Dust Suppressions), Fire Services consented quantity is 160 KLD

Domestic : 40 KLD

Name of Products	Process water consumption per unit of product output.	
	During the previous financial year	During the Current financial year
	(1)	(2)
No manufacturing activities are carried out and therefore this table is not applicable. The Port activity does not involve any product to be generated except for the operation of the port in material handling. Hence there is no water consumption per product generated. However the water is consumed for the purposes as mentioned above.		

- ii. Raw Material Consumption

*Name of raw materials	Name of products	Consumption of raw material per unit of output	
		During the previous financial year	During the Current financial year
No manufacturing activities are carried out and therefore this table is not applicable. The Port activity does not consume any raw materials and make any products. It is a Port infrastructure project. Hence there is no consumption of raw material involved.			

PART – C

Pollutants discharged to environment / unit of output
(Parameter as specified in the consent issued).

Pollutants		Quantity of pollutants discharged (mass/day)	Concentrations of pollutants in discharges (mass/volume)	Percentage of variation from prescribed standards with reasons
(a)	Water	No pollutant is discharged for operation of the port project.	Nil	Nil
(b)	Air (Ambient air pollutants at the site)	Not applicable No manufacturing activities are carried out.		No variations (Pollutants values are under prescribed standards of PPCC/CPCB)
	PM ₁₀		62.40 µg/m ³	
	PM _{2.5}		31.0 µg/m ³	
	SO ₂		10.2 µg/m ³	
	NO ₂		13.8 µg/m ³	
	CO		Below Detectable Limit (Detectable limit is 1 mg/m ³)	

PART – D

Hazardous Wastes

(as specified under Hazardous Waste Management and Handling Rules, 2016)

Hazardous Waste		Total Quantity (Kg.)	
		During the year 2020-21	During the current 2021-22
(a)	From process (Heavy equipment such as the Front end Loaders and other earth moving equipment)	1. Used Oil– Nil 2. Waste Residue containing oil –0.1 TPA	1. Used Oil– No disposal to registered recyclers. 2. Waste Residue containing oil – 2.11 TPA
(b)	From pollution control facilities	3. Oily Bilge Water – 9.35 TPA 4. Oil Residues (Sludge)- 45.269 TPA	were disposed to the registered recyclers. 3. Oily Bilge Water & 4. Oil Residues from ships – No disposal

PART – E

Solid Wastes

Solid Waste		Total Quantity (Kg.)	
		During the FY 2020-21	During the FY 2021-22
(a)	From process	Processes from this Project activity does not generate any Solid Waste	
(b)	From pollution control facilities	Nil	Nil
(c)	(1) Quantity recycled or re-utilized within the unit	1540 Kg/Annum	850 Kg/Annum
	(2) Sold	Nil	Nil
	(3) Disposed	68190 Kg/Annum	72326 Kg/Annum

Sources of Solid Waste generation are from Labour Canteen - Kitchen, Garden and Admin Office Buildings. All the recyclable waste such as Paper, Plastics are disposed as per the Solid Waste Management Rules, 2016. Biodegradable waste such as Kitchen & Garden waste are composed as manure through vermi composting method. The manure is being used for the Development of Green Belt & in the Nursery.

PART – F

Please specify the characterizations (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Karaikal Port generates both Bio-degradable and Non-Biodegradable Waste. Wastes generated from Kitchen, Office Buildings and Green Belt Area are bio-degradable wastes. Non Bio-degradable Hazardous waste generated from material handling systems and equipment's categorized as used oil or spent oil, waste containing oil including foam pigs. Ship related waste such as sludge containing oil, sludge and filter contaminated with oil, Ballast Water containing oil from ships are also falls under Hazardous Waste Category.

All Bio-Degradable wastes are segregated at source and the wastes which are recyclable sent as per the Solid Waste Management Rules, 2016. Wastes which are used for composting to convert in to manure and used for Horticulture and Green Belt Development.

Hazardous Waste is being disposed to the registered recyclers as per the Hazardous Waste Management Rules, 2016.

PART – G

Impact of the pollution abatement measures taken up on conservation of natural resources and on the cost of production.

Dust Suppression System: Dry Fog Dust Suppression (DFDS), Water Sprinklers, Road Wetting by dedicated Water Tankers and Tractors were installed for controlling fugitive dust emissions during bulk cargo handling which is pre-dominantly coal.

Dust Containment System: Windscreen all along the Coal Yard & Railway siding at a height of 15M to capture the air-borne dust to handling of coal.

Sewage Treatment Plant: STP of capacity 25 KL/Day have been installed to collect wash-water and kitchen water, sewage and treated using physico-chemical and biological treatment. The treated sewage has been recycled for Green Belt Development thus replacing the freshwater requirement for Green Belt Requirements.

Vehicle Wash Treatment Plants: Vehicle Wash water is collected and treated for physico-chemical treatment and the water is reused.

Tyre wash system installed for outbound coal cargo truck is in place where the wash-water after treatment is reused back in to system

For collection of rainwater during monsoon and other season, rain water harvesting pond developed at 3 locations in the port Premises

Contour bund along the arterial road inside the port have been developed for a length of 1000m which will retain and regulate the water to the green belt areas.

Guard Pond covering the open stock yard inside the port to collect runoff water has been developed at Mechanization Area.

Green Belt & Horticulture Development: Port has planted more than 2, 69,924 trees since 2010

Environment Health and Safety Department:- General Manager – EHS head the Department supported with Senior Manager, Deputy Manager, Executives. The key functions of the Department is to demonstration of environmental compliance for EC, Consent to Operate Conditions issued under Air and Water Act, Compliance to Authorization obtained under Hazardous & Other Wastes (Management and Handling)

Rules, 2016. It involves operation and maintenance of Pollution Control System installed for control of fugitive dust emissions, washwater treatment, sewage treatment plant. It develops and implement the waste management system for Solid Waste, Plastic Waste and Battery Waste Rules and ensure for its compliance. 3 Continuous Ambient Air Quality Monitoring Stations installed at Port Premises for Particulate Matter (PM_{2.5}, PM₁₀ and CO) and Gaseous Emission on 24x7 for 365 days. The server connected to PPCC Server for continuous monitoring and surveillance.

Separate Horticulture and Green Belt Development functions for making port greenery and develop in-house for seedlings, saplings for tree plantation. 30 Womens from adjoining villages are engaged for this purpose and received training on Horticulture and daily earnings have been ensured based on the flower sold locally generated from Nursery and Garden.

Waste generated from Port premises such as tree cuttings, leaf are sent for mulching, soil collected on roads are used for nursery growth, plastic rope trimmings used for tarpaulin cover for truck and rail wagon used for tying tree protection fencing, cut thorny bushes has been reused for protection of small shrubs, plants from Live Stocks thus ensuring sustainable waste management practices.

PART – H

Additional measures/investment proposal for environmental protection including abatement of pollution, prevention of pollution.

- Efficient water spraying methods have been erected and commissioned such as the high pressure water monitors and water sprayer machines.
- Dust Suppression System Sprinklers have been installed at mechanized coal yard
- Dry Fog Dust Suppression System installed at Transfer Tower located at Material Handling System
- Road Sweeping Machine deployed for collection of road side dust
- Road Wetting done through dedicated water tankers for maintaining the road in wet condition to prevent settled road dust emission gets air-borne.

Effective Environmental Management Plan have been put in place and monitored through 24x7 (3 shifts) through deployment of manpower for monitoring and control of fugitive dust emission thus ensuring the Ambient Air Quality in and around the port premises meeting the norms and standards prescribed by PPCC.

Mechanized Coal Handling System comprises of the following

1. Ship Unloaders
2. Stacker and Reclamier

3. Truck Loading System
4. Wagon Loading System
5. Conveyor System Package

The above system have been commissioned during October 2018 for efficient discharge of coal from ship and deliver to rail wagon through wagon loading system. It is considered as energy efficient, environment friendly operation, cost effective, productive and clean operation. This has prevented the manual handling of coal right from the ship to rail wagon thus eliminating fugitive dust emission and thereby compliance to the conditions stipulated by PPCC and MoEF&CC – Environmental Clearance.

PART – I

Any other particulars for improving the quality of the environment.

- Electronic Display of Environmental Data / Information have been installed for Air Quality, Waste Details etc as per the Direction of PPCC
- Port Reception Facility – Authorisation has been obtained under Hazardous and Other Wastes (Management and Handling) Rules, 2016 as per the directives of Directorate General of Shipping, Ministry of Shipping, Govt of India
- Green Belt Development being implemented on a regular basis. Various variety such as Pungam, Casuarinas, Ashoka, Conocarpus etc., are planted in suitable location. Around 75 species are being maintained in & around Port.
- Conocarpus Plantation drive has been carried out during 2021-22 has shown encouraging results in terms of folio coverage and greenery for all seasons. This has motivated the team to look for more areas to be brought under green cover thus ensuring the aesthetic and green environment.



KPPL/ ENV/ MoEF&CC/2020/01

29.06.2020

To

Additional Principal Chief Conservator of Forests (C),
Ministry of Environment, Forests and Climate Change,
Regional Office (SEZ),
Chennai – 34

Sub: Environmental & CRZ Clearance letter (No.10 - 42/2009 - IA – III, dated 22.09.2009),
from Govt of India (GoI), Ministry of Environment, Forest and Climate Change (MoEF&CC) –
Project Completion Regarding

Ref: MoEF&CC : EC & CRZ Letter No.10 - 42/2009 - IA – III, dated 22.09.2009

Sir,

Karaikal Port Private Limited has been accorded Environmental & CRZ Clearance (Letter No.10 - 42/2009 - IA – III, dated 22.09.2009), for expansion of Karaikal Port (Phase II) from Govt of India (GoI), Ministry of Environment, Forest and Climate Change (MoEF&CC). The validity of said Environmental & CRZ Clearance had been extended for a period of three years i.e up to 21.09.2017 (Ref: MoEF&CC Letter dated 03rd Feb,2015) & subsequently extended for a period of two years i.e up to 21.09.2019 (Ref: MoEF&CC Letter dated 14th May,2018)

With reference to the above subject, it is informed that, Karaikal Port Private Limited has completed the Phase II activities as stipulated in the above said Environmental & CRZ Clearance letter (No.10 - 42/2009 - IA – III, dated 22.09.2009) issued by GoI, MoEF&CC.

The said Project (Phase II) has been completed and operations have started.

We have been submitting six monthly compliance reports on the General & Specific conditions stipulated in the said Environmental & CRZ Clearance regularly. We will continue the same.

Thanking you,

Yours faithfully,



(Capt. Vijay Nicodemus)

Chief Operating Officer

KARAIKAL PORT PRIVATE LIMITED

CIN: U45203PY2006PTC001945

Registered Office

Kheezhavanjoor Village, T.R. Pattinam, PB No. 33, Karaikal - 609 606. Tel. : +91 4365 256600 (5 Lines) Fax : +91 4365 256603

Corporate Office

New No.145 (Old No. 81) Royapettah High Road, Mylapore, Chennai - 600 004. Landmark - Tiruvalluvar Statue Bus Stop.

Tel : +91 44-4562 2000 Fax : +91 44-4562 2080

www.karaikalport.com

NGT – Joint Committee Report dated 19.02.2019 to 22.02.2019-Recommendations

S.No.	Joint Inspection Report - Recommendations	Status upto March 2022
1	M/s. Karaikal Port should ensure to handle most of the coal through a mechanized system	As per the Consent conditions from PPCC, most of the Coal cargo is being handled through Mechanized system only.
2	Optimized water sprinkling shall be carried out at all the points of unloading and loading from ship to conveyor, conveyor to storage	Automated Dry Fog Dust Suppression (DFDS) and Water Sprinklers are installed at Mechanized area and Coal Yards and are operated as per requirements.
3	Should minimize the intermittent interruption of the mechanized process operations and adopt sequential start and stop operations	<p>After commissioning of mechanization in October 2018, the overall process has been stabilized and operated efficiently with sequential start and stop operations.</p> <p>Interruption and stoppage has been minimized based on the experience resulted in improved discharge rate from vessel.</p>
4	Ensure all the pollution control measures are proper and continuously functioning at all times	<p>All the Pollution Control measures are in place & being operational at all times. Operational records are maintained at site.</p> <p>Monthly reports of the same are being sent to PPCC regularly.</p>
5	Green Belt should be strengthened further around the Karaikal Port premises particularly towards Keelavanjur Village.	<p>KPPL planted around 2,69,924 No's of saplings in & around the Port premises.</p> <p>Around 13,100 saplings were planted towards Keezhavanjore Village since July 2017 in a phased manner.</p> <p>Around 5403 saplings were planted during the Monsoon Period 2021-22.</p>
6	Improved version of windscreens shall be erected and damaged windscreens shall be rectified periodically	<p>Imported wind screens installed at Wagon Loading Side for a length of 430m.</p> <p>All the damaged wind screens are being replaced immediately & records maintained at site.</p>

S.No.	Joint Inspection Report - Recommendations	Status upto March 2022
		Compliance report on the same is being submitted to PPCC regularly
7	All the loaded vehicles (Truck & Wagons) shall be covered by Tarpaulin before it leaves Port premises.	All the outgoing loaded trucks and rail wagons have been covered with high quality of tarpaulin to avoid the rise of fugitive dust emissions as well as spillages.
8	Additional precautionary measures shall be implemented in controlling the surge loads of the emissions emanating from the operation process by adopting backup power supply to all essential operations and dust suppression system.	<p>Continuous Ambient Air Quality Monitoring Systems installed at Port Premises are regularly monitoring the dust concentration in ambient air quality.</p> <p>Port operations are carried out as per Standard Operating Procedure (SOP). In case of surge or higher dust concentration observed, cargo operations team will be alerted about the dust level in order to minimize or stoppage of specific operations.</p> <p>Power back up facility has been provided for on-line monitoring systems.</p>
9	Areas like vehicles and tyre washing and its waste water collection system shall be improved without any spillage on the ground and to properly collect and adequately treat the waste water.	Improved water spray system (High quality nozzles) for vehicle and tyre wash facility has been Installed to avoid the spillages on the ground. The entire treatment facility waste water is being recycled & utilized.
10	The air quality data measured by continuous ambient air quality monitoring stations shall be Analysed time to time so as to satisfy with all plausibility checks to take action on higher concentrations measured and to display true concentration of the Particulate Matters to the public at large.	All the CAAQM station data's are closely monitored and hourly time series data & day average data are being analyzed.

S.No.	Joint Inspection Report - Recommendations	Status upto March 2022
11	<p>KPPL shall continue to serve and further strengthen the corporate social response (CSR) activities in the neighborhood which includes School Buses for the School children , Tution Centres, Self Help Group (SHG) for the ladies from the neighboring villages Medical Centre camps etc. This shall improve the better confidence on their health among the public.</p>	<p>CSR is on-going activities as part of social welfare program. In addition to this, an amount of Rs.25 Lakhs have been deposited with District Collector- Karaikal as per the direction of NGT for welfare of village people</p>