

APSEZL/EnvCell/2024-25/083

Date: 28.11.2024

To

The Inspector General of Forest / Scientist C,

Integrated Regional Office (IRO),

Ministry of Environment, Forest and Climate Change,

Aranya Bhawan, A Wing, Room No. 409,

Near CH 3 Circle, Sector – 10A,

Gandhinagar – 382007.

E-mail: eccompliance-guj@gov.in, iro.gandhingr-mefcc@gov.in

Sub : Half yearly Compliance report of CRZ Clearance for the Building and Construction Project "SVCT Mundra" at Survey No. 9/1 (Plots No. 1 to 294), 6/1 (Plots No. 1 to 464, 477 to 694) and 21/2 (Plots No. 1 to 50, 62 to 94), Village: Shiracha, Tai. Mundra, Dist. Kutch by M/s Adani Ports and SEZ Limited (APSEZ) issued vide letter no. SEIAA/GUJ/EC/8(a)/820/2024, dated 5th June 2024.

Ref : Environment and CRZ clearance granted to M/s Adani Ports & SEZ Limited vide letter No SEIAA/GUJ/EC/8(a)/820/2024 dated 31st May 2024.

Dear Sir,

Please refer to the above cited reference for the said subject matter. In connection to the same, it is to state that copy of the compliance report for the Environmental and CRZ Clearance for the period of April 2024 to September 2024 is being submitted through soft copy (e-mail communication).

Kindly consider above submission and acknowledge.

Thank you,

Yours Faithfully,

For, **M/s Adani Ports and Special Economic Zone Limited**



Bhagwat Swaroop Sharma

Head – Environment

Mundra & Tuna Port

Encl: As above

Copy to:

- 1) The Zonal Officer, Regional Office, CPCB – Western Region, Parivesh Bhawan, Opp. VMC Ward Office No. 10, Subhanpura, Vadodara – 390023.
- 2) The Member Secretary, GPCB – Head Office, Paryavaran Bhavan, Sector 10 A, Gandhi Nagar – 382010.
- 3) The Member Secretary, SEIAA, Gujarat, Paryavaran Bhavan, GPCB, Sector 10 A, Gandhi Nagar – 382010.
- 4) The Regional Officer, Regional Office GPCB (Kutch-East), Gandhidham – 370201.

Adani Ports and Special Economic Zone Ltd
Adani House,
PO Box No. 1
Mundra, Kutch 370 421
Gujarat, India
CIN: L63090GJ1998PLC034182

Tel +91 2838 25 5000
Fax +91 2838 25 51110
info@adani.com
www.adani.com

**Environmental Clearance
Compliance Report**

Of

**Township and
Area Development Project,
Village: Siracha, Dist. Kutch, Gujarat**

Of

**Adani Ports And Special Economic Zone
Limited**

for the period of
April 2024 to September 2024

Index

Sr. No.	Particulars	Page Nos.	
1	Environment and CRZ Compliance Report	1-29	
2	Annexures		
	Annexure - 1	Acknowledge copy from irrigation department	31-36
	Annexure - 2	Environment Management Cell Organogram	38
	Annexure - 3	Half yearly Environment Monitoring Report	40-53
	Annexure - 4	Copy of distance certificate is issued from Taluka Panchayat Office, Mundra	55
	Annexure - 5	Acknowledge copy for submission of EC copy to respective concerned authorities	57-64
	Annexure - 6	Advertisement copy of EC in newspaper	66-67

Annexure - A

ENVIRONMENTAL
CLEARANCE

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), GUJARAT)

To,

The owner
ADANI PORTS AND SPECIAL ECONOMIC ZONE LIMITED
Adani Corporate House, Adani Shantigram, SG Highway -382421

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/GJ/INFRA2/413831/2023 dated 23 Mar 2023. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.	EC24B038GJ122039
2. File No.	SIA/GJ/INFRA2/38503/2023
3. Project Type	New
4. Category	B
5. Project/Activity including Schedule No.	8(a) Building and Construction projects
6. Name of Project	SVCT Mundra
7. Name of Company/Organization	ADANI PORTS AND SPECIAL ECONOMIC ZONE LIMITED
8. Location of Project	GUJARAT
9. TOR Date	N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 05/06/2024

(e-signed)
Asav P. Gadhvi
Member Secretary
SEIAA - (GUJARAT)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.



No. SEIAA/GUJ/EC/8(a)/*820* /2024

Date: *31* MAY 2024

BY R.P.A.D
Time Limit

Sub: Environment Clearance for the Building and Construction Project "SVCT Mundra" at Survey No. 9/1 (Plots No. 1 to 294), 6/1 (Plots No. 1 to 464, 477 to 694) and 21/2 (Plots No. 1 to 50, 62 to 94), Village: Shiracha, Tal. Mundra, Dist. Kutch. Proposed by Adani Ports & Special Economic Zone Limited (APSEZ). Construction project in Category 8 (a) of Schedule annexed with EIA Notification dated 14/09/2006.

Ref: Your Proposal No. SIA/GJ/INFRA2/413831/2023.

Dear Sir,

This has reference to your application along with Form-I, Form-1 A dated 01/04/2023, seeking Environmental Clearance under Environment Impact Assessment Notification, 2006. The project was scheduled for hearing in the SEAC meeting held on 05/05/2023, 24/07/2023, 05/12/2023 & 05/03/2024.

The proposal is for Environmental Clearance for the Building and Construction Project "SVCT Mundra" at Survey No. 9/1 (Plots No. 1 to 294), 6/1 (Plots No. 1 to 464, 477 to 694) and 21/2 (Plots No. 1 to 50, 62 to 94), Village: Shiracha, Tal. Mundra, Dist. Kutch. Proposed by Adani Ports & Special Economic Zone Limited (APSEZ). This is a proposed building construction project having plot area of 1,80,747 m² and the proposed FSI area of the project is 1,22,729.54 m² with proposed built up area of 1,47,739.36 m². As the built up area is >20,000 m² and <1,50,000 m², it falls in the category 8(a) of the Schedule of EIA Notification, 2006.


The project will comprise of 44 numbers of buildings. No. of Blocks: 134.5. Scope of buildings/blocks are: Block 1A-1M, Block 1.5A-1.5I, Block 2A-2M: Ground Floor + 3 Floor, Block 0A-0D: Ground Floor + 2 Floor, Block AA, Block CC, Block DD, Block EE: Ground Floor + 1 Floor, Block BB: Ground Floor + Mezz. + 1 Floor and No.& size of Residential Units are: 1 BHK –588, 1.5 BHK – 336, 2 BHK – 492, Hostel- 276 and No.& size of Commercial Units are: 04.

The project activity is covered in 8(a) and falls in Category 'B'. Since the proposed project is in item no.8 of the EIA notification, 2006, it does not need Public Consultation as per Para 7(i) III. Stage (3) (d) – Public Consultation of EIA Notification, 2006.

The SEAC, Gujarat had recommended the project vide their email dated 16/04/2024 to grant Environmental Clearance to the SEIAA, Gujarat based on the decision taken during SEAC meeting held on 05/03/2024. The proposal was considered by SEIAA, Gujarat in its meeting (1214th) held on 15/05/2024 at Gandhinagar. After careful consideration, the SEIAA hereby accords Environmental Clearance to above project under the provisions of EIA Notification dated 14th September, 2006 subject to the compliance of the following conditions.

A. PROJECT SPECIFIC CONDITIONS:

1. PP shall obtain all requisite statutory permission for laying of conveyance pipelines on government land before commencement of the pipeline laying activity.
2. Generated Sewage shall be treated in proposed Sewage Treatment Plant (STP) having capacity of 800 KL/ day.
3. No ground water shall be abstracted without obtaining prior permission from CGWA.
4. Project Proponent (PP) shall provide recycling facilities of 714.5 KL/Day treated domestic wastewater with necessary storage tanks and pipeline infrastructure and adequate sprinklers. 614.5 KLD will be reused in gardening and flushing purpose and remaining 99.5 KLD will be used for green belt development in APSEZ area. PP shall obtain prior statutory permission for utilization of treated domestic waste water in APSEZ Area, if any. PP shall also provide adequate storage facility for sewage management during monsoon period.
5. PP shall provide total Car Parking Space (CPS) of 1384 cars and provide electric charging facility for 20% of total CPS. In case of total number of vehicles owned by the residents of the building exceed the provided total CPS, PP shall be responsible for managing and providing additional CPS.
6. Wherever essential permission is required for the use of government property to carry out proposed any CER activity, all requisite prior permissions of Govt. of Gujarat/ local body shall be obtained by PP. PP shall provide and develop at least 10 % green belt area of total plot area within premises.



8. PP shall provide Environmental Cell details with staff, for implementation of submitted time bound Environment Management Plan for construction and operation phase, with relevant details of this office.
9. PP shall prepare the Air Pollution Control Action Plan and shall implement it in true letter and spirit and shall publish it at the main entrance of the unit.
10. The EC order should neither be considered to prove legal rights nor it can be used as an evidence for claiming any other benefit by the proponent and it is solely for purpose of responsible compliance of conditions laid in Environment Clearance so as to mitigate the effect of degradation of environment.
11. Project proponents shall prepare the Evacuation Plan considering the evacuation route from top for users and free movement for fire fighting vehicles. The evacuation plan shall be displayed at all strategic locations within the premises

A.1 CONSTRUCTION PHASE:

A.1.1 WATER:

12. Fresh water requirement during the construction phase shall not exceed 103 KLD and it shall be met through Tanker. No ground water shall be tapped during the construction phase.
13. Sewage generated during the construction phase shall be disposed off through soak pit through septic tank
14. Explore possibilities of provision of mobile toilets in construction phase.

A.1.2 HEALTH & SAFETY:

15. Project Proponent shall obtain Fire opinion/provisional fire NOC from the concern authority as per the prevailing Rules / Gujarat Fire Prevention and Life Safety Measures Act, 2016.
16. The project proponent shall obtain registration of the establishment under the Building and other Construction Workers' (Regulation of Employment & Conditions of Service) Act 1996 and shall comply with the provisions of the Act for the safety, health and welfare of construction workers.
17. The project proponent shall obtain registration of the construction workers as beneficiaries with the Gujarat Building and Other Construction Workers Welfare Board.

A.2 OPERATION PHASE:

A.2.1 WATER

18. Total water requirement during the operation phase shall not exceed 1192.5 KLD, out of which fresh water requirement of 578 KLD shall be met through Desalination plant of APSEZ Ltd and the remaining 614.5 KLD of water requirement shall be met through treated sewage. Metering of the water shall be done and its records shall be maintained.
19. Sewage generation during operation phase shall not exceed 714 KLD which shall be treated in the proposed onsite Sewage Treatment Plant.
20. The unit shall install and efficiently operate STP of adequate capacity for treating the sewage to be generated during operation phase to achieve the CPCB norms at the STP outlet. Treated sewage conforming to CPCB norms shall be utilized within premises for gardening & flushing purpose at the maximum extent possible. Only remaining quantity of treated sewage shall be disposed for irrigation in APSEZ for irrigation.
21. A proper logbook of STP operation and also showing the quantity of treated sewage utilization within premises & quantity of treated sewage discharged into the drainage line shall be maintained.
22. Dual plumbing system with separate tanks and lines shall be provided for utilization of treated sewage for flushing.
23. No bore well shall be constructed and existing bore well/s, if any, shall be either sealed or converted into the recharge well.
24. Rain water harvesting from rooftop and paved areas and ground water recharge through 45 nos. of percolation wells shall be carried out as per the details submitted. Before recharging the runoff, pre-treatment must be done to remove suspended matter.

A.2.2 AIR:

25. A D. G. set (2 X 300 KVA and 2 X 500 KVA) proposed as backup power shall be of enclosed type and confirm to prescribe standards under EPA rules. Necessary acoustic enclosures shall be provided at diesel generator set to mitigate the impact of noise.
26. The exhaust of the D. G. Set shall be at least 3 m above roof top.
27. The gaseous emissions from the D.G. Sets shall conform to the standards prescribed under EPA rules as amended from time to time. At no time, the emission levels shall go beyond the stipulated standards.

A.2.3 SOLID WASTE:

28. The solid waste generated shall be properly collected and segregated at source. The biodegradable waste shall be converted into useful end product by treating it into the proposed onsite Organic Waste Converter and the recyclable waste shall be sold to vendors whereas the other garbage shall be disposed off properly as per the provisions made by the Local Authority.

A.2.4 SAFETY AND WELFARE:

29. Project Proponent shall obtain fire safety certificate / Fire No-Objection Certificate (NOC) from the concern authority as per the prevailing Rules / Gujarat Fire Prevention and Life Safety Measures Act, 2016.
30. Fire fighting facilities like Provision of ABC and DCP type fire extinguishers Provision of first aid box, displaying of important telephone numbers etc, terrace water tanks of 40 KL capacity, underground water tank of 200 KL, etc shall be provided.
31. Staircase shall be provided:

Details of Staircase (Residential)							
Type & no. of buildings	No. of floors	Area for each Floor (m ²)	No. of staircase	Width of the staircase(m)	Total No of Lifts	No of fire lift	Travel distance(m)
Block 1A-1M (1 BHK)	G+3	61.25 (T.F.) – 244.52 (G.F. to S.F.)	1	1.25	--	--	15.4
Block 1.5A-1.5I (1.5 BHK)		66.25 (T.F.) – 265 (G.F. to S.F.)	1	1.25	--	--	14.5
Block 2A-2M (2 BHK)		87.5 (T.F.) – 351.07 (G.F. to S.F.)	1	1.25	--	--	15.5
Block 0A-0D (hostel)	G+2	296.8	1	1.25	--	--	16.6

Details of Staircase (Commercial & Admin)							
Type & no. of buildings	No. of floors	Area for each Floor (m ²)	No. of staircase	Width of the staircase(m)	Total No of Lifts	No of fire lift	Travel distance (m)
Block AA Hostel Amenity	G+1	372 – 405	1	1.5	-	--	<5
Block BB Community Centre	G+Mezz.	250 – 1429.5	1	1.5	-	--	
	G+1		1	1.66	1	--	
Block CC Shopping Complex A	G+1	569— 713.50	1	1.5	1	--	
Block DD Shopping Complex B	G+1		1	1.5	1	--	
Block EE Gate Complex	G+1	--	1	1.5	-	--	

32. All the staircases shall open out at ground level from the highest point of building [with access from each floor] for emergency evacuation.
33. Provision for adequate air changes per hour in the basement shall be made so as to avoid build-up of CO in the area.
34. Car park exhaust system equipped with CO (Carbon Monoxide) sensor shall be provided to ensure operation of exhaust fans as CO concentration levels.
35. Clear peripheral margin space of adequate width, in accordance with the concerned local bye-laws, shall be provided for unobstructed & easy movement of vehicles in case of emergency.
36. Sanitation facilities, drinking water & tap water, sewage disposal facility, first aid box, free medicines, doctor service, adequate PPEs etc. shall be provided for workers.

A.2.5 PARKING / TRAFFIC CONGESTION:

37. Minimum parking space of 33,272 m² (1384 CPS) [8,062 m² in Hollow Plinth + 25,210 m² in open area] shall be provided as proposed.
38. Project proponent shall provide the height of Basement greater than 4.5 mts in order to accommodate futuristic parking demand through Mechanical Parking.

A 2.6 ENERGY CONSERVATION:

39. Energy conservation measures viz. maximum use of natural lighting through architectural design, energy efficient motors & pumps, water efficient taps, solar lights in open & solar street light, 1190 KW solar power generation, use of aerated blocks & RMC, use of LED lighting fixtures and low voltage lighting, roof-top thermal insulation etc. shall be implemented as proposed.


A 2.7 GREEN BELT :

40. Green belt area of 60,000 m² comprising of 20,000 m² tree covered area with 5000 trees within premises shall be developed as proposed. The other open spaces inside the plot shall be suitably landscaped and covered with vegetation of indigenous tree species.
41. Green belt to be developed shall include all trees with height not less than 7ft.

B. GENERAL CONDITIONS :

B1. PRE -CONSTRUCTION AND CONSTRUCTION PHASE:

42. Mitigation of flood measures shall be undertaken. Height of the plinth and ramps will be increased so that flood water does not enter basement.
43. Project proponent shall explore possibilities to reuse the treated waste water for gardening and floor washing.
44. Roads leading to or at construction site must be paved and blacktopped (i.e. – metallic roads).
45. No excavation of soil shall be carried out without adequate dust mitigation measures in place.
46. Grinding and cutting of building materials in open area shall be prohibited.
47. Construction material and waste should be stored only within earmarked area and road side storage of construction material and waste shall be prohibited.
48. Construction and demolition waste processing and disposal site shall be identified and required dust mitigation measures be notified at the site.
49. Various dust mitigation measure shall be displayed prominently at the construction site for easy public viewing.
50. Environment Management Cell shall be formed, which shall supervise and monitor the environment related aspects of the project during construction and operational phases in addition to observance of Gujarat Building and other Construction Workers '(Regulation of Employment & Conditions of Service) Rules 2003.
51. Prior permission from the competent authority shall be obtained for cutting of the existing trees before site preparation work is commenced.
52. Water demand during construction shall be reduced by use of curing agents, super plasticizers and other best construction practices.
53. Wind – breaker of appropriate height i.e. 1/3rd of the building height and maximum up to 10 meters shall be provided. Individual building within the project site shall also be provided with barricades.
54. Regular water sprinkling shall be carries out in vulnerable areas for controlling dusting/ fugitive emissions.
55. No uncovered vehicles carrying construction material and waste shall be permitted.
56. No loose soil or sand or construction & demolition waste or any other construction material that cause dust shall be left uncovered. Uniform piling and proper storage of sand to avoid fugitive emissions shall be ensured.
57. Structural design of the project shall strictly adhere to the seismic zone norms for earthquake resistant structures.
58. The planning, designs and construction of all buildings shall be such as to ensure safety from fire.
59. The project proponent shall ensure maximum employment given to the local people nearby site area.
60. All required sanitary and hygienic measures shall be provided before starting the construction activities and to be maintained throughout the construction phase.
61. Provision shall be made for housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical healthcare, crèches, electricity & ventilation, canteen, rest rooms, safe disposal system for garbage, first aid, medical and emergency facilities etc. to ensure that they do no ruin the existing environmental condition. The housing may be in the form of temporary structures to be removed after completion of the project.
62. Adequate personal protective equipment's shall be provided to the construction workers to ensure their safety and the project proponent shall ensure its usage by the labours.
63. First Aid Box shall be made readily available in adequate quantity at all the times.
64. Training shall be given to all workers on construction safety aspects.
65. The project proponent shall strictly comply with the Building and other Construction Workers'(Regulation of Employment & Conditions of Service) Act 1996 and Gujarat rules made there under and their subsequent amendments.
66. The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibration dampers etc. on all sources of noise generation.




67. Ambient Noise levels shall conform to Residential standards both during day and night. Incremental pollution load on the ambient air and noise quality shall be closely monitored during construction phase
68. The noise generating equipments, machinery and vehicles shall not be operated during the night hours and shall be maintained properly to avoid generation of high noise due to wear and tear.
69. Use of diesel generator sets during construction phase shall be strictly with acoustic enclosure and shall conform to the EPA Rules for air and noise emission standards.
70. Safe disposal of wastewater and municipal solid wastes generated during the construction phase shall be ensured.
71. All top soil excavated during construction activity shall be used in horticultural / landscape development within the project site.
72. Construction materials and debris shall be properly stored and handled to avoid negative impacts such as air pollution and public nuisances by blocking the roads and public passages.
73. Construction debris shall be reused in construction of roads, levelling the site etc. Waste packaging material (like used cement bags, waste paper, cardboard packing material), metal scraps etc. shall be sold to recyclers or shall be sent to the nearest municipal solid waste landfill site.
74. Excavated earth to be generated during the construction phase shall be utilized within the premises to the maximum extent possible and balance quantity of excavated earth shall be disposed off with the approval of the competent authority after taking the necessary precautions for general safety and health aspects. Disposal of the excavated earth during construction phase shall not create adverse effect on neighbouring communities.
75. Provisions of Construction & Demolition Waste Management Rules-2016 shall be strictly adhered to.
76. Vehicles hired for bringing construction material at the site shall be in good conditions and conform to applicable air and noise emission standards and shall be operated only during day time and non-peak hours.
77. Project proponent shall ensure use of eco-friendly building materials including fly ash bricks, fly ash paver blocks, Ready Mix Concrete [RMC] and lead free paints in the project.
78. Fly ash shall be used in construction, wherever applicable as per provisions of Fly Ash Notification under the E.P. Act, 1986 and its subsequent amendments from time to time.
79. Use of glass shall be minimal and only low emissive glass shall be used in the project to reduce the electricity consumption and load on air conditioning.

B2. OPERATION PHASE AND LIFE TIME:

80. In case, if it comes to notice to SEAC/SEIAA, that PP has violated EC norms by starting construction before obtaining Environmental Clearance, necessary action shall be taken as per the provisions of OM of MoEF& CC, New Delhi dated 7.7.2021.
81. Project Proponent shall submit CER plan each year wise to respective Collectors, DDO and Municipal Commissioner/Urban Development Authority and implement of CER activities under intimation and guidance of the respective authorities.
82. PP shall take all required mitigation measures to comply with ambient noise levels standards of the residential area during day and night time as per Noise Pollution (Control and Regulation) Rules, 2000.
83. Necessary permission for drawing of water from concerned Corporation/ Authority shall be obtained.
84. Necessary permission for discharging of treated domestic wastewater in Drainage of concerned Corporation/ Authority has to be obtained.
85. Concerned Municipal Corporations/ Urban Development authority shall ensure the compliance of conditions given in the EC order.
86. Project proponent shall provide suitable storm water drainage facilities to avoid water logging.
87. This EC order should not be used as supportive evidence in regard of legal evidence in case of any disputes. This is only given for the purpose of Environmental Compliances and mitigation of various environmental impact.
88. PP shall sponsor tree plantation of community / institution land with proper maintenance and provisions of fencing and watering in consultation with Deputy Conservator of Forest of concerned District as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of above supporting activities will be within the total outlay of CER committed by PP.
89. Project proponent or the maintenance society to whom the project has been handed over shall ensure allocation of parking to each and every member of the society as per the rules as soon as possible not later than 3 months and display the same in the society notice board
90. PP shall also comply EC conditions and inform to the local authorities like Municipal Corporation, UDA, RERA/ SEIAA and also ensure proper parking without fail. Basement parking should always maintain clean, free from hanging electric wires and provide adequate light and ventilation.

91. Proponent shall maintain traffic system within the premises to avoid congestion and unsafe parking in the premises, particularly safety parameters including fire, safety, installation of fire equipments, house pipes etc for regular maintenance check-up and hold mock drills from time-to-time. Any damage to the greenbelt area must be avoided.
92. Project proponent shall comply with all provisions of GDCR and its amendment for constructing Building.
93. The PP shall also ensure notarized undertaking from the maintenance society at the time of hand over to comply with all the conditions of EC scrupulously.
94. As regards obtaining for fire safety permissions, proponent have to inform to SEIAA before obtaining BU permissions from competent authority.
95. Proponent shall obtain Registration of the establishment under the Building and other construction workers (regulation of employment & condition of service before commencement of construction and inform to SEIAA.
96. Provision of fire lift may be provided; additional lift may be provided in high rise building for safety.
97. All vibrating parts will be checked periodically and serviced to reduce the noise generation and sound producing equipment. Further, Regular maintenance of leakages of water and wastewater shall be carried out.
98. The competent authority like Municipal Corporation / Urban development authority / District collector / RERA or any other authority or officer authorised by MoEF & CC can inspect the site, all facilities, for verification of compliances of Environmental Clearances conditions and ensure its compliance before issuance of any permission given by competent authority.
99. Construction activities will be allowed only during daytime period.
100. If height of the building/block from the ground level is above 12.65 meters, then PP shall provide lift in building/block as per GDCR Rules.
101. PP shall provide one regular lift and one fire lift, if floor area of the block/building exceeds 497.61 sq mtrs.
102. Project proponent shall provide and operate necessary recycling facilities for reuse of treated domestic wastewater within premises.
103. Project proponent shall obtain all NA permission for all survey Nos before installation and commissioning of activities.
104. The project proponent shall provide water pumping arrangement and especially when the discharge into municipal drainage, for annual inspection and cleaning to avoid inundation and surface water pollution and health hazard.
105. The project proponent shall ensure the distance criteria is properly followed while undertaking construction in consistence with the existing directions of local self-government bodies.
106. The orders shall mention the limit of floors given in the proposal. Any deviation from that by the proponent changing the number of floors could attract withdrawal of the EC as a violation case.
107. Prior EC granted is subject to the proponent receiving all statutory permission / clearances / certificates and membership of respective agencies / authorities failing, which this provisional EC will stand withdrawn.
108. Proponent shall inform progress from time to time, in six monthly compliance report to MOEFCC / SEIAA / SEAC.
109. The above conditions are also applicable to the ECs already been accorded to Projects. This should be checked by respective agencies entrusted with the task of inspection and action.
110. Bore well water shall be drawl only after obtaining necessary permission from CGWA.
111. Project Proponent shall prominently display the copy of Environment Clearance at site.
112. Project proponent shall comply with all environmental facilities and requirement as per GDCR/Urban Development Authority.
113. Regular maintenance of leakages of water and wastewater shall be carried out.
114. All construction activities will be allowed only during daytime period.
115. Lubrication will be carried out periodically for all plant machinery.
116. The project proponent shall prepare, display at prominent place in the construction site and implement the fire and safety SOPs for fall protection, ladders and staircase, scaffolds, trenching and excavation, electrical safety, crane operations, occupational noise mitigation procedure, welding and cutting including provision of PPE kits etc.
117. When the property is handed over to society, the proponent should ensure by notarized undertaking to abide by all the conditions of EC and copy of the such transfer letter with notarized undertaking shall send to SEAC & SEIAA.
118. The proponent shall ensure that the occupants of the society are allotted parking space as approved in EC order and put-it on display the allotment of parking to the occupants in the society maintenance of it.
119. If there is Basement parking in proposed in the project then they should always maintain clean, free from hanging electric wires and provide adequate light.
120. Separate Entries and Exits shall be provided to the project on the approach road.



121. PP shall provide Electric vehicle charging points in the parking area.
122. Project Proponent shall provide adequate fund for Environment Monitoring and Staff training in the Environment Management Plan.
123. Builder/Maintenance Society shall take all required mitigation measures to comply with ambient noise levels standards of Residential area during day and night time as per Noise Pollution (Control and Regulation) Rules, 2000.
124. This EC order should not be used as supportive evidence in regard of legal evidence in case of any dispute in ownership. This is only given for the purpose of Environmental Compliances and mitigation of Environmental Impact.
125. Project proponent or maintenance society to whom the project has been handed over shall ensure allocation of parking to each and every member of the society as per the rules as soon as possible and display the same in the society notice board
126. Builder/Maintenance Society shall maintain basement parking area, which should be clean, free from hanging electric wires and provide adequate lighting and ventilation at site.
127. Builder/Maintenance Society shall maintain traffic system within the premises to avoid congestion and unsafe parking in the premises, particularly safety parameters including fire, safety, installation of fire equipments, house pipes etc for regular maintenance check-up and hold mock drills from time-to-time. Any damage to the greenbelt area must be avoided.
128. Builder/Maintenance Society shall ensure that entry as well as exit gate of site shall be open all the time, failing which necessary action shall be taken by Competent Authority like Corporation/Urban Development Authority as per the provisions of GDCR/NBC.
129. Builder/Maintenance Society shall strictly ensure to comply with all the conditions of EC scrupulously failing which necessary action shall be taken by Competent Authority like Corporation/Urban Development Authority as per the provisions of GDCR/NBC.
130. Builder/Maintenance Society shall ensure that all residents shall carry out necessary segregation & timely disposal at source of solid waste.
131. The above conditions are also applicable to the ECs already been accorded to Projects. This should be checked by respective agencies entrusted with the task of inspection and action.
132. Society shall display visitor's parking facility at suitable location at site.
133. Looking to the traffic management, at no point of time entry gate should be closed except reasons of security as may be directed by competent authorities.
134. To stop emission of PM10, the builders shall ensure the paving of the dusty edges of the bitumen road.
135. The builder and the maintenance society shall ensure the cleanliness and disposal of garbage and waste all the time and give wide publicity to environmental measures time to time.
136. Annual maintenance certificate of Lift shall be displayed on notice board at all the time.
137. In Municipal Corporation before approval of plan layout it shall be ensure that the project proponent has projected the space for tree plantation with tree guard in a space between municipal road & their premises.
138. The project proponent shall take written undertaking from the society association to maintain compliance of conditions pertaining to tree plantation, maintaining hygienic condition in and around the premises for building construction projects.
139. Notwithstanding the provision of EMP/CER, the proponent shall incur full expenditure as may be required at the time of execution of the project.
140. The project proponent shall take written undertaking from the Society Association to ensure compliance of environment conditions when it is handed over to them.
141. Project proponent shall take proper maintenance of electrification with respect to human safety.
142. Tree Plantation prescribed in the EC shall be maintained by the Society Association.
143. Proponent as well as successor society shall maintain hygienic conditions and cleanliness in and around the project site all the time.
144. The design of building has to be earthquake resistant & duly certified by competent structural engineer of competent authority.
145. The project proponent shall explore the possibilities & adopt mitigation measures to minimize the impact of project with reference to Urban Heat Island (UHI) Phenomena.
146. The project proponent shall allocate funds as may be required for the compliance of Environment Management plan & CER activity proposed at the time of execution of the project.

147. Project proponent shall adopt the 4R concept of Reduce, Reuse, Recycle and Restore, while handing over the project to Maintenance Society shall ensure the compliances as required.
148. Low water consuming devices shall be provided. Fixtures for showers, toilet, flushing and drinking shall be of low flow either by use of aerators/ diffusers or pressure reducing devices etc.
149. A water meter shall be installed on rain water harvesting & ground water recharge well system & compliance report of the same shall be submitted to concerned authorities.
150. Used oil shall be sold only to the registered recycler.
151. Provisions of Solid Waste Management Rules-2016 shall be strictly adhered to.
152. Requisite fire fighting facilities as per the requirement of NBC and Gujarat Fire Prevention and Life Safety Measures Act-2013 along with the rules & regulations made there under shall be provided.
153. Underground fire water storage tanks and terrace water storage tanks as well as storage of treated domestic waste water of adequate capacity shall be provided as proposed. Adequate provision shall be made to ensure that water from the Fire Water Tank shall not be used for any other purpose.
154. Dedicated power back up system shall be provided in the case of power failure & emergency of fire water pumps.
155. First Aid Box shall be made readily available in adequate quantity at all the times.
156. Main entry and exit shall be separate and clearly marked in the facility
157. Necessary emergency lighting system along with emergency power back up system shall be provided. Further, necessary auto glow signage at all appropriate places shall be provided to guide the people towards exits and assembly points during emergency.
158. Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.
159. The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibrations dampers etc. on all sources of noise generation including D.G. Sets. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act and Rules.
160. The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
161. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. No public space including the service road shall be used or blocked for the parking.
162. The project proponent shall install energy efficient devices, appliances, motors, and pumps conforming to the Bureau of Energy Efficiency norms.
163. The transformers and motors shall have minimum efficiency of 85%.
164. Only variable frequency motor drives shall be used in project.
165. Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting. In addition the provision for solar water heating system shall also be provided.
166. Use of glass shall be minimal to reduce the heat island effect as well as to reduce the electricity consumption.
167. The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose.
168. Drip irrigation/low volume, low angle sprinkler system shall be used for the lawns and other green area including tree plantation.
169. The project proponent shall inform to SEAC / SEIAA regarding the transfer of management responsibility to the Society / Association to be formed for the proposed project with all the supporting documents. The Society / Association formed for further management of the proposed project shall be responsible for compliance of all the conditions stipulated in the Environmental Clearance order.
170. Environmental Clearance granted for the project on the basis of documents related to land possession submitted shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of the project and mentioned in the EC.
171. All other statutory clearances such as N.A. permission, Fire NOC from Department, permission from Airports Authority of India, BU permissions, Development permissions etc including approvals for storage of diesel from concern authority shall be obtained by the project proponent from the competent authorities before commissioning of Project.
172. All the conditions as may be stipulated in the N.A. order, Development permission, Building Use permission, NOC obtained from Fire Department etc. shall be strictly complied with.
173. The project management shall also comply with all the environment protection measures, risk mitigation measures and safeguards proposed by them.
174. All commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.

175. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or by SEIAA or any other competent authority for the purpose for the environmental protection and management.
176. All the terms & conditions prescribed in the amendment of EIA Notification 2006 published by the MoEF&CC vide its Notification No. S.O. 3999(E) dated 9th December, 2016 shall be complied with letter & spirit.
177. The project proponent shall strictly comply with the Gujarat Building and other Construction Workers' (Regulation of Employment & Conditions of Service) Rules 2003 as well as Gujarat Lifts & Escalators Rules as amended from time to time.
178. No further expansion or modifications in the project likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.
179. The above conditions shall be enforced, inter-alia under the provisions of the water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act 1986 and the Hazardous Wastes (Management Handling and Tran boundary) Rules, 2008, Building and Other Construction Workers' (Regulation of Employment & Conditions of Service) Act-1996, The Gujarat Lifts and Escalators Act-2000 along with their amendments and rules.
180. The project proponent shall obtain the requisite permissions / clearance under the provisions of the Indian Forest Act 1927, Forest Conservation Act 1980 and Wildlife (Protection) Act 1972.

B3. OTHER:

181. The project proponent shall allocate the separate fund as committed before SEAC for activities like Installation of RO plant in government school / panchayat office Rainwater harvesting structure & pond deepening Development of gardens & Tree plantation Solar panel installation in Family Welfare Center (FWC) - 50 KW Installation of 40 nos. of Solar streetlights at Shiracha. Installation of RO plant in panchayat office Tree plantation along roadside Solar panel installation in school - 50 KW Rainwater harvesting structure & pond deepening at Navinal. Rainwater harvesting structure & pond deepening. Installation of RO plant in Public Health Sub-Center (PHS), Solar panel installation in school - 50 KW at Moti Khakhar. Installation of RO plant in government school, Solar panel installation in school - 50 KW , Rainwater harvesting structure & pond deepening at Zarpara, Installation of RO plant in Family Welfare Center (FWC), Rainwater harvesting structure & pond deepening, Solar panel installation in Public Health Center (PHC) - 50 KW, Installation of 50 nos. of Solar streetlights at Dshalpar. Activities proposed under Corporate Environment Responsibility (CER) shall be part of Environment Management Plan (EMP) as per the MoEF&CC's OM no. F. No. 22-65/2017-IA.III dated 30.09.2020. The said activities shall be completed within 3 years from the commencement of the project. The CER shall be monitored and the monitoring report shall be submitted to the regional office of MoEF&CC as a part of half-yearly compliance report and to the District Collector. The monitoring report shall be posted on the website of the project proponent.
182. The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.
183. The project proponent shall adhere to provisions made for Corporate Environment Responsibility "CER" in Office Memorandum dated 01/05/2018 by Ministry of Environment, Forests & Climate Change and its amendments from time to time in a letter and spirit.
184. The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with SEIAA and may also be seen at the Website of SEIAA/ SEAC.
185. It shall be mandatory for the project management to upload half yearly compliance report on website of Gujarat Real Estate Regulatory Authority, on 1st June and 1st December of each calendar year.
186. The project authorities shall inform the GPCB, Regional Office of MoEF&CC and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
187. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory. This environmental clearance is valid for Seven years from the date of issue.
188. Submission of any false or misleading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.

B4. COMPLIANCE OF ENVIRONMENT CLEARANCE/REPORTING/ADMINISTRATION/APPEAL:


189. Project proponent shall inform to all the concerned authorities including Municipal Corporation, District collector, UDA & RERA and shall also give wide publicity through advertisement in minimum two local newspapers within seven days, about the environment clearance order accorded.
190. Project proponent shall appoint a key person in the organization who shall be responsible for compliance of above condition fully on behalf of the proponent. It will not mean that appointing a key person will exempt the project proponent from the responsibility of compliance. Any change in key person shall immediately be informed to SEIAA and all concerned authorities.

191. Designated key person shall submit six monthly compliance report to SEIAA/SEAC, MOEF&CC, GPCB and Nodal Department of the Government.

192. In case of violation reported upon, the project proponent shall be responsible for all the legal actions as per Environment Protection Act, 1986 including SEIAA may cancel, withdraw or keep in abeyance, the environment clearance accorded.

193. Any person including the project proponent affected by this environment clearance order may file appeal to Honorable National Green Tribunal West Zone branch, Pune, preferably within a period of thirty days from the date of issue of environment clearance as prescribe under section 16 of National Green Tribunal Act 2010.

194. All complains and public grievance or representations may be addressed to SEIAA/SEAC in the email addresses (a) msseiaagj@gmail.com & (b) seacgujarat@gmail.com.



ASAV P. GADHVI
Member Secretary

Issued to:

Adani Corporate House
Adani Shantigram, SG Highway,
Khodiyar, Gandhinagar.

Copy to:-

1. The Secretary, SEAC, C/O. G.P.C.B. Gandhinagar - 382010.
2. The Additional Chief Secretary, Forests & Environment Department, Govt. of Gujarat, Block 14, 8th floor, Sachivalaya, Gandhinagar-382010.
3. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD -cum-Office Complex, East Arjun Nagar, New Delhi-110032
4. Scientist C, Integrated Regional Office, Ministry of Environment and Forests, Aranya Bhavan, Sector-10, Gandhinagar - 382010.
5. Monitoring Cell, Ministry of Environment and Forests, Paryavaran Bhavan, CGO Complex, New Delhi-110003.
6. The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector-10 A, Gandhinagar-382010
7. The Additional Secretary, Forest and Environment Department, Government of Gujarat, Sachivalay,.....for information and necessary action as per condition no. 87 of this order.
8. The Deputy Conservator of Forests, Kutch, B/H. DIC Office, near Moms school, Bhuj-Kutch,.....for information and necessary action as per condition no. 87 of this order.
9. Secretary, Gujarat Real Estate Regulatory Authority, 4th Floor, Sahyog Sankul, Sector-11, Gandhinagar-382010.....for information & necessary action please.
10. Select File



Signature Not Verified

Digitally signed by: Asav P. Gadhvi
Designation: Member Secretary
Date and Time: 6/5/2024 3:58:23 PM

Status of the Conditions Stipulated in CRZ Clearance

APSEZ has been granted Environmental Clearance vide letter no. SEIAA/GUJ/EC/8(a)/820/2024, dated 31st May 2024 for the Building and Construction Project "SVCT Mundra" at Survey No. 9/1 (Plots No. 1 to 294), 6/1 (Plots No. 1 to 464, 477 to 694) and 21/2 (Plots No. 1 to 50, 62 to 94), Village: Shiracha, Tai. Mundra, Dist. Kutch of M/s. Adani Ports & Special Economic Zone Limited (APSEZ). The copy of Environmental Clearance for the same is attached as Annexure – A.

Project Status:

Sr. No.	Project	Status as on 30.09.2024																		
1	Permissions	<p>APSEZ has granted order for constructed of building for SVCT, Siracha colony and construction activities are ongoing. The Size of the Residential Units are 1 BHK -588, 1.5 BHK-336, 2 BHK - 492, Hostel- 276 and No.& size of Commercial Units are: 04.</p> <p>APSEZ has granted CtE after EC for the said activities from Gujarat Pollution Control Board. Details of EC Clearance & CtE are as below.</p> <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Permission</th> <th>Project activity</th> <th>Ref. No.</th> <th>Validity</th> </tr> </thead> <tbody> <tr> <td>a.</td> <td>EC Clearance</td> <td>for the Building and Construction Project "SVCT Mundra" at Survey No. 9/1 (Plots No. 1 to 294), 6/1 (Plots No. 1 to 464, 477 to 694) and 21/2 (Plots No. 1 to 50, 62 to 94), Village: Shiracha, Tai. Mundra, Dist. Kutch</td> <td>SEIAA/GUJ/EC/8(a)/ 820/2024 Issued dated 31.05.2024</td> <td>30.05.2034</td> </tr> <tr> <td>b.</td> <td>CtE – Fresh</td> <td>for the Building and Construction Project "SVCT Mundra" at Survey No. 9/1 (Plots No. 1 to 294), 6/1 (Plots No. 1 to 464, 477 to 694) and 21/2 (Plots No. 1 to 50, 62 to 94), Village: Shiracha, Tai. Mundra, Dist. Kutch</td> <td>CtE – 74760 Issued dated 01.08.2024</td> <td>30.07.2031</td> </tr> </tbody> </table>				Sr. No.	Permission	Project activity	Ref. No.	Validity	a.	EC Clearance	for the Building and Construction Project "SVCT Mundra" at Survey No. 9/1 (Plots No. 1 to 294), 6/1 (Plots No. 1 to 464, 477 to 694) and 21/2 (Plots No. 1 to 50, 62 to 94), Village: Shiracha, Tai. Mundra, Dist. Kutch	SEIAA/GUJ/EC/8(a)/ 820/2024 Issued dated 31.05.2024	30.05.2034	b.	CtE – Fresh	for the Building and Construction Project "SVCT Mundra" at Survey No. 9/1 (Plots No. 1 to 294), 6/1 (Plots No. 1 to 464, 477 to 694) and 21/2 (Plots No. 1 to 50, 62 to 94), Village: Shiracha, Tai. Mundra, Dist. Kutch	CtE – 74760 Issued dated 01.08.2024	30.07.2031
Sr. No.	Permission	Project activity	Ref. No.	Validity																
a.	EC Clearance	for the Building and Construction Project "SVCT Mundra" at Survey No. 9/1 (Plots No. 1 to 294), 6/1 (Plots No. 1 to 464, 477 to 694) and 21/2 (Plots No. 1 to 50, 62 to 94), Village: Shiracha, Tai. Mundra, Dist. Kutch	SEIAA/GUJ/EC/8(a)/ 820/2024 Issued dated 31.05.2024	30.05.2034																
b.	CtE – Fresh	for the Building and Construction Project "SVCT Mundra" at Survey No. 9/1 (Plots No. 1 to 294), 6/1 (Plots No. 1 to 464, 477 to 694) and 21/2 (Plots No. 1 to 50, 62 to 94), Village: Shiracha, Tai. Mundra, Dist. Kutch	CtE – 74760 Issued dated 01.08.2024	30.07.2031																

adani

Ports and
Logistics

**M/s. Adani Ports and SEZ Ltd.,
Mundra**

**From : Apr'24
To : Sep'24**

Status of the Conditions Stipulated in CRZ Clearance

Compliance Report of Environment Clearance

	M/s. Adani Ports and SEZ Ltd., Mundra	From : Apr'24 To : Sep'24
Status of the Conditions Stipulated in CRZ Clearance		

Half yearly Compliance report of CRZ Clearance for the Building and Construction Project "SVCT Mundra" at Survey No. 9/1 (Plots No. 1 to 294), 6/1 (Plots No. 1 to 464, 477 to 694) and 21/2 (Plots No. 1 to 50, 62 to 94), Village: Shiracha, Tai. Mundra, Dist. Kutch by M/s Adani Ports and SEZ Limited (APSEZ) issued vide letter no. SEIAA/GUJ/EC/8(a)/820/2024, dated 5th June 2024.

Sr. No.	Conditions	Compliance Status as on 30.09.2024
A. SPECIFIC CONDITIONS:		
1.	"PP shall obtain all requisite statutory permission for laying of conveyance pipelines on government land before commencement of the pipeline laying activity."	Point noted and agreed We have applied for permission from the irrigation department to lay a freshwater conveyance pipeline from Kutch Copper Ltd. Unit to SVCT, Siracha colony to fulfill of water requirement (Copy attached as Annexure - 1). After getting the same permission will be process for laying of conveyance pipeline.
2.	Generated Sewage shall be treated in proposed Sewage Treatment Plant {STP} having capacity of 800 KL/ day.	Point noted and Agreed Presently the project is under construction phase and generated sewage water is being treated in soak pit/septic tank. During the operational phase, generated sewage will be treated in 800 KLD capacity of STP after obtaining CCA permission from Gujarat Pollution Control Board (GPCB) and treated water will be utilized for horticulture/green belt development.
3.	No ground water shall be abstracted without obtaining prior permission from CGWA.	Being complied. APSEZ (SVCT, Siracha Colony) does not draw any ground water for fulfilling the water requirement during construction as well as operation phase. The present source of water consumption for project activities is through water tankers. During the operational phase it will be fulfilled through desalination plant of APSEZ.
4.	Project Proponent (PP) shall provide recycling facilities of 714.5 KL/Day treated domestic wastewater with necessary	Point noted and agreed

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
	storage tanks and pipeline infrastructure and adequate sprinklers. 614.5 KLD will be reused in gardening and flushing purpose and remaining 99.5 KLD will be used for green belt development in APSEZ area. PP shall obtain prior statutory permission for utilization of treated domestic wastewater in APSEZ Area, if any. PP shall also provide adequate storage facility for sewage management during monsoon period.	Presently, the project is under construction phase and during the operation phase will be complied.
5.	PP shall provide total Car Parking Space (CPS) of 1384 cars and provide electric charging facility for 20% of total CPS. In case of total number of vehicles owned by the residents of the building exceeds the provided total CPS, PP shall be responsible for managing and providing additional CPS.	Point noted and agreed
6.	Wherever essential permission is required for the use of government property to carry out proposed any CER activity. All requisite permissions of Govt. of Gujarat/ local body shall be obtained by PP.	Point noted and agreed
7.	PP shall provide and develop at least 10 % green belt area of total plot area within premises.	Point noted and will be complied
8.	PP shall provide Environmental Cell details with staff, for implementation of submitted time bound Environment Management Plan for construction and operation phase, with relevant details of this office.	Point noted and complied APSEZL has a well-structured Environment Management Cell, staffed with qualified manpower for implementation of the Environment Management Plan at site. Site environment team direct report to site Chief Executive Officer (CEO) and the CEO directly reports to the top management. The Environment Management Cell Organogram is attached as Annexure - 2.
9.	PP shall prepare the Air Pollution Control Action Plan and shall implement it in true letter and spirit and shall publish it at the main entrance of the unit.	Point noted and will be complied Presently, the project is under construction phase and regular water sprinkling is being carried out on internal roads to reduce the air emission. The ambient air quality monitoring is being regularly carried out by NABL accredited and MoEF&CC accredited agency namely M/s. Unistar Environment and Research Labs Pvt. Ltd., Vapi. Please refer Annexure - 3.

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
10.	The EC order should neither be considered to prove legal rights nor it can be used as evidence for claiming any other benefit by the proponent and it is solely for purpose of responsible compliance of conditions laid in Environment Clearance so as to mitigate the effect of degradation of environment.	Point noted and agreed
11.	Project proponents shall prepare the Evacuation Plan considering the evacuation route from top for users and free movement for fire fighting vehicles. The evacuation plan shall be displayed at all strategic locations within the premises	Point noted and agreed The building construction will be done considering the provision of fire safety as per Building Fire Safety Regulation 2008 and adequate & sufficient firefighting system will be provided during operational phase of township.
A.1 Construction Phase:		
A.1.1 Water:		
12.	Fresh water requirement during the construction phase shall not exceed 103 KLD and it shall be met through Tanker. No ground water shall be tapped during the construction phase	Being complied. APSEZ (SVCT, Siracha Colony) does not draw any ground water for the water requirement during construction as well as operation phase. Present source of water for project activities is through water tankers.
13.	Sewage generated during the construction phase shall be disposed off through soak pit through septic tank	Being complied. Presently the project is under construction phase and generated sewage water is being treated in soak pit/septic tank.
14.	Explore possibilities of provision of mobile toilets in construction phase.	Being complied. Mobile toilet is provided for company employees & contractual labour engaged in construction work of township.
A.1.1 Health & Safety:		
15.	Project Proponent shall obtain Fire opinion/provisional fire NOC from the concern authority as per the prevailing Rules / Gujarat Fire Prevention and Life Safety Measures Act, 2016.	Point noted and will be complied NOC from fire department would be obtained under relevant Act/rule; once construction activity is finished.
16.	The project proponent shall obtain registration of the establishment under the building and other Construction	Point noted and agreed

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
	Workers' (regulation of Employment & Conditions of Service) Act '1996 and shall comply with the provisions of the Act for the safety, health and welfare of construction workers.	During construction phase sanitation facility, Rest house, drinking water, refreshment provision, first aid etc. facilities are provided to construction works with relevant safety PPE's.
17.	The project proponent shall obtain registration of the construction workers as beneficiaries with the Gujarat Building and Other Construction Workers Welfare Board.	Point noted and agreed
A.2 Operation Phase:		
A.2.1 WATER:		
18.	Total water requirement during the operation phase shall not exceed 1192.5 KLD, out of which freshwater requirement of 578 KLD shall be met through Desalination plant-of APSEZ Ltd and the remaining 614.5 KLD of water requirement shall met through treated sewage. Metering of the water shall be done, and its records shall be maintained.	Point noted and Agreed Presently, the project is under construction phase and during the operation phase will be complied.
19.	Sewage generation during operation phase shall not exceed 714 KLD which shall be treated in the proposed onsite Sewage Treatment Plant.	Point noted and Agreed During the operation phase of township generated sewage water will be treated in 800 KLD capacity of STP after obtaining CCA permission from Gujarat Pollution Control Board (GPCB). Treated water will be utilized for horticulture/green belt development
20.	The unit shall install and efficiently operate STP of adequate capacity for treating the sewage to be generated during operation phase to achieve the CPCB norms at the STP outlet. Treated sewage conforming to CPCB norms shall be utilized within premises for gardening & flushing purpose at the maximum extent possible. Only remaining quantity of treated sewage shall be disposed for irrigation in APSEZ for irrigation.	Point noted and will be complied During the operation phase of township generated sewage water will be treated in 800 KLD capacity of STP after obtaining CCA permission from Gujarat Pollution Control Board (GPCB). Treated water will be utilized for horticulture/green belt development.
21.	A proper logbook of STP operation and showing the quantity of treated sewage utilization within premises & quantity of treated sewage discharged into the drainage line shall be maintained.	Point noted and will be complied During the operation phase of township generated sewage water will be treated in 800 KLD capacity of STP after obtaining CCA permission from Gujarat Pollution Control Board (GPCB). Treated

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
		water will be fully utilized for horticulture/green belt development within the township and logbook sheet will be maintained.
22.	Dual plumbing system with separate tanks and lines shall be provided for utilization of treated sewage for flushing.	Point noted and Agreed
23.	No bore well shall be constructed and existing bore well/s, if any, shall be either sealed or converted into the recharge well.	Point noted and Agreed There is no any bore well existing within the premises. Presently source of water consumption during construction phase is through water tanker and during operational phase it will be fulfilled through desalination plant of APSEZ.
24.	Rainwater harvesting from rooftop and paved areas and ground water recharge through 45 nos. of percolation wells shall be carried out as per the details submitted. Before recharging the runoff, pre-treatment must be done to remove suspended matter.	Point noted and will be complied During operational phase rooftop rainwater harvesting & paved areas and ground water recharge structures will be provided.
A.2.2 AIR:		
25.	A D G. set (2 X 300 KVA and 2 X 500 KVA) proposed as backup power shall be of enclosed type and confirm to prescribe standards under EPA rules. Necessary acoustic enclosures shall be provided at diesel generator set to mitigate the impact of noise.	Point noted and will be complied
26.	The exhaust of the D. G. Set shall be at least 3 m above roof top.	Point noted and will be complied
27.	The gaseous emissions from the D.G. Sets shall conform to the standards prescribed under EPA rules as amended from time to time. At no time, the emission levels shall go beyond the stipulated standards	This reply covers condition number 26 & 27. Presently construction activity is being carried out & DG set would be used in emergency power breakdown. DG sets would be kept as stand-by for Emergency power shutdown. DG sets used will confirm to CPCB standards
A.2.3 SOLID WASTE:		
28.	The solid waste generated shall be properly collected and segregated at source. The biodegradable waste shall be	Point noted will be complied

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
	<p>converted into useful end product by treating it into the proposed onsite Organic Waste Convertor and the recyclable waste shall be sold to vendors whereas the other garbage shall be disposed off properly as per the provisions made by the Local Authority.</p>	<p>As on now, the project is under construction phase and there is no organic waste generated because most of the construction labours reside in the nearby villages where all basic facilities are easily available. During the operational phase of township, garbage and waste materials will be regularly disposed off with 5R principles & environmental sound manner.</p>
29.	<p>Project Proponent shall obtain fire safety certificate / Fire No-Objection Certificate (NOC) from the concern authority as per the prevailing Rules / Gujarat Fire Prevention and Life Safety Measures Act, 2016.</p>	<p>Point noted and Agreed Please refer to A.1.1 Health & Safety condition number 15 for detailed information on NOC from Fire department.</p>
30.	<p>Firefighting facilities like Provision of ABC and DCP type fire extinguishers Provision of first aid box, displaying of important telephone numbers etc., terrace water tanks of 40 KL capacity, underground water tank of 200 KL, etc. shall be provided</p>	<p>Point noted and Agreed Adequate firefighting system would be implemented once the construction activity is finished.</p>

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024																																																																																																						
31.	<p>Staircase shall be provided:</p> <table border="1"> <thead> <tr> <th colspan="8">Details of Staircase (Residential)</th> </tr> <tr> <th>Type & no.</th> <th>No. of floors</th> <th>Area for each floor (m2)</th> <th>No. of staircase (m)</th> <th>Width of the staircase (m)</th> <th>Total Nos. of lifts</th> <th>No. of fire lifts</th> <th>Travel Distance (m)</th> </tr> </thead> <tbody> <tr> <td>Block 1A-1M (1 BHK)</td> <td rowspan="3">G + 3</td> <td>61.25 (T.F.) - 244.52 (G.F. to S.F.)</td> <td>1</td> <td>1.25</td> <td>--</td> <td>--</td> <td>15.4</td> </tr> <tr> <td>Block 1.5A-1.51L (1.5 BHK)</td> <td>66.25 (T.F.) - 265 (G.F. to S.F.)</td> <td>1</td> <td>1.25</td> <td>--</td> <td>--</td> <td>14.5</td> </tr> <tr> <td>Block 2A-2M (2 BHK)</td> <td>87.5 (T.F.) - 351.07 (G.F. to S.F.)</td> <td>1</td> <td>1.25</td> <td>--</td> <td>--</td> <td>15.5</td> </tr> <tr> <td>Block OA-OD (Hostel)</td> <td>G + 2</td> <td>296.8</td> <td>1</td> <td>1.25</td> <td>--</td> <td>--</td> <td>16.6</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="8">Details of Staircase (Commercial & Admin)</th> </tr> <tr> <th>Type & no. of buildings</th> <th>No. of floors</th> <th>Area for each Floor (m2)</th> <th>No. of staircase (m)</th> <th>Width of the staircase (m)</th> <th>Total Nos. of lifts</th> <th>No. of fire lifts</th> <th>Travel Distance (m)</th> </tr> </thead> <tbody> <tr> <td>Block AA Hostel Amenity</td> <td>G+1</td> <td>371-405</td> <td>1</td> <td>1.5</td> <td>--</td> <td>--</td> <td rowspan="6"><5</td> </tr> <tr> <td rowspan="2">Block BB Community Center</td> <td>G+Mezz.</td> <td rowspan="2">250-1429.5</td> <td>1</td> <td>1.5</td> <td>--</td> <td>--</td> </tr> <tr> <td>G+1</td> <td>1</td> <td>1.66</td> <td>1</td> <td>--</td> </tr> <tr> <td>Block CC Shopping Complex A</td> <td>G+1</td> <td rowspan="2">569-713.5</td> <td>1</td> <td>1.5</td> <td>1</td> <td>--</td> </tr> <tr> <td>Block DD Shopping Complex B</td> <td>G+1</td> <td>1</td> <td>1.5</td> <td>1</td> <td>--</td> </tr> <tr> <td>Block EE Gate Complex</td> <td>G+1</td> <td>--</td> <td>1</td> <td>1.5</td> <td>--</td> <td>--</td> </tr> </tbody> </table>	Details of Staircase (Residential)								Type & no.	No. of floors	Area for each floor (m2)	No. of staircase (m)	Width of the staircase (m)	Total Nos. of lifts	No. of fire lifts	Travel Distance (m)	Block 1A-1M (1 BHK)	G + 3	61.25 (T.F.) - 244.52 (G.F. to S.F.)	1	1.25	--	--	15.4	Block 1.5A-1.51L (1.5 BHK)	66.25 (T.F.) - 265 (G.F. to S.F.)	1	1.25	--	--	14.5	Block 2A-2M (2 BHK)	87.5 (T.F.) - 351.07 (G.F. to S.F.)	1	1.25	--	--	15.5	Block OA-OD (Hostel)	G + 2	296.8	1	1.25	--	--	16.6	Details of Staircase (Commercial & Admin)								Type & no. of buildings	No. of floors	Area for each Floor (m2)	No. of staircase (m)	Width of the staircase (m)	Total Nos. of lifts	No. of fire lifts	Travel Distance (m)	Block AA Hostel Amenity	G+1	371-405	1	1.5	--	--	<5	Block BB Community Center	G+Mezz.	250-1429.5	1	1.5	--	--	G+1	1	1.66	1	--	Block CC Shopping Complex A	G+1	569-713.5	1	1.5	1	--	Block DD Shopping Complex B	G+1	1	1.5	1	--	Block EE Gate Complex	G+1	--	1	1.5	--	--	<p>Point noted and Agreed.</p> <p>Presently construction activity is going & construction is being done as per approved plan/design.</p>
Details of Staircase (Residential)																																																																																																								
Type & no.	No. of floors	Area for each floor (m2)	No. of staircase (m)	Width of the staircase (m)	Total Nos. of lifts	No. of fire lifts	Travel Distance (m)																																																																																																	
Block 1A-1M (1 BHK)	G + 3	61.25 (T.F.) - 244.52 (G.F. to S.F.)	1	1.25	--	--	15.4																																																																																																	
Block 1.5A-1.51L (1.5 BHK)		66.25 (T.F.) - 265 (G.F. to S.F.)	1	1.25	--	--	14.5																																																																																																	
Block 2A-2M (2 BHK)		87.5 (T.F.) - 351.07 (G.F. to S.F.)	1	1.25	--	--	15.5																																																																																																	
Block OA-OD (Hostel)	G + 2	296.8	1	1.25	--	--	16.6																																																																																																	
Details of Staircase (Commercial & Admin)																																																																																																								
Type & no. of buildings	No. of floors	Area for each Floor (m2)	No. of staircase (m)	Width of the staircase (m)	Total Nos. of lifts	No. of fire lifts	Travel Distance (m)																																																																																																	
Block AA Hostel Amenity	G+1	371-405	1	1.5	--	--	<5																																																																																																	
Block BB Community Center	G+Mezz.	250-1429.5	1	1.5	--	--																																																																																																		
	G+1		1	1.66	1	--																																																																																																		
Block CC Shopping Complex A	G+1	569-713.5	1	1.5	1	--																																																																																																		
Block DD Shopping Complex B	G+1		1	1.5	1	--																																																																																																		
Block EE Gate Complex	G+1	--	1	1.5	--	--																																																																																																		
32.	All the staircases shall open out at ground level from the highest point of building [with access from each floor] for emergency evacuation.	<p>Point noted and Agreed</p> <p>Construction of township buildings is being done with considering the safety norms of building construction regulations.</p>																																																																																																						
33.	Provision for adequate air changes per hour in the basement shall be made so as to avoid the build-up of CO in the area.	Point noted and Agreed																																																																																																						
34.	Car park exhaust system equipped with CO (Carbon monoxide) sensor shall be provided to ensure operation of exhaust fans as CO concentration levels.	Point noted and Agreed																																																																																																						

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
35.	Clear peripheral margin space of adequate width, in accordance with the concerned local bye-laws, shall be provided for unobstructed & easy movement of vehicles in case of emergency.	Point noted and Agreed Construction activity is ongoing at present, compliance would be done once the construction activity is finished.
36.	Sanitation facilities, drinking water & tap water, sewage disposal facility, first aid box, free medicines, doctor service, adequate PPEs etc. shall be provided for workers.	Point noted and Agreed During the construction phase of township sanitation facilities, drinking water & tap water, sewage disposal facility, first aid box, free medicines, doctor service, adequate PPEs etc. are provided to engage workers.
A2.5 PARKING / TRAFIC CONGESTION:		
37.	Minimum parking space of 33,272 m2 (1384 CPS) [8,062 m2 in Hollow Plinth + 25,210 m2 in open area] shall be provided as proposed.	Point noted and Agreed
38.	Project proponent shall provide the height of Basement greater than 4.5 mts in order to accommodate futuristic parking, demand through mechanical Parking.	Point noted and Agreed
A2.6 ENERGY CONSERVATION:		
39.	Energy conservation measures viz. maximum use of natural lighting through architectural design, energy efficient motors & pumps, water efficient taps, solar lights in open & solar streetlight, 1190 KW solar power generation, use of aerated blocks & RIVIC, use of LED lighting fixtures and low voltage lighting, rooftop thermal insulation etc. shall be implemented as proposed.	Point noted and Agreed The roof top solar generating plant will be installed as green energy source and energy efficient instruments/equipment's will be provided for energy conservation aspects.
A2.7 GREEN BELT:		
40.	Green belt area of 60,000 m2 comprising of 20,000 m2 tree covered area with 5000 trees within premises shall be developed as proposed. The other open spaces inside the plot shall be suitably landscaped and covered with vegetation of indigenous tree species	Point noted and Agreed Presently the project is under construction phase and greenbelt development activities are going on phase wise.
41.	Green belt to be developed shall include all trees with height not less than 7ft	Point noted and Agreed Presently construction activity is going on; green belt would be done once the construction activity is finished.
PART B - GENERAL CONDITIONS:		
B.1 PRE - CONSTRUCTION AND CONSTRUCTION PHASE:		

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
42.	Mitigation of flood measures shall be undertaken. The height of the plinth and ramps will be increased so that flood water does not enter the basement.	Point noted and Agreed Construction activity is going on as per approved design, keeping past history of flood in consideration.
43.	Project proponent shall explore possibilities to reuse the treated wastewater for gardening and floor washing.	Point noted and Agreed Presently construction activity is ongoing, wastewater generated is being treated in soak pit, once in operation STP would be developed and treated effluent would be used for gardening and floor washing.
44.	Roads leading to or at construction site must be paved and blacktopped (i.e. - metallic roads)	Point noted and Agreed All internal road used for vehicle movement is made pucca & proper housekeeping is ensured to avoid any fugitive dust emission.
45.	No excavation of soil shall be carried out without adequate dust mitigation measures in place.	Point noted and Agreed During excavation, control measure like soil area being covered by green curtain and regularly water sprinkling is being carried out to minimize the dust emission and same practice will be continued in future also.
46.	Grinding and cutting of building materials in open areas shall be prohibited.	Point noted and Agreed
47.	Construction material and waste should be stored only within earmarked areas and roadside storage of construction material and waste shall be prohibited.	Point noted and being complied Construction materials generated is kept in demarcated place and will be disposed off through authorized recycler.
48.	Construction and demolition waste processing and disposal site shall be identified and required dust mitigation measures be notified at the site.	Point noted and being complied Area has been allocated to store the waste generated from construction activities and disposed through environmentally sound manner as well as regular water sprinkling is being carried out to minimize the dust emission and same practices will be adopted future also.

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
49.	Various dust mitigation measure shall be displayed prominently at the construction site for easy public viewing	Point noted and agreed
50.	Environment Management Cell shall be formed, which shall supervise and monitor the environment related aspects of the project during construction and operational phases in addition to observance of Gujarat Building and other Construction Workers '(Regulation of Employment & Conditions of Service) Rules 2003	Point noted and Complied For further details regarding Environment Management Cell Organogram, please refer specific condition no 8 of the EC clearance.
51.	Prior permission from the competent authority shall be obtained for cutting of the existing trees before site preparation work is commenced	Point noted and agreed Necessary permission would be obtained; prior felling of tree if required
52.	Water demand during construction shall be reduced by use of curing agents, super plasticizers and other best construction practices	Point noted and agreed Construction activity is in process and curing agent will be used when concreting is done to reduce freshwater consumption
53.	Wind - breaker of appropriate height i.e. 1/3rd of the building height and maximum up to 10 meters shall be individual building within the project site shall also be provided with barricades.	Point noted and complied. Control measure like closed enclosure of ongoing construction activity by fencing, sprinkling of water & proper housekeeping is being done to reduce dust emission.
54.	Regular water sprinkling shall be carried out in vulnerable areas for controlling dusting/ fugitive emissions.	Point noted and complied. Regularly water sprinkling is being carried out to minimize the dust emission and same practice will be adopted future also.
55.	No uncovered vehicles carrying construction material and waste shall be permitted.	Point noted and being complied Aggregates & construction raw material would be sourced from nearby places & is transported in vehicle covered with tarpaulin to avoid fugitive dust emission.
56.	No loose soil or sand or construction & demolition waste or any other construction material that causes dust shall be left uncovered. Uniform piling and proper storage of sand to avoid fugitive emissions shall be ensured.	Point noted and complied Excavated materials & loose raw material is being kept in covered shed to reduce dust emission.

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
57.	Structural design of the project shall strictly adhere to the seismic zone norms for earthquake resistant structures.	Point noted and complied Construction activity is going on as per approved design considering the fact that the proposed project fall under Seismic zone V.
58.	The planning, designs and construction of all buildings shall be such as to ensure safety from fire	Point noted and complied Adequate provision of fire safety as considered at time of design & planning is being implemented while ongoing construction activity.
59.	The project proponent shall ensure maximum employment given to the local people nearby site area.	Point noted and agreed Workers engaged in construction activity are sourced from nearby places and also direct & indirect employment would be generated once construction activity is finished.
60.	All required sanitary and hygienic measures shall be provided before starting the construction activities and to be maintained throughout the construction phase.	Point noted and agreed
61.	Provision shall be made for housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical healthcare, creches, electricity & ventilation, canteen, rest rooms, safe disposal system for garbage, first aid, medical and emergency facilities etc. to ensure that they do no ruin the existing environmental condition. The housing may be in the form of temporary structures to be removed after completion of the project	Not applicable Most of the construction labours reside in the nearby villages where all basic facilities are easily available. There are no housing requirements for labours inside the project area.
62.	Adequate personal protective equipment's shall be provided to the construction workers to ensure their safety, and the project proponent shall ensure its usage by the labours.	Complied Adequate safety measures is being implemented during construction activity.
63.	First Aid Box shall be made readily available in adequate quantity at all the times.	Complied
64.	Training shall be given to all workers on construction safety aspects.	Complied Safety induction training awareness programme with construction aspect is being provided to new joining workers as well as daily Toolbox Talk is being

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
		conducted for all workers before stating of construction work.
65.	The project proponent shall strictly comply with the building and other Construction Workers'(Regulation of Employment & Conditions of Service) Act 1996 and Gujarat rules made there under and their subsequent amendments.	Point noted and being complied
66.	The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibration dampers etc. on all sources of noise generation.	Being Complied Presently the project is under construction phase and greenbelt development activities are going on phase wise to reduce the noise level. Noise monitoring for day & night basis is being carried out on regular basis by NABL and MoEF&CC accredited agency namely M/s. Unistar Environment and Research Labs Pvt. Ltd., Vapi and Approx. INR 6.11 Lakh is spent for all environmental monitoring activities during FY 2024-25 till Sep'24 for overall APSEZ, Mundra. Please refer Annexure - 3 for detailed analysis reports.
67.	Ambient Noise levels shall conform to Residential standards both during day and night. incremental pollution load on the ambient air and noise quality shall be closely monitored during construction phase	Complied For noise monitoring details, please refer condition no. 66 of EC compliance report for further details.
68.	The noise generating equipments, machinery and vehicles shall not be operated during the night hours and shall be maintained properly to avoid generation of high noise due to wear and tear.	Point noted and agreed No construction activity will be carried out during night time to avoid noise generation & noise control measures like proper timely maintenance, acoustic enclosure at DG set, etc is being implemented and would be continued in future.
69.	Use of diesel generator sets during construction phase shall be strictly with acoustic enclosure and shall conform to the EPA Rules for air and noise emission standards.	Point noted and being complied For noise monitoring details, please refer condition no. 66 of EC compliance report for further

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
		details.
70.	Safe disposal of wastewater and municipal solid wastes generated during the construction phase shall be ensured.	Point noted and being complied Presently the project is under construction phase and sewage water is being treated in soak pit/septic tank.
71.	All topsoil excavated during construction activity shall be used in horticultural / landscape development within the project site.	Point noted and Agreed Excavated top soil will be preserved and would be used in horticulture/landscape activity.
72.	Construction materials and debris shall be properly stored and handled to avoid negative impacts such as air pollution and public nuisances by blocking the roads and public passages.	Point noted and being complied This reply cover condition no 72 & 73
73.	Construction debris shall be reused in construction of roads, levelling the site etc. Waste packaging material (like used cement bags, wastepaper, cardboard packing material), metal scraps etc. shall be sold to recyclers or shall be sent to the nearest municipal solid waste landfill site.	C&D waste is kept & stored in enclosed shed and disposed of to authorized recycler as per C&D rule 2016
74.	Excavated earth to be generated during the construction phase shall be utilized within the premises to the maximum extent possible and balance quantity of excavated earth shall be disposed off with the approval of the competent authority after taking the necessary precautions for general safety and health aspects. Disposal of the excavated earth during construction phase shall not create adverse effect on neighboring communities.	Point noted and Agreed The excavated soil during the construction phase will be utilized for greenbelt development.
75.	Provisions of Construction & Demolition Waste management Rules-2016 shall be strictly adhered to.	Point noted and Agreed Please refer to condition no 72 & 73 of EC clearance
76.	Vehicles hired for bringing construction material at the site shall be in good conditions and conform to applicable air and noise emission standards and shall be operated only during day time and non-peak hours.	Point noted and Agreed Vehicle hired for construction activity would conform to Bharat stage VI and is not old than 5 years and regular preventive maintenance is being done to avoid breakdown & Sox emission.
77.	Project proponent shall ensure use of eco-friendly building materials including fly ash bricks, fly ash paver blocks, ready mix Concrete [RMC] and lead-free paints in the project.	Point noted and being complied Eco-friendly building material is being used in the project.

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
78.	Fly ash shall be used in construction, wherever applicable as per provisions of Fly Ash Notification under the EP Act, 1980 and its subsequent amendments from time to time	Not Applicable
79.	Use of glass shall be minimal and only low emissive glass shall be used in the project to reduce the electricity consumption and load on air conditioning	Point noted and Agreed
B2. OPERATION PHASE AND LIFETIME:		
80.	In case, if it comes to notice to SEAC/SEIAA, that PP has violated EC norms by starting construction before obtaining Environmental Clearance, necessary action shall be taken as per the provisions of OM of MoEF& CC, - New Delhi dated 7.1.2021	Point noted and Agreed
81.	Project Proponent shall submit CER plan each year wise to respective Collectors, DDO and Municipal commissioner/Urban Development Authority and implement of CER activities under intimation and guidance of the respective authorities.	Point noted and Agreed As construction activity is ongoing CSR activity is being carried out in a phase wise manner.
82.	PP shall take all required mitigation measures to comply with ambient noise levels standards of the residential area during day and night time as per Noise Pollution (Control and Regulation) Rules, 2000.	Point noted and Agreed Construction activity is carried out during daytime only to avoid noise generation during night time
83.	Necessary permission for drawing of water from concerned Corporation/ Authority shall be obtained.	Being Complied Present source of water consumption for project activities is through tankers and in operational phase it will be fulfilled through desalination plant of APSEZ.
84.	Necessary permission for discharging of treated domestic wastewater in Drainage of concerned Corporation/ Authority has to be obtained.	Point noted and Agreed Presently the project is under construction phase and sewage water is being treated in soak pit/septic tank. In operational phase of township, generated sewage will be treated in 800 KLD capacity of STP after obtaining CCA permission from Gujarat Pollution Control Board (GPCB). Treated water will be utilized for horticulture/green belt development.
85.	Concerned Municipal Corporations/ Urban Development authority shall ensure the compliance of conditions given in the EC order	Point noted and Agreed

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
86.	Project proponent shall provide suitable storm water drainage facilities to avoid water logging.	Point noted and Agreed
87.	This EC order should not be used as supportive evidence in regard of legal evidence in case of any disputes. This is only given for the purpose of Environmental Compliances and mitigation of various environmental impact.	Point noted and Agreed
88.	PP shall sponsor tree plantation of community / institution land with proper maintenance and provisions of fencing and watering in consultation with Deputy Conservator of Forest of concerned District as per the clarification given in para 3 of OM of MoEF& CC, GOI dated 25.02.2021. The expenditure of above supporting activities will be within the total outlay of CER committed by PP	Point noted and will be complied
89.	Project proponent or the maintenance society to whom the project has been handed over shall ensure allocation of parking to each and every member of the society as per the rules as soon as possible not later than 3 months and display the same in the society notice board	Point noted and Agreed
90.	PP shall also comply EC conditions and inform to the local authorities like Municipal Corporation, UDA, RERA/ SEIAA and also ensure proper parking without fail. Basement parking should always maintain clean, free from hanging electric wires and provide adequate light and ventilation.	Point noted and Agreed
91.	Proponent shall maintain traffic system within the premises to avoid congestion and unsafe parking in the premises, particularly safety parameters including fire, safety, installation of fire equipments, house pipes etc. for regular maintenance check-up and hold mock drills from time-to-time. Any damage to the greenbelt area must be avoided.	Point noted and Agreed
92.	Project proponent shall comply with all provisions of GDCR and its amendment for constructing Building	Point noted and Agreed
93.	The PP shall also ensure notarized undertaking from the maintenance society at the time of hand over to comply with all the conditions of EC scrupulously.	Point noted and Agreed
94.	As regards obtaining for fire safety permissions, proponent have to inform to SEIAA before obtaining BU permissions from competent authority.	Point noted and will be complied
95.	Proponent shall obtain Registration of the establishment under the building and other construction workers (regulation of employment & condition of service before commencement of construction and inform to SEIAA	Point noted and Agreed
96.	Provision of fire lift may be provided; additional lift may be provided in high rise building for safety.	Point noted and Agreed Adequate firefighting system would be implemented once construction activity is finished.

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
97.	All vibrating parts will be checked periodically and serviced to reduce the noise generation and sound producing equipment. Further, Regular maintenance of leakages of water and wastewater shall be carried out.	Point noted and Agreed Currently Construction activity is going on & periodic vibration & leakage check would be carried out once construction is finished.
98.	The competent authority like Municipal Corporation / Urban development authority / District collector / RERA or any other authority or officer authorised by MoEF & CC can inspect the site, all facilities, for verification of compliances of Environmental Clearances conditions and ensure its compliance before issuance of any permission given by competent authority.	Point noted and Agreed
99.	Construction activities will be allowed only during daytime period.	Point noted and Agreed
100.	If height of the building/block from the ground level is above 12.65 meters, then PP shall provide lift in building/block as per GDCR Rules.	Point noted and Agreed
101.	PP shall provide one regular lift and one fire lift, if floor area of the block/building exceeds 497.61 sq mtrs.	Point noted and Agreed
102.	Project proponent shall provide and operate necessary recycling facilities for reuse of treated domestic wastewater within premises	Point noted and Agreed During the operational phase of township, generated sewage will be treated in 800 KLD capacity of STP after obtaining CCA permission from Gujarat Pollution Control Board (GPCB). Treated water will be utilized for horticulture/green belt development.
103.	Project proponent shall obtain all NA permission for all survey Nos before installation and commissioning of activities.	Point noted and Complied
104.	The project proponent shall provide water pumping arrangement and especially when the discharge into municipal drainage for annual inspection and cleaning to avoid inundation and surface water pollution and health hazard	Point noted and being complied APSEZ (SVCT, Sirach colony) will not discharge domestic wastewater into municipal drainage. Presently the project is under construction phase and sewage water is being treated in soak pit/septic tank. In operational phase of township, generated sewage will be treated in 800 KLD capacity of STP and granted permission for CTO from

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
		Gujarat Pollution Control Board (GPCB) for its operation. Treated water will be utilized for horticulture/green belt development.
105.	The project proponent shall ensure the distance criteria is properly followed while undertaking construction in consistence with the existing directions of local self-government bodies.	Point noted and complied The distance certificate is issued from Taluka Panchayat Office, Mundra. Copy of same is attached as Annexure - 4 .
106.	The orders shall mention the limit of floors given in the proposal. Any deviation from that by the proponent changing the number of floors could attract withdrawal of the EC as a violation case.	Point noted and Agreed
107.	Prior EC granted is subject to the proponent receiving all statutory permission / clearances / certificates and membership of respective agencies / authorities failing, which this provisional EC will stand withdrawn	Point noted and Agreed
108.	Proponent shall inform progress from time to time, in six monthly compliance report to MOEFCC / SEIAA / SEAC.	Point noted and Agreed Presently our project construction work is started, hence we are submitting first half yearly compliance report to all the concerned authorities for the period Apr'24 to Sep'24 and now onwards we will submit half yearly compliance report on regular basis within defined timeline.
109.	The above conditions are also applicable to the ECs already been accorded to Projects. This should be checked by respective agencies entrusted with the task of inspection and action.	Point noted and Agreed
110.	Bore well water shall be drawl only after obtaining necessary permission from CGWA.	Point noted and Agreed APSEZ (SVCT, Siracha Colony) does not withdrawal any ground water for the water requirement during construction as well as operation phase. Presently source of water consumption during construction phase is through tanker and during operational phase will be fulfilled by through desalination plant of APSEZ.

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
111.	Project Proponent shall prominently display the copy of Environment Clearance at site.	<p>Point noted and Complied</p> <p>The copy of Environmental Clearance letter has been submitted to the respective concerned authorities the District Collector Office, Bhuj; GPCB Regional Office, Gandhidham & HO, Gandhinagar; RERA, Gandhinagar; Sub District Magistrate office, Mundra; Mamlatdar Office, Mundra; and Taluka Vikas Adhikari office, Mundra with the request for display at least for 30 days. The acknowledgements are attached as ANNEXURE - 5.</p> <p>A copy of the clearance letter is uploaded on APSEZ web site https://www.adaniports.com/ports-downloads.</p>
112.	Project proponent shall comply with all environmental facilities and requirement as per GDCR/Urban Development Authority.	Point noted and Agreed
113.	Regular maintenance of leakages of water and wastewater shall be carried out.	Point noted and will be complied
114.	All construction activities will be allowed only during daytime period.	Point noted and Agreed
115.	Lubrication will be carried out periodically for all plant machinery.	Point noted and Agreed
116.	The project proponent shall prepare, display at prominent place in the construction site and implement the fire and safety SOPs for fall protection, ladders and staircase, scaffolds, trenching and excavation, electrical safety, crane operations, occupational noise mitigation procedure, welding and cutting including provision of PPE kits etc.	<p>Point noted and being complied</p> <p>Safety induction training awareness programme with construction aspect is being provided to new joining workers as well as daily Toolbox Talk is being conducted for all workers before stating of construction work.</p> <p>Safety and fire SOPs are available for activities wise and its fully implemented at project site as well as job specific safety PPE's has been provided to construction workers at site to prevent the incident.</p>

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
117.	When the property is handed over to society, the proponent should ensure by notarized undertaking to abide by all the conditions of EC and copy of the such transfer letter with notarized undertaking shall send to SEAC & SEIAA.	Point noted and agreed to comply
118.	The proponent shall ensure that the occupants of the society are allotted parking space as approved in EC order and put-it on display the allotment of parking to the occupants in the society maintenance of it.	Point noted and Agreed
119.	If there is Basement Parking in proposed in the project then they should always maintain clean, free from hanging electric wires and provide adequate light.	Point noted and Agreed
120.	Separate Entries and Exits shall be provided to the project on the approach road.	Point noted and Agreed
121.	PP shall provide Electric vehicle charging points in the parking area	Point noted and Agreed
122.	Project Proponent shall provide adequate fund for Environment Monitoring and Staff training in the Environment Management Plan.	<p>Complied</p> <p>Monitoring of environmental attributes viz. Air, Water, Noise, etc. is being carried out on regular basis by NABL and MoEF&CC accredited agency namely M/s. Unistar Environment and Research Labs Pvt. Ltd., Vapi and Approx. INR 6.11 Lakh is spent for all environmental monitoring activities during FY 2024-25 till Sep'24 for overall APSEZ, Mundra.</p> <p>Please refer Annexure - 3 for detailed analysis reports.</p>
123.	Builder/Maintenance Society shall take all required mitigation measures to comply with ambient noise levels standards of Residential area during day and nighttime as per Noise Pollution (Control and Regulation) Rules, 2000.	<p>Point noted and will be complied</p> <p>Presently, the project is under construction phase and during the operation of township Phase wise thick greenbelt will be developed as a noise barrier on roadside as per CPCB greenbelt development guideline as well as other appropriate measure to be taken to reduce the noise level in township premises.</p> <p>Noise monitoring for day & night basis is being carried out on regular basis by NABL and MoEF&CC</p>

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
		<p>accredited agency namely M/s. Unistar Environment and Research Labs Pvt. Ltd., Vapi and Approx. INR 6.11 Lakh is spent for all environmental monitoring activities during FY 2024-25 till Sep'24 for overall APSEZ, Mundra.</p> <p>Please refer Annexure - 3 for detailed analysis reports.</p>
124.	This EC order should not be used as supportive evidence in regard of legal evidence in case of any dispute in ownership. This is only given for the purpose of Environmental Compliances and mitigation of Environmental impact	Point noted and Agreed
125.	Project proponent or maintenance society to whom the project has been handed over shall ensure allocation of parking to each and every member of the society as per the rules as soon as possible and display the same in the society notice board	Point noted and Agreed
126.	Builder/Maintenance Society shall maintain the basement parking area, which should be clean, free from hanging electric wires and provide adequate lighting and ventilation at site.	Point noted and Agreed
127.	Builder/Maintenance Society shall maintain traffic system within the premises to avoid congestion and unsafe parking in the premises, particularly safety parameters including fire, safety, installation of fire equipment, house pipes etc. for regular maintenance check-up and hold mock drills from time-to-time. Any damage to the greenbelt area must be avoided.	Point noted and Agreed
128.	Builder/Maintenance Society shall ensure that entry as well as exit gate of site shall be open all the time, failing which necessary action shall be taken by Competent Authority like Corporation/Urban Development Authority as per the provisions of GDCR/NBC.	Point noted and Agreed
129.	Builder/Maintenance Society shall strictly ensure to comply with all the conditions of EC scrupulously failing which necessary action shall be taken by Competent Authority like Corporation/Urban Development Authority as per the provisions of GDCR/NBC	Point noted and Agreed
130.	Builder/Maintenance Society shall ensure that all residents shall carry out necessary segregation & timely disposal at source of solid waste.	Point noted and Agreed
131.	The above conditions are also applicable to the ECs already been accorded to Projects. This should be checked by respective agencies entrusted with the task of inspection and action.	Point noted and Agreed

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
132.	Society shall display visitor's parking facility at suitable location at site	Point noted and Agreed
133.	looking to the traffic management, at no point of time entry gate should be closed except reasons of security as may be directed by competent authorities	Point noted and Agreed
134.	To stop emission of PM10, the builders shall ensure the paving of the dusty edges of the bitumen road.	Point noted and will be complied As on now, the project is under construction phase and during the operational phase of township all internal roads will be paved by RCC or bitumen to avoid the dust emission. The ambient air quality monitoring is being regularly carried out by NABL accredited and MoEF&CC accredited agency namely M/s. Unistar Environment and Research Labs Pvt. Ltd., Vapi. Please refer Annexure – 3 .
135.	The builder and the maintenance society shall ensure the cleanliness and disposal of garbage and waste all the time and give wide publicity to environmental measures time to time.	Point noted will be complied As on now, the project is under construction phase and during the operational phase of township, garbage and waste materials will be regularly disposed off with 5R principles & environmental sound manner.
136.	Annual maintenance certificate of Lift shall be displayed on notice board at all the time.	Point noted and Agreed Construction activity is ongoing and annual maintenance & load test of lift would be carried once construction activity is completed.
137.	In Municipal Corporation before approval of plan layout it shall be ensure that the project proponent has projected the space for tree plantation with tree guard in a space between municipal road & their premises.	Point noted and Agreed
138.	The project proponent shall take written undertaking from the society association to maintain compliance of conditions pertaining to tree plantation, maintaining hygienic condition in and around the premises for building construction projects	Point noted and Agreed
139.	Notwithstanding the provision of EIVIP/CER, the proponent shall incur full expenditure as may be required at the time of execution of the project.	Point noted and Agreed

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
140.	The project proponent shall take written undertaking from the Society Association to ensure compliance of environment conditions when it is handed over to them	Point noted and Agreed
141.	Project proponent shall take proper maintenance of electrification with respect to human safety	Point noted and Agreed
142.	Tree Plantation prescribed in the EC shall be maintained by the Society Association.	Point noted and Agreed
143.	Proponent as well as successor society shall maintain hygienic conditions and cleanliness in and around the project site all the time.	Point noted and Agreed
144.	The design of building has to be earthquake resistant & duly certified by competent structural engineer of competent authority.	Point noted & complied The construction of buildings for the proposed project is being done as approved earthquake resistance design by competent authority.
145.	The project proponent shall explore the possibilities & adopt mitigation measures to minimize the impact of project with reference to Urban Heat Island (UHI) Phenomena.	Point noted and Agreed
146.	The project proponent shall allocate funds as may be required for the compliance of Environment Management plan & CER activity proposed at the time of execution of the project.	Point noted and Agreed to Comply
147.	Project proponent shall adopt the 4R concept of Reduce, Reuse, Recycle and Restore, while handing over the project to maintenance Society shall ensure the compliances as required.	Point noted and Agreed
148.	Low water consuming devices shall be provided. Fixtures for showers, toilet, flushing and drinking shall be of low flow either by use of aerators/ diffusers or pressure reducing devices etc.	Point noted and Agreed Construction activity is ongoing & water saving installation/method would be implemented once the construction activity is finished.
149.	A water meter shall be installed on rainwater harvesting & ground water recharge well system & compliance report of the same shall be submitted to concerned authorities.	Point noted and agreed
150.	Used oil shall be sold only to the registered recycler.	Point noted and Agreed
151.	Provisions of Solid Waste Management Rules-2016 shall be strictly adhered to.	Point noted and Agreed In operational phase of township, solid waste will be disposed off as per solid waste management rules 2016 with 5R principles & environmental sound manner.
152.	Requisite firefighting facilities as per the requirement of NBC and Gujarat Fire Prevention and Life Safety Measures	Point noted and Agreed

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
	Act 2013 along with the rules & regulations made there under shall be provided.	
153.	Underground fire water storage tanks and terrace water storage tanks as well as storage of treated domestic wastewater of adequate capacity shall be provided as proposed. Adequate provision shall be made to ensure that water from the Fire Water Tank shall not be used for any other purpose.	Point noted and Agreed
154.	Dedicated power back up system shall be provided in the case of power failure & emergency of fire water pumps.	Point noted and Agreed
155.	First Aid Box shall be made readily available in adequate quantity at all the times.	Point noted and Agreed
156.	Main entry and exit shall be separate and clearly marked in the facility	Point noted and Agreed
157.	Necessary emergency lighting system along with emergency power back up system shall be provided. Further, necessary auto glow signage at all appropriate places shall be provided to guide the people towards exits and assembly points during emergency.	Point noted and Agreed
158.	Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.	Point noted and Agreed
159.	The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibrations dampers etc. on all sources of noise generation including D.G. Sets. The ambient noise levels shall confirm to the standards prescribed under the environment (Protection) Act and Rules.	<p>Being Complied</p> <p>Presently, the project is under construction phase and during the operation of township Phase wise thick greenbelt will be developed as a noise barrier on roadside as per CPCB greenbelt development guideline as well as other appropriate measure to be taken to reduce the noise level in township premises. DG sets will be installed with proper acoustic enclosures for fulfilling the power requirement during the power failure.</p> <p>Noise monitoring for day & night basis is being carried out on regular basis by NABL and MoEF&CC accredited agency namely M/s. Unistar Environment and Research Labs Pvt. Ltd., Vapi and Approx. INR 6.11 Lakh is spent for all environmental monitoring activities during FY 2024-25 till Sep'24 for overall APSEZ, Mundra.</p>

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
		Please refer Annexure - 3 for detailed analysis reports.
160.	The area earmarked for parking shall be used for parking only. No other activity shall be permitted in this area-	Point noted and Agreed
161.	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. No public space including the service road shall be used or blocked for the parking.	Point noted and Agreed
162.	The project proponent shall install energy efficient devices, appliances, motors, and pumps conforming to the Bureau of Energy Efficiency norms	Point noted and will be complied For conservation of energy LED lights, automatic on/off sensor-based motors/pumps, timer based common areas lights and energy efficient equipment's/instrument will be provided during the operational phase of township. As well as roof top solar generating plant will be installed as green energy source and energy efficient instruments/equipment's will be provided for energy conservation aspects
163.	The transformers and motors shall have minimum efficiency of 85%	Point noted and Agreed
164.	Only variable frequency motor drives shall be used in project.	Point noted and Agreed
165.	Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting. In addition the provision for solar water heating system shall also be provided.	Point noted and will be complied As well as roof top solar generating plant will be installed as green energy source and energy efficient instruments/equipment's will be provided for energy conservation aspects
166.	Use of glass shall be minimal to reduce the heat island effect as well as to reduce the electricity consumption.	Point noted and Agreed
167.	The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose.	Point noted and Agreed
168.	Drip irrigation/low volume, low angle sprinkler system shall be used for the lawns and other green area including tree plantation.	Point noted and Agreed
169.	The project proponent shall inform to SEAC / SEIAA regarding the transfer of management responsibility to the Society / Association to be formed for the proposed project with all the supporting documents. The Society /	Point noted and Agreed

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
	Association formed for further management of the proposed project shall be responsible for compliance of all the conditions stipulated in the Environmental Clearance order.	
170.	Environmental Clearance granted for the project on the basis of documents related to land possession submitted shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of the project and mentioned in the EC.	Point noted and Agreed
171.	All other statutory clearances such as N.A. permission, Fire NOC from Department, permission from Airports Authority of India, BU permissions, Development permissions etc including approvals for storage of diesel from concern authority shall be obtained by the project proponent from the competent authorities before commissioning of project.	Point noted and Agreed Relevant permission would be obtained from concerned department for storage of diesel
172.	All the conditions as may be stipulated in the N.A. order, Development permission, Building Use permission, NOC obtained from Fire Department etc. shall be strictly complied with.	Point noted and Agreed
173.	The project management shall also comply with all the environment protection measures, risk mitigation measures and safeguards proposed by them.	Point noted and Agreed
174.	All commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.	Point noted and Agreed
175.	The project proponent shall also comply with any additional condition that may be imposed by the SEAC or by SEIAA or any other competent authority for the purpose for the environmental protection and management.	Point noted and Agreed
176.	All the terms & conditions prescribed in the amendment of EIA Notification 2006 published by the MoEF & CC vide its Notification No. S.O. 3999(E) dated 9th December 2016 shall be complied with letter & spirit	Point noted and Agreed
177.	The project proponent shall strictly comply with the Gujarat Building and other Construction Workers'(Regulation of Employment & Conditions of Service) Rules 2003 as well as Gujarat Lifts & Escalators Rules as amended from time to time	Point noted and Agreed
178.	No further expansion or modifications in the project likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority	Point noted and Agreed
179.	The above conditions shall be enforced, inter-alia under the provisions of the water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act 1986 and the	Point noted and Agreed

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
	Hazardous Wastes (Management Handling and Tran boundary) Rules, 2008, Building and Other Construction Workers' (Regulation of Employment & Conditions of Service) Act-1996, The Gujarat Lifts and Escalators Act-2000 along with their amendments and rules	
180.	The project proponent shall obtain the requisite permissions / clearance under the provisions of the Indian Forest Act .1 927, Forest Conservation Act 1980 and Wildlife (Protection) Act 1972.	Not Applicable
B3. OTHERS:		
181.	The project proponent shall allocate the separate fund as committed before SEAC for activities like installation of RO plant in government school / panchayat office Rainwater harvesting structure & pond deepening Development of gardens & plantation Solar panel installation in Family Welfare Center (FWC) - 50 KW installation of 40 nos. of Solar streetlights at Siracha. Installation of RO plant in panchayat office Tree plantation along roadside Solar panel installation in school 50 KW Rainwater harvesting structure & pond deepening at Navinal. Rainwater harvesting structure & pond deepening installation of RO plant in Public Health Sub-Center (PHS), Solar panel installation in school - 50 KW at Moti Khakhar installation of RO plant in government school, Solar panel installation in school - 50 KW , Rainwater harvesting structure & pond deepening Zarpara, installation of RO plant in Family Welfare Center (FWC), Rainwater harvesting structure & pond deepening, Solar panel installation in Public Health Center (PHC) - 50 KW, installation of 50 nos. of Solar streetlights al Deshalpar. Activities proposed under Corporate Environment Responsibility (CER) shall be part of Environment Management Plan (EMP) as per the MoEF&CC's OIV no. F. No. 22-6512017-IA.III dated 30.09 2020 The said activities. shall be completed within 3 years from the commencement of the project. The CER shall be monitored, and the monitoring report shall be submitted to the regional office of MoEF&CC as a part of half-yearly compliance report and to the District Collector. The monitoring report shall be posted on the website of the project proponent	Point noted and Agreed
182.	The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as CPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	Point noted and Agreed

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
183.	The project proponent shall adhere to provisions made for Corporate Environment Responsibility "CER" in Officer: Memorandum dated 01/05/2018 by Ministry of Environment, Forests & Climate Change and its amendments from time to time in a letter and spirit	Point noted and Agreed
184.	The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that copies of the clearance letter are available with SEIAA and may also be seen at the Website of SEIAA SEAC	<p>Point noted and Complied</p> <p>The copy of Environmental Clearance letter has been submitted to the respective concerned authorities the District Collector Office, Bhuj; GPCB Regional Office, Gandhidham & HO, Gandhinagar; RERA, Gandhinagar; Sub District Magistrate office, Mundra; Mamlatdar Office, Mundra; and Taluka Vikas Adhikari office, Mundra with the request for display at least for 30 days. The acknowledgements are attached as ANNEXURE - 5.</p> <p>A copy of the clearance letter is uploaded on APSEZ web site https://www.adaniports.com/ports-downloads.</p>
185.	It shall be mandatory for the project management to uploaded half yearly compliance report on website of Gujarat Real Estate Regulatory Authority, on '1st June and 1st December of each calendar year.	<p>Point noted and Agreed</p> <p>Presently our project construction work has started, hence we are submitting first half yearly compliance report to all the concerned authorities including Gujarat Real Estate Regulatory Authority on website portal for the period Apr'24 to Sep'24 and now onwards we will submit half yearly compliance report on regular basis within defined timeline.</p>
186.	The project authorities shall inform the GPCB, Regional Office of MoEF & CC and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	<p>Point noted and Agreed</p> <p>APSEZ (SVCT, Siracha Colony) will be take Consent to Operate (CTO) permission from the Gujarat Pollution Control Board (GPCB) before operational of project and intimate to MoEF & CC and SEIAA during the submission of half yearly</p>

	M/s. Adani Ports and SEZ Ltd., Mundra	From : Apr'24 To : Sep'24
Status of the Conditions Stipulated in CRZ Clearance		

Sr. No.	Conditions	Compliance Status as on 30.09.2024
		EC compliance report of the same period.
187.	The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory. This environmental clearance is valid for Seven years from the date of issue.	Point noted and Agreed
188.	Submission of any false or misleading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.	Point noted and Agreed
B4. COMPLIANCE OF ENVIRONMENT CLEARANCE/REPORTING/ADMINISTRATION/APPEAL:		
189.	Project proponent shall inform to all the concerned authorities including Municipal Corporation, District collector, UDA & RERA and shall also give wide publicity through advertisement in minimum two local newspapers within seven days, about the environment clearance order accorded.	<p>Point noted and Complied</p> <p>The copy of Environmental Clearance letter has been submitted to the respective concerned authorities the District Collector Office, Bhuj; GPCB Regional Office, Gandhidham & HO, Gandhinagar; RERA, Gandhinagar; Sub District Magistrate office, Mundra; Mamlatdar Office, Mundra; and Taluka Vikas Adhikari office, Mundra with the request for display at least for 30 days. The acknowledgements are attached as ANNEXURE - 5.</p> <p>A copy of the clearance letter is uploaded on APSEZ web site https://www.adaniports.com/ports-downloads.</p> <p>The original copy of the CRZ clearance was obtained on 05.06.2024 and advertisement (containing informing that the Environment clearance is accorded to the proposed project and a copy of clearance letter is available with the SPCB and may also be seen at the website of SEIAA) was given in local Newspaper Sandesh & Kutch Uday in Gujarati (local) language; and in The Indian Express (English) newspaper dated 11.06.2024. Copy of the newspapers attached as ANNEXURE - 6.</p>

Status of the Conditions Stipulated in CRZ Clearance

Sr. No.	Conditions	Compliance Status as on 30.09.2024
190.	Project proponent shall appoint a key person in the organization who shall be responsible for compliance of above condition fully on behalf of the proponent. It will not mean that appointing a key person will exempt the project proponent from the responsibility of compliance. Any change in key person shall immediately be informed to SEIAA and all concerned authorities	Point noted & Agreed
191.	Designated key person shall submit six monthly compliance report to SEIAA/SEAC, MOEF&CC, GPCB and Nodal Department of the Government.	Point noted and Complied Presently our project construction work is started, hence we are submitting first half yearly compliance report to all the concerned authorities for the period Apr'24 to Sep'24 and now onwards we will submit half yearly compliance report on regular basis within defined timeline. Compliance Report for the same is uploaded on APSEZ web site https://www.adaniports.com/ports-downloads .
192.	In case of violation reported upon, the project proponent shall be responsible for all the legal actions as per Environment Protection Act, 1986 including SEIM may cancel, withdraw or keep in abeyance, the environment clearance accorded.	Point noted and Agreed
193.	Any person including the project proponent affected by this environment clearance order may file appeal to Honorable National Green Tribunal West Zone branch, Pune, preferably within a period of thirty days from the date of issue of environment clearance as prescribe under section 16 of National Green Tribunal Act 2010.	Point noted and Agreed
194.	All complains and public grievance or representations may be addressed to SEIAA/SEAC in the email addresses (a) msseiaagj@gmail.com & (b) seacgujarat@gmail.com.	Point noted and Agreed

Annexure – 1

કાર્યપાલક ઇજનેરશ્રીની કચેરી, કચ્છ સિંચાઈ વિભાગ, ભુજ

OFFICE OF THE EXECUTIVE ENGINEER

KACHCHH IRRIGATION DIVISION, BHUJ

નર્મદા, જળસંપત્તિ, પાણી પુરવઠા અને કલ્પસર વિભાગ

પવનચક્રી કમ્પાઉન્ડ,
કેમ્પ એરીયા, ભુજ-કચ્છ.
ફોન નં. ૦૨૮૩૨-૨૨૦૪૦૩



PAVANCHAKKI COMPOUND
CAMP AREA, BHUJ-KACHCHH.
Phone & Fax: 02832-220407.
e-mail: eekidbhj@gmail.com

જા.નં. કસિવિ/એબી-૧/કોસીંગ રીવર/ડીમાન્ડ નોટા/૧૦૨૬

તા. ૧૩/૦૬/૨૪

પ્રતિ,
અદાણી પોર્ટસ એન્ડ લોજીસ્ટીક
અદાણી હાઉસ
એટ પોસ્ટ : મુન્દ્રા

વિષય : નાળા કોસીંગની પરવાનગી માટે ભરવાની થતી રકમ ભરવા બાબત.
રીકવેસ્ટ ફોર ગ્રાન્ટીંગ એપ્રુવલ ફોર લેઇંગ ઓફ યુટીલીટીસ ફ્રોમ કેસીએલ ટુ
એસવીસીટી ટાઉનશીપ ટુ ધ સોર્સ, એટ ટાઉનશીપ શીરાયા અલોગ રીવર બેંક, વિલેજ
શીરાયા, તાલુકા મુન્દ્રા-કચ્છ ની સૈધ્ધાંતિક મંજૂરી આપવા બાબત.

સંદર્ભ : ૧) આપશ્રીના પત્ર નં. APSEZ/SVCT/Irrigation/11-KV Elec/2024/01, Dt. 24/04/24
૨) અત્રેની કચેરીના પત્ર નં. કસિવિ/પીબી/કોસીંગ/સે.મં./૧૦૧૩, તા. ૧૮/૬/૨૦૨૪
૩) સરકારશ્રીના પરિપત્ર નં. સીએમઇ/૨૦૧૪/૬૬/પી તા. ૦૭/૦૧/૨૦૧૫

જયભારત સાથે ઉપરોક્ત વિષય અન્વયે જણાવવાનું કે, આપશ્રી ધ્વારા રીકવેસ્ટ ફોર ગ્રાન્ટીંગ એપ્રુવલ
ફોર લેઇંગ ઓફ યુટીલીટીસ ફ્રોમ કેસીએલ ટુ એસવીસીટી ટાઉનશીપ ટુ ધ સોર્સ, એટ ટાઉનશીપ શીરાયા અલોગ
રીવર બેંક, વિલેજ શીરાયા, તાલુકા મુન્દ્રા-કચ્છ ના આ વિભાગના હેઠળના કાર્યક્ષેત્રના ૦૨ (બે) કોસીંગ તથા ૦૨
(બે) સમાંતર કુલ લંબાઈ ૨૬૦૦.૦૦ મી. ને અત્રેની કચેરીના સંદર્ભીત-૨ વાળા પત્રથી સૈધ્ધાંતિક મંજૂરી
આપવામાં આવેલ છે.

આપના ધ્વારા આપવામાં આવેલ બાંહેધરી મુજબ હવે રૂ. ૩૦૦ ના સ્ટેમ્પના નિયત નમુનાનું એગ્રીમેન્ટ
અને નીચે મુજબની વિગતે ભરવાની થતી રકમ તાત્કાલીક કાર્યપાલક ઇજનેરશ્રી, કચ્છ સિંચાઈ વિભાગ, ભુજ ના
નામે ભરી આપવા વિનંતી. તેમજ સંદર્ભીત પરિપત્ર-૩ અને સૈધ્ધાંતિક મંજૂરીમાં આપેલ શરતો મુજબ દર વર્ષે
ભરવાની થતી રકમ આપશ્રી ધ્વારા ભરવાની રહેશે તેમજ પત્રમાં આપેલ શરતોનું પાલન કરવાનું રહેશે.

:: ૨ ::

:: ૨ ::

(૧) સીક્યુરીટી ડીપોઝીટ (રીફન્ડેબલ) રૂ. ૩,૩૬,૩૮૮/-

(૨) ડીમાન્ડ ડ્રાફ્ટ (નોન રીફન્ડેબલ) - કાર્યપાલક ઇજનેરશ્રી, કચ્છ સિંચાઈ વિભાગ, ભુજ ના નામનો


(૧) ડીપોઝીટ રૂ. ૨૯,૦૯,૫૦૫/-

(૨) વાર્ષિક ભાડું (૨૦૨૪-૨૫) રૂ. ૫,૪૯,૧૪૧/-

(૩) મેઇન્ટેનન્સ ચાર્જ (૨૦૨૪-૨૫) રૂ. ૫,૪૯,૧૪૧/-

(૪) પ્રોસેસીંગ ફી રૂ. ૨૦,૦૦૦/-

કુલ રૂ. ૪૦,૨૭,૭૮૭.૦૦


કાર્યપાલક ઇજનેર
કચ્છ સિંચાઈ વિભાગ
ભુજ - કચ્છ.

નકલ રવાના પ્રતિ : વિભાગીય ડાયેરીની ટીસી શાખા તરફ જાણ તેમજ આગળની કાર્યવાહી માટે.

Kachchh Irrigation Division, Bhuj
Salinity Control Sub Division, Miundra

Request for Granting Approval for laying of Utilities from KCL to SVCT Township to the source, at Township shirach, along river bank, vill. Shirach, Tal. Miundra-Kutch

River / Nala Crossing Statement Showing of Fees for the Year 2024-25

Annexure - 1

Sr. No.	Details of Crossing	Chainage (m) From	Chainage (m) to	Length of Crossing In Mtr.	Processing Fees Rs.5000.00 per Crossing	For Crossing				For Parallel			Total In Rs.	Remarks
						Security deposit for laying Pipe Line Rs.64845.00 per Crossing and increase 10% every year from 2014-15 L.e. 168194 for 2024-25	Deposit for laying Pipe Line Rs.64845.00 Per Crossing and increase 10% every year from 2014-15 L.e. 168194 for 2024-25	Rent of Rs.133.23 per meter per annum price increase 10% every year from 2014-15 L.e. 345.56 for 2024-25	Maintainance Charge of Rs. 133.23 per meter per annum price increase 10% every year from 2014-15 L.e. 345.56 for 2024-25	One Time Restoration Charge (Non Refundable Security Deposit) Rs.354.31 per Mtr and increase 10% every year from 2014-15 L.e. 918.97 for 2024-25	Rent of Rs. 70.86 per meter per annum price increase 10% every year from 2014-15 L.e. 183.78 for 2024-25	Maintainanc e Charge of Rs. 70.86 per meter per annum price increase 10% every year from 2014-15 L.e. 183.78 for 2024-25		
1	Shirach-Navinal River	0.00	1040.00	1040.00	5000.00	0.00	0.00	0.00	0.00	955729.00	191132.00	191132.00	1342993.00	Along
2	Shirach-Navinal River	1040.00	1090.00	50.00	5000.00	168194.00	17278.00	17278.00	0.00	0.00	0.00	0.00	375944.00	Across
3	Shirach-Navinal River	1090.00	2850.00	1760.00	5000.00	0.00	0.00	0.00	0.00	1617388.00	323453.00	323453.00	2269294.00	Along
4	Shirach-Navinal River	2850.00	2900.00	50.00	5000.00	168194.00	17278.00	17278.00	0.00	0.00	0.00	0.00	375944.00	Across
			Total	2900.00	20000.00	336388.00	34556.00	34556.00	2573117.00	514585.00	514585.00	514585.00	4364175.00	

Security deposit (Refundable) 336388.00
Deposit (Non-Refundable)
 Security deposit 2909505.00
 Processing Fees 20000.00
 Annual Rent for the Year 24-25 549141.00
 Annual Main. for the Year 24-25 549141.00
Total Rs. 4027787.00


 Executive Engineer
 Kachchh Irrigation Division
 Bhuj-Kachchh


 Deputy Executive Engineer
 Salinity Control Sub Division
 Miundra-Kachchh

Annexure-II

कार्यपालक एजनेरश्रीनी कचेरी, कख सिंयाध विभाग, भुज

OFFICE OF THE EXECUTIVE ENGINEER

KACHCHH IRRIGATION DIVISION, BHUJ

नर्मदा, जलसंपत्ति, पाणी पुरवठा अने कल्पसर विभाग

पवनचक्री कम्पाउन्ड,
कैम्प अेरिया, भुज-कख.
फोन नं. ०२८३२-२२०४०७



PAVANCHAKKI COMPOUND
CAMP AREA, BHUJ-KACHCHH.
Phone & Fax: 02832-220407.
e-mail: eekidbhj@gmail.com

જા.નં. કસિંવિપીબી/કોસીંગ/સ.મં/ 1012

તા. 18/06/24

પ્રતિ,
અદાણી મોટેસ એન્ડ લોજીસ્ટીક
અદાણી હાઉસ
એટ પોસ્ટ : મુન્દ્રા


વિષય : રીકવેસ્ટ ફોર ગ્રાન્ટીંગ એપુવલ ફોર લેઇંગ ઓફ ડીસલાઇન્ટેડ વોટર સપ્લાય (DN310 HDPE)ફોમ કેસીએલ વોટર રીઝરવોયર ટુ એસવીસીટી એન્ડ રીઈનીંગ ટુ ટ્રીટેડ વોટર ટુ ધ સોર્સ. એટ ટાઉનશીપ શીરાયા અલોંગ રીવર બેંક, વિલેજ શીરાયા, તાલુકા મુન્દ્રા-કચ્છ ની સૈધ્ધાંતિક મંજૂરી આપવા બાબત.

સંદર્ભ : આપશ્રીના પત્ર નં. APSEZ/SVCT/Irrigation/2024/01, Dt. 24/04/2024

જયભારત સાથે ઉપરોક્ત વિષય અન્વયે જણાવવાનું કે, આપશ્રી ધ્વારા કચ્છ જીલ્લાના મુન્દ્રા તાલુકામાં રીકવેસ્ટ ફોર ગ્રાન્ટીંગ એપુવલ ફોર લેઇંગ ઓફ ડીસલાઇન્ટેડ વોટર સપ્લાય (DN310 HDPE)ફોમ કેસીએલ વોટર રીઝરવોયર ટુ એસવીસીટી એન્ડ રીઈનીંગ ટુ ટ્રીટેડ વોટર ટુ ધ સોર્સ, એટ ટાઉનશીપ શીરાયા અલોંગ રીવર બેંક, વિલેજ શીરાયા, તાલુકા મુન્દ્રા-કચ્છ માટેની કામગીરીના આયોજન અંતર્ગત પાઇપલાઇનની પથરેખામાં આવતી અત્રેના વિભાગના કાર્યક્ષેત્ર હેઠળ આવતા ૦૨ (બે) કોસીંગ તથા ૦૨ (બે) સમાંતર કુલ લંબાઇ ૨૬૦૦.૦૦ મી. સ્થળે ભુમિગત નદી/નાળા કોસ કરવા માટેની સંદર્ભીત પત્ર ધ્વારા મળેલ દરખાસ્ત ને નીચે દર્શાવેલ શરતોને આધીન સૈધ્ધાંતિક મંજૂરી આપવામાં આવે છે.

- ૧) ગુજરાત જાહેર બાંધકામ નિયમ સંગ્રહમાં જણાવ્યા મુજબ તેમજ સરકારશ્રીના આ બાબતમાં વખતોવખતના પરિપત્રમાં જણાવેલ બાબતોને ધ્યાને રાખવાની રહેશે તેમજ સરકારશ્રીના ઠરાવ નં. સીએમઇ -૨૦૧૪-૬૬-પી, તા. ૦૭/૦૧/૨૦૧૫ તથા ૦૩/૧૨/૨૦૧૬ ની શરતોનું ચુસ્તપણે પાલન કરવાનું રહેશે.
- ૨) નોટીફાઇડ થયેલ ન હોય તેવી નદીઓ/ડ્રેઇન માટે મહેસુલ વિભાગનો સંપર્ક કરવાનો રહેશે. આ વિભાગ ધ્વારા નોટીફાઇડ થયેલ ન હોય તેવી નદીઓ/ડ્રેઇનના કોસીંગ માટે અત્રેથી મંજૂરી આપી શકાય નહીં.

- ૩) ઉક્ત સંસ્થા ધ્વારા જરૂરી નિયત ફી ભર્યા બાદ અલગથી કરારનામું કરવાનું રહેશે.
- ૪) દરખાસ્તમાં દર્શાવેલ એનેક્ષર ૧ થી ૪ માં દર્શાવેલ સરકારશ્રીની શરતોનું પાલન કરવાનું રહેશે.
- ૫) સંબંધિત વિસ્તારમાં થનાર કોઇ પણ વિકાસ કામ સહિતના કામો સંબંધે કોઇપણ કોસીંગનો રૂટ બદલવાની જરૂર જણાય ત્યારે ઉક્ત સંસ્થાએ તેના ખર્ચે અને જોખમે વિના-વિલંબે રૂટ બદલવાનો રહેશે. જે બાબતે સરકારશ્રીની કોઇપણ જવાબદારી રહેશે નહીં. આ બાબતો સ્પષ્ટ ઉલ્લેખ કરારનામામાં યોગ્ય રીતે કરવાનો રહેશે.
- ૬) આ કોસીંગના તમામ સ્થળે ઉક્ત સંસ્થાએ તેમની સંસ્થાના નામ, પાઇપલાઇનના પ્રકાર, વહન કરવામાં આવતા પદાર્થ, લંબાઇ વગેરે સ્પષ્ટ વિગતો દર્શાવતું બોર્ડ નડતરરૂપ ન બને તે રીતે લગાવવાનું રહેશે.
- ૭) નાંજાના તળીયાથી કોસીંગ પાઇપલાઇનની ઉંડાઇ તા. ૦૭/૦૧/૨૦૧૫ ના ઠરાવ મુજબ ૨.૫ મી. રાખવાની રહેશે.
- ૮) કંપની ધ્વારા પાઇપલાઇનના વાર્ષિક દરોનું ચુકવણું સરકારશ્રીના ઠરાવમાં દર્શાવેલ પરિશિષ્ટ મુજબ સમયસર ભરપાઇ કરવાનું રહેશે.
- ૯) કંપની પાસેથી પાઇપલાઇનના કોસીંગના દરો વર્ષ ૨૦૨૪-૨૫ માટે લેવાના થતાં દરો મુજબ ભરપાઇ કરવાના રહેશે. [સિક્યોરીટી ડિપોઝીટ (રીફંડેબલ અને નોન રીફંડેબલ દરેક કોસીંગ દિઠ) રૂ. ૧,૬૮,૧૯૪/- પ્રતિ કોસીંગ, વાર્ષિક ભાડું રૂ. ૩૪૫.૫૬ પ્રતિ મીટર, મરામત અને જાળવણી માટે વાર્ષિક રકમ રૂ. ૩૪૫.૫૬ પ્રતિ મીટર તથા પ્રોસેસીંગ ફી રૂ. ૫૦૦૦/- પ્રતિ કોસીંગ લેખે આકરવાના રહેશે તથા સમાંતર માટે વન ટાઇમ રેસ્ટોરેશન ચાર્જ (નોન રીફંડેબલ દરેક સમાંતર દિઠ) રૂ. ૯૧૮.૯૭ પ્રતિ મીટર, વાર્ષિક ભાડું રૂ. ૧૮૩.૭૮ પ્રતિ મીટર, મરામત અને જાળવણી માટે વાર્ષિક રકમ રૂ. ૧૮૩.૭૮ પ્રતિ મીટર તથા પ્રોસેસીંગ ફી રૂ. ૫૦૦૦/- પ્રતિ કોસીંગ લેખે આકરવાના રહેશે.]
- ૧૦) એનેક્ષર-એ મુજબ બાંહેધરી પત્રક રૂ. ૩૦૦/- ના સ્ટેમ્પ પેપર ઉપર આપવાનું રહેશે.
- ૧૧) પાઇપલાઇન નાંખી દીધા બાદ જો ભવિષ્યમાં કોઇપણ પ્રોટેક્શન-નાજાના કાંઠાના પ્રોટેક્શન સહિત કામગીરી કરવાની થશે તો તે અંગેની જવાબદારી પાઇપલાઇન ઓપરેટર/માલિકની રહેશે અને તેના ખર્ચે આવી તમામ વ્યવસ્થા (મરામત અને નિભાવણી સહિત) કરવાની રહેશે.


 કાર્યપાલિક ઇજનેર
 કચ્છ સિંચાઇ વિભાગ
 ભુજ - કચ્છ.

નકલ રવાના પ્રતિ :

- ૧) વિભાગીય કચેરીની ટીસી-ટેન્ડર શાખા તરફ જાણ તેમજ કંપની પાસેથી કરવાની થતી જરૂરી વસુલાત કરી કરારનામું કરવા સારું.
- ૨) ના.કા.ઇ.શ્રી, ક્ષાર અંકુશ પેટા વિભાગ, મુન્ના તરફ જાણ સારું.

કાર્યપાલક ઇજનેરશ્રીની કચેરી, કચ્છ સિંચાઈ વિભાગ, ભુજ

OFFICE OF THE EXECUTIVE ENGINEER

KACHCHH IRRIGATION DIVISION, BHUJ

નર્મદા, જળસંપત્તિ, પાણી પુરવઠા અને કલ્પસર વિભાગ

પવનચક્રી કમ્પાઉન્ડ,
કેમ્પ એરીયા, ભુજ-કચ્છ.
ફોન નં. ૦૨૮૩૨-૨૨૦૪૦૭



PAVANCHAKKI COMPOUND
CAMP AREA, BHUJ-KACHCHH.
Phone & Fax: 02832-220407.
e-mail: eekidbhj@gmail.com

જા.નં. કસિંવિ/એબી-૧/કોસીંગ રીવર/ડીમાન્ડ નોટ/૧૦૨૬

તા. ૧૭/૦૬/૨૫

પ્રતિ,
અદાણી પોર્ટસ એન્ડ લોજીસ્ટીક
અદાણી હાઉસ
એટ પોસ્ટ : મુન્દ્રા

વિષય : નાળા કોસીંગની પરવાનગી માટે ભરવાની થતી રકમ ભરવા બાબત.
રીકવેસ્ટ ફોર ગ્રાન્ટીંગ એપ્રુવલ ફોર લેઇંગ ઓફ ડીસલાઇન્ટ્ડ વોટર સપ્લાય (DN310 HDPE)ફોમ કેસીએલ વોટર રીઝરવોયર ટુ એસવીસીટી એન્ડ રીટર્નિંગ ટુ ટ્રીટેડ વોટર ટુ ધ સોર્સ, એટ ટાઉનશીપ શીરાયા અલોંગ રીવર બેંક, વિલેજ શીરાયા, તાલુકા મુન્દ્રા-કચ્છ.

સંદર્ભ : ૧) આપશ્રીના પત્ર નં. APSEZ/SVCT/Irrigation/2024/01, Dt. 24/04/2024
૨) અત્રેની કચેરીના પત્ર નં. કસિંવિ/પીબી/કોસીંગ/સે.મં./૧૦૧૨, તા. ૧૮/૬/૨૦૨૪
૩) સરકારશ્રીના પરિપત્ર નં. સીએમઇ/૨૦૧૪/૬૬/પી તા. ૦૭/૦૧/૨૦૧૫


જયભારત સાથે ઉપરોક્ત વિષય અન્વયે જણાવવાનું કે, આપશ્રી ધ્વારા રીકવેસ્ટ ફોર ગ્રાન્ટીંગ એપ્રુવલ ફોર લેઇંગ ઓફ ડીસલાઇન્ટ્ડ વોટર સપ્લાય (DN310 HDPE)ફોમ કેસીએલ વોટર રીઝરવોયર ટુ એસવીસીટી એન્ડ રીટર્નિંગ ટુ ટ્રીટેડ વોટર ટુ ધ સોર્સ, એટ ટાઉનશીપ શીરાયા અલોંગ રીવર બેંક, વિલેજ શીરાયા, તાલુકા મુન્દ્રા-કચ્છ ના આ વિભાગના હેઠળના કાર્યક્ષેત્રના ૦૨ (બે) કોસીંગ તથા ૦૨ (બે) સમાંતર કુલ્લ લંબાઈ ૨૯૦૦.૦૦ મી. ને અત્રેની કચેરીના સંદર્ભીત-૨ વાળા પત્રથી સૈધ્ધાંતિક મંજૂરી આપવામાં આવેલ છે.

આપના ધ્વારા આપવામાં આવેલ બાંહેધરી મુજબ હવે રૂ. ૩૦૦ ના સ્ટેમ્પના નિયત નમુનાનું એગ્રીમેન્ટ અને નીચે મુજબની વિગતે ભરવાની થતી રકમ તાત્કાલીક કાર્યપાલક ઇજનેરશ્રી, કચ્છ સિંચાઈ વિભાગ, ભુજ ના નામે ભરી આપવા વિનંતી. તેમજ સંદર્ભીત પરિપત્ર-૩ અને સૈધ્ધાંતિક મંજૂરીમાં આપેલ શરતો મુજબ દર વર્ષે ભરવાની થતી રકમ આપશ્રી ધ્વારા ભરવાની રહેશે તેમજ પત્રમાં આપેલ શરતોનું પાલન કરવાનું રહેશે.

:: ૨ ::

Annexure – 2

Updated Organogram of Environment Management Cell, APSEZ, Mundra



Annexure – 3

TEST REPORT
_(AMBIENT AIR MONITORING)

Name and Address of Company	:	M/S. ADANI PORTS & SPECIAL ECONOMIC ZONE LTD. Village – Siracha, TAL. - MUNDRA, DIST. - KUTCH - 370421.	
Month of Monitoring	:	October - 2024	
Name of Location	:	Svct Nr. Main Gate	
Location Code	:	AAQM – 17	
GPS Location	:	22.844886° N, 69.571498° E	
UERL ID No.	:	APSEZ/A-17/24/10/017	
Instrument Used for Monitoring	:	RDS (Sr. No. 210803170)	RDS (Sr. No. 210803170)

Sampling Date: 03/10/2024

Sr. No.	Parameter	Unit	Result	Permissible Limit as per NAAQMS – November 2009 Notification	Test Method
1.	Particulate Matter (PM ₁₀)	µg/M ³	61.38	100	IS - 5182, Part- 23
2.	Particulate Matter (PM _{2.5})	µg/M ³	21.53	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide (SO ₂)	µg/M ³	8.61	80	IS - 5182, Part - 2
4.	Nitrogen Dioxide (NO ₂)	µg/M ³	12.27	80	IS - 5182, Part - 6
5.	Carbon Monoxide (CO)	mg/M ³	ND	4	IS - 5182, Part - 10
6.	Ammonia (NH ₃)	µg/M ³	ND	400	UERL/ AIR/ SOP/05
7.	Ozone (O ₃)	µg/M ³	<5.0	100	IS – 5182, Part – 9
8.	Lead (Pb)	µg/M ³	<0.5	1	IS – 5182, Part – 22
9.	Arsenic (As)	ng/M ³	ND	6	IS – 5182, Part – 22
10.	Nickel (Ni)	ng/M ³	ND	20	IS – 5182, Part – 22
11.	Benzene (C ₆ H ₆)	µg/M ³	ND	5	IS – 5182, Part – 11
12.	Benzo (a) Pyrene (BaP)	ng/M ³	ND	1	IS – 5182, Part – 12

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/05

TEST REPORT
(AMBIENT AIR MONITORING)

Name and Address of Company	:	M/S. ADANI PORTS & SPECIAL ECONOMIC ZONE LTD. Village – Siracha, TAL. - MUNDRA, DIST. - KUTCH - 370421.	
Month of Monitoring	:	October - 2024	
Name of Location	:	Svct Nr. Main Gate	
Location Code	:	AAQM – 17	
GPS Location	:	22.844886° N, 69.571498° E	
UERL ID No.	:	APSEZ/A-17/24/10/017	
Instrument Used for Monitoring	:	RDS (Sr. No. 210803170)	FPS (Sr. No. 220102166)

Sr. No.	Sampling Date	Result			
		PM ₁₀ µg/M ³	PM _{2.5} µg/M ³	Sulphur Dioxide (SO ₂) µg/M ³	Nitrogen Dioxide (NO ₂) µg/M ³
NAAQMS – November 2009 Notification Permissible Limit		100 µg/M ³	60 µg/M ³	80 µg/M ³	80 µg/M ³
1.	07-10-2024	58.54	19.75	8.12	11.93
2.	10-10-2024	60.72	20.49	9.24	12.53
3.	14-10-2024	63.47	23.13	10.06	13.68
4.	17-10-2024	66.24	26.57	12.11	16.34
5.	21-10-2024	64.64	25.31	11.58	14.69
6.	24-10-2024	62.91	22.46	10.83	13.47
7.	28-10-2024	65.18	25.26	12.94	15.38
8.	31-10-2024	63.69	23.42	11.22	14.37
Test Method		IS - 5182, Part- 23	UERL/AIR/SOP/11	IS - 5182, Part - 2	IS - 5182, Part - 6

Remarks:
Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)

UERL/AIR/F-05/05

TEST REPORT
_(AMBIENT AIR MONITORING)

Name and Address of Company	:	M/S. ADANI PORTS & SPECIAL ECONOMIC ZONE LTD. Village – Siracha, TAL. - MUNDRA, DIST. - KUTCH - 370421.	
Month of Monitoring	:	October - 2024	
Name of Location	:	Svct Nr. Admin Office	
Location Code	:	AAQM – 18	
GPS Location	:	22.844886° N, 69.571498° E	
UERL ID No.	:	APSEZ/A-18/24/10/018	
Instrument Used for Monitoring	:	RDS (Sr. No. 210903171)	RDS (Sr. No. 210903171)

Sampling Date: 03/10/2024

Sr. No.	Parameter	Unit	Result	Permissible Limit as per NAAQMS – November 2009 Notification	Test Method
1.	Particulate Matter (PM ₁₀)	µg/M ³	50.56	100	IS - 5182, Part- 23
2.	Particulate Matter (PM _{2.5})	µg/M ³	15.72	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide (SO ₂)	µg/M ³	7.15	80	IS - 5182, Part - 2
4.	Nitrogen Dioxide (NO ₂)	µg/M ³	10.32	80	IS - 5182, Part - 6
5.	Carbon Monoxide (CO)	mg/M ³	ND	4	IS - 5182, Part - 10
6.	Ammonia (NH ₃)	µg/M ³	ND	400	UERL/ AIR/ SOP/05
7.	Ozone (O ₃)	µg/M ³	<5.0	100	IS – 5182, Part – 9
8.	Lead (Pb)	µg/M ³	<0.5	1	IS – 5182, Part – 22
9.	Arsenic (As)	ng/M ³	ND	6	IS – 5182, Part – 22
10.	Nickel (Ni)	ng/M ³	ND	20	IS – 5182, Part – 22
11.	Benzene (C ₆ H ₆)	µg/M ³	ND	5	IS – 5182, Part – 11
12.	Benzo (a) Pyrene (BaP)	ng/M ³	ND	1	IS – 5182, Part – 12

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/05

TEST REPORT
_(AMBIENT AIR MONITORING)

Name and Address of Company	:	M/S. ADANI PORTS & SPECIAL ECONOMIC ZONE LTD. Village – Siracha, TAL. - MUNDRA, DIST. - KUTCH - 370421.	
Month of Monitoring	:	October - 2024	
Name of Location	:	Svct Nr. Admin Office	
Location Code	:	AAQM – 18	
GPS Location	:	22.844886° N, 69.571498° E	
UERL ID No.	:	APSEZ/A-18/24/10/018	
Instrument Used for Monitoring	:	RDS (Sr. No. 210903171)	FPS (Sr. No. 220102173)

Sr. No.	Sampling Date	Result			
		PM ₁₀ µg/M ³	PM _{2.5} µg/M ³	Sulphur Dioxide (SO ₂) µg/M ³	Nitrogen Dioxide (NO ₂) µg/M ³
NAAQMS – November 2009 Notification Permissible Limit		100 µg/M ³	60 µg/M ³	80 µg/M ³	80 µg/M ³
1.	07-10-2024	53.48	16.48	7.64	10.64
2.	10-10-2024	56.83	18.42	8.11	11.43
3.	14-10-2024	52.38	15.11	7.34	10.45
4.	17-10-2024	54.72	16.49	7.95	10.86
5.	21-10-2024	57.84	18.63	8.68	11.43
6.	24-10-2024	62.38	19.32	10.12	13.68
7.	28-10-2024	58.54	17.25	9.52	12.37
8.	31-10-2024	55.42	16.53	8.39	11.27
Test Method		IS - 5182, Part- 23	UERL/AIR/SOP/11	IS - 5182, Part - 2	IS - 5182, Part - 6

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/05

TEST REPORT
_(AMBIENT AIR MONITORING)

Name and Address of Company	:	M/S. ADANI PORTS & SPECIAL ECONOMIC ZONE LTD. Village – Siracha, TAL. - MUNDRA, DIST. - KUTCH - 370421.	
Month of Monitoring	:	October - 2024	
Name of Location	:	Svct Nr. Main STP	
Location Code	:	AAQM – 19	
GPS Location	:	22.844886° N, 69.571498° E	
UERL ID No.	:	APSEZ/A-19/24/10/019	
Instrument Used for Monitoring	:	RDS (Sr. No. 210903172)	RDS (Sr. No. 210903172)

Sampling Date: 03/10/2024

Sr. No.	Parameter	Unit	Result	Permissible Limit as per NAAQMS – November 2009 Notification	Test Method
1.	Particulate Matter (PM ₁₀)	µg/M ³	65.48	100	IS - 5182, Part- 23
2.	Particulate Matter (PM _{2.5})	µg/M ³	23.32	60	UERL/AIR/SOP/11
3.	Sulphur Dioxide (SO ₂)	µg/M ³	11.85	80	IS - 5182, Part - 2
4.	Nitrogen Dioxide (NO ₂)	µg/M ³	14.33	80	IS - 5182, Part - 6
5.	Carbon Monoxide (CO)	mg/M ³	ND	4	IS - 5182, Part - 10
6.	Ammonia (NH ₃)	µg/M ³	ND	400	UERL/ AIR/ SOP/05
7.	Ozone (O ₃)	µg/M ³	<5.0	100	IS – 5182, Part – 9
8.	Lead (Pb)	µg/M ³	<0.5	1	IS – 5182, Part – 22
9.	Arsenic (As)	ng/M ³	ND	6	IS – 5182, Part – 22
10.	Nickel (Ni)	ng/M ³	ND	20	IS – 5182, Part – 22
11.	Benzene (C ₆ H ₆)	µg/M ³	ND	5	IS – 5182, Part – 11
12.	Benzo (a) Pyrene (BaP)	ng/M ³	ND	1	IS – 5182, Part – 12

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/05

TEST REPORT
(AMBIENT AIR MONITORING)

Name and Address of Company	:	M/S. ADANI PORTS & SPECIAL ECONOMIC ZONE LTD. Village – Siracha, TAL. - MUNDRA, DIST. - KUTCH - 370421.	
Month of Monitoring	:	October - 2024	
Name of Location	:	Svct Nr. Main STP	
Location Code	:	AAQM – 19	
GPS Location	:	22.844886° N, 69.571498° E	
UERL ID No.	:	APSEZ/A-19/24/10/019	
Instrument Used for Monitoring	:	RDS (Sr. No. 210903172)	FPS (Sr. No. 220102171)

Sr. No.	Sampling Date	Result			
		PM ₁₀ µg/M ³	PM _{2.5} µg/M ³	Sulphur Dioxide (SO ₂) µg/M ³	Nitrogen Dioxide (NO ₂) µg/M ³
NAAQMS – November 2009 Notification Permissible Limit		100 µg/M ³	60 µg/M ³	80 µg/M ³	80 µg/M ³
1.	07-10-2024	68.42	24.38	12.71	15.25
2.	10-10-2024	66.24	24.85	12.36	15.48
3.	14-10-2024	67.91	25.47	13.18	16.63
4.	17-10-2024	70.64	28.11	15.21	18.79
5.	21-10-2024	68.53	27.43	14.52	17.39
6.	24-10-2024	65.41	25.37	13.96	16.47
7.	28-10-2024	67.43	26.46	14.36	17.58
8.	31-10-2024	69.13	27.81	15.53	18.84
Test Method		IS - 5182, Part- 23	UERL/AIR/SOP/11	IS - 5182, Part - 2	IS - 5182, Part - 6

Remarks:
Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)
UERL/AIR/F-05/05

TEST REPORT
(AMBIENT NOISE LEVEL MONITORING)

Name and Address of Company	: M/S. ADANI PORTS & SPECIAL ECONOMIC ZONE LTD. Village – Siracha, TAL. - MUNDRA, DIST. - KUTCH - 370421.		
Month of Monitoring	: October-2024	Date of Monitoring	: 04-10-2024
Name of Location	: Svct Nr. Main Gate		
Location Code	: NM - 17	Sampling Method	: IS: 9989 : 1981
GPS Location	: 22.844886° N, 69.571498° E		
UERL ID No.	: APSEZ/N-17/24/10/017		
Instrument Used for Monitoring	: SLM-100 , 311DTK2015		

Result :

Sr. No.	Hour	Noise Level Leq. dB(A)	Hour	Noise Level Leq. dB(A)
		Day Time		Night Time
1.	06:00 to 07:00	52.3	22:00 to 23:00	49.2
2.	07:00 to 08:00	53.9	23:00 to 24:00	48.8
3.	08:00 to 09:00	55.4	24:00 to 01:00	45.3
4.	09:00 to 10:00	56.4	01:00 to 02:00	42.9
5.	10:00 to 11:00	55.1	02:00 to 03:00	42.8
6.	11:00 to 12:00	56.8	03:00 to 04:00	41.5
7.	12:00 to 13:00	57.4	04:00 to 05:00	42.7
8.	13:00 to 14:00	56.3	05:00 to 06:00	40.3
9.	14:00 to 15:00	60.8	Average	44.1
10.	15:00 to 16:00	62.3	Maximum	49.2
11.	16:00 to 17:00	58.4	Minimum	40.3
12.	17:00 to 18:00	55.6		
13.	18:00 to 19:00	57.2		
14.	19:00 to 20:00	54.3		
15.	20:00 to 21:00	52.9		
16.	21:00 to 22:00	52.4		
	Average	56.0		
	Maximum	62.3		
	Minimum	52.3		

Area Code	Category of Area/Zone	Limit in dB (A) Leq	
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 6:00 am)
(A)	Industrial area	75	70

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)

UERL/AIR/F-18/03

TEST REPORT
(AMBIENT NOISE LEVEL MONITORING)

Name and Address of Company	: M/S. ADANI PORTS & SPECIAL ECONOMIC ZONE LTD. Village – Siracha, TAL. - MUNDRA, DIST. - KUTCH - 370421.		
Month of Monitoring	: October-2024	Date of Monitoring	: 15-10-2024
Name of Location	: Svct Nr. Admin Office		
Location Code	: NM – 18	Sampling Method	: IS: 9989 : 1981
GPS Location	: 22.844886° N, 69.571498° E		
UERL ID No.	: APSEZ/N-18/24/10/018		
Instrument Used for Monitoring	: SLM-100 , 311DTK2015		

Result :

Sr. No.	Hour	Noise Level Leq. dB(A)	Hour	Noise Level Leq. dB(A)
		Day Time		Night Time
1.	06:00 to 07:00	49.1	22:00 to 23:00	43.8
2.	07:00 to 08:00	50.3	23:00 to 24:00	45.3
3.	08:00 to 09:00	48.7	24:00 to 01:00	42.8
4.	09:00 to 10:00	52.8	01:00 to 02:00	40.6
5.	10:00 to 11:00	54.3	02:00 to 03:00	44.8
6.	11:00 to 12:00	55.7	03:00 to 04:00	41.6
7.	12:00 to 13:00	56.3	04:00 to 05:00	40.5
8.	13:00 to 14:00	55.8	05:00 to 06:00	38.7
9.	14:00 to 15:00	57.4	Average	42.2
10.	15:00 to 16:00	54.3	Maximum	45.3
11.	16:00 to 17:00	56.1	Minimum	38.7
12.	17:00 to 18:00	56.8		
13.	18:00 to 19:00	53.2		
14.	19:00 to 20:00	50.8		
15.	20:00 to 21:00	51.2		
16.	21:00 to 22:00	48.7		
	Average	53.2		
	Maximum	57.4		
	Minimum	48.7		

Area Code	Category of Area/Zone	Limit in dB (A) Leq	
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 6:00 am)
(A)	Industrial area	75	70

Remarks:

Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)

UERL/AIR/F-18/03

TEST REPORT
(AMBIENT NOISE LEVEL MONITORING)

Name and Address of Company	: M/S. ADANI PORTS & SPECIAL ECONOMIC ZONE LTD. Village – Siracha, TAL. - MUNDRA, DIST. - KUTCH - 370421.		
Month of Monitoring	: October-2024	Date of Monitoring	: 22-10-2024
Name of Location	: Svct Nr. Main STP		
Location Code	: NM – 19	Sampling Method	: IS: 9989 : 1981
GPS Location	: 22.844886° N, 69.571498° E		
UERL ID No.	: APSEZ/N-19/24/10/019		
Instrument Used for Monitoring	: SLM-100 , 311DTK2015		

Result :

Sr. No.	Hour	Noise Level Leq. dB(A)	Hour	Noise Level Leq. dB(A)
		Day Time		Night Time
1.	06:00 to 07:00	56.7	22:00 to 23:00	48.5
2.	07:00 to 08:00	58.2	23:00 to 24:00	49.7
3.	08:00 to 09:00	55.4	24:00 to 01:00	54.3
4.	09:00 to 10:00	56.8	01:00 to 02:00	50.8
5.	10:00 to 11:00	56.4	02:00 to 03:00	50.9
6.	11:00 to 12:00	60.3	03:00 to 04:00	48.6
7.	12:00 to 13:00	64.2	04:00 to 05:00	46.5
8.	13:00 to 14:00	61.8	05:00 to 06:00	47.2
9.	14:00 to 15:00	59.4	Average	49.5
10.	15:00 to 16:00	57.4	Maximum	54.3
11.	16:00 to 17:00	55.3	Minimum	46.5
12.	17:00 to 18:00	57.4		
13.	18:00 to 19:00	61.3		
14.	19:00 to 20:00	56.8		
15.	20:00 to 21:00	53.2		
16.	21:00 to 22:00	55.2		
	Average	57.8		
	Maximum	64.2		
	Minimum	53.2		

Area Code	Category of Area/Zone	Limit in dB (A) Leq	
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 6:00 am)
(A)	Industrial area	75	70

Remarks:
Opinion & Interpretation (if required):

***** End of Report *****

Checked By:



Nikunj D. Patel
(Chemist)

Page No.: 1 of 1

Authorized By:



Jaivik S. Tandel
(Manager - Operations)

UERL/AIR/F-18/03

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

TEST REPORT

Report No.	URC /24/10/STP/APSEZ-0040		
Name and Address of Company	M/S. ADANI PORTS & SPECIAL ECONOMIC ZONE LTD. Village – Nanakapaya, TAL. - MUNDRA, DIST. - KUTCH - 370421.	Date of Report	04/11/2024
		Customer's Ref.	As Per W.O.
Sample Details	STP Inlet Water Sample	Location	SVCT
Sample Qty.	2 Lit.	Appearance	Black Color
Sampling Date	24/10/2024	Sample Received Date	25/10/2024
Test Started Date	25/10/2024	Test Completion Date	30/10/2024
Sampled By	UERL-LAB	Sampling Method	UERL/CHM/SOP/116
UERL Lab ID. No.	24/10/STP/APSEZ-0040		

TEST RESULTS:

Sr. No.	Parameters	Test Method	Unit of Measurement	Results
1.	pH @ 25 ° C	IS 3025 (Part-11):2022	--	7.12
2.	Total Suspended Solids	APHA 24th Ed.2023,2540 -D	mg/L	124
3.	Biochemical Oxygen Demand (BOD) (5 days at 20 ° C)	APHA 24th Ed.2023,5210-B	mg/L	52

Remarks: --




***** End of Report *****

Checked By



(Nilesh C. Patel)
(Sr. Chemist)

Authorized By



(Nitin B. Tandel)
(Technical Manager)

UERL/CHM/F-2/05

Page 1 of 1

Note: This report is subject to terms and conditions mentioned overleaf.

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

TEST REPORT

Report No.	URC /24/10/STP/APSEZ-0041		
Name and Address of Company	M/S. ADANI PORTS & SPECIAL ECONOMIC ZONE LTD. Village – Nanakapaya, TAL. - MUNDRA, DIST. - KUTCH - 370421.	Date of Report	04/11/2024
		Customer's Ref.	As Per W.O.
Sample Details	STP Outlet Water Sample	Location	SVCT
Sample Qty.	2 Lit.	Appearance	Colourless
Sampling Date	24/10/2024	Sample Received Date	25/10/2024
Test Started Date	25/10/2024	Test Completion Date	30/10/2024
Sampled By	UERL-LAB	Sampling Method	UERL/CHM/SOP/116
UERL Lab ID. No.	24/10/STP/APSEZ-0041		

TEST RESULTS:

Sr. No.	Parameters	Test Method	GPCB Limit	Unit of Measurement	Results
1.	pH @ 25 ° C	IS 3025 (Part-11):2022	--	--	7.41
2.	Total Suspended Solids	APHA 24th Ed.2023,2540 -D	100	mg/L	22
3.	Biochemical Oxygen Demand (BOD) (5 days at 20 ° C)	APHA 24th Ed.2023,5210-B	30	mg/L	18
4.	Residual chlorine	APHA 24th Ed.2023,4500-Cl-G	Min.0.5	mg/L	0.64
Remarks: --					
Opinion & Interpretation (If required): --					

***** End of Report *****


Checked By



(Nilesh C. Patel)
(Sr. Chemist)

Page 1 of 1

Authorized By



(Nitin B. Tandel)
(Technical Manager)

UERL/CHM/F-2/05

Note: This report is subject to terms and conditions mentioned overleaf.

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

Test Report (Microbiology)

Report No.	: 24/10/STP/MIC/APSEZ-0042		
Name and Address of Company	M/S. ADANI PORTS & SPECIAL ECONOMIC ZONE LTD.	Date Of Report	: 04/11/2024
	Village – Nanakapaya, TAL. - MUNDRA, DIST. - KUTCH - 370421.	Customer's Ref.	: As Per W.O.
Sample Details	: STP Outlet Water Sample	Location	: SVCT
Sample Qty.	: 500ml	Appearance	: Colourless
Sampling Date	: 24/10/2024	Sample Receipt Date	: 25/10/2024
Test Start Date	: 25/10/2024	Test Completion Date	: 30/10/2024
Sampled By	: UERL-LAB	Sampling Method	: UERL/BIO/SOP/GB/03
UERL Lab ID. No.	: 24/10/STP/MIC/APSEZ-0042		

TEST RESULTS:

DISCIPLINE : Biological Testing			NAME OF GROUP: Pollution and Environment		
Sr. No.	Parameters	Test Method	GPCB Permissible Limits	Unit Of Measurement	Results
1	Fecal Coliform	IS 1622 : 1981	1000	MPN Index/100ml	26

Remarks: --

Opinions and Interpretations: (if required)


***** End of Report *****

Checked By



Ayushi Rathod
(Microbiologist)

Authorized By



Meera D. Patel
(Sr. Microbiologist)

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

TEST REPORT

Report No.	URC /24/10/RO/DW/APSEZ-0013		
Name and Address of Company	M/S. ADANI PORTS & SPECIAL ECONOMIC ZONE LTD. Village – Nanakapaya, TAL. - MUNDRRA, DIST. - KUTCH - 370421.	Date of Report	30/10/2024
		Customer's Ref.	As Per W.O.
Sample Details	RO Outlet Drinking Water Sample	Location	SVCT
Sample Qty.	3 Lit.	Appearance	Colorless
Sampling Date	24/10/2024	Sample Received Date	25/10/2024
Test Started Date	25/10/2024	Test Completion Date	29/10/2024
Sampled By	UERL-LAB	Sampling Method	UERL/CHM/SOP/116
UERL Lab ID. No.	24/10/RO/DW/APSEZ-0013		

TEST RESULTS:

Sr. No.	Parameters	Test Method Permissible	Acceptable Limit as per IS: 10500:2012	Unit of Measurement	Results
1.	Odour	IS 3025(Part 5):2018	Agreeable	--	Agreeable
2.	Colour	IS 3025(Part 4):2021	5 Max.	Pt. Co. Scale	<5
3.	Taste	IS 3025(Part 8):2023	Agreeable	--	Agreeable
4.	pH @ 25 ° C	IS 3025(Part 11):2022	6.5 – 8.5	--	7.22
5.	Turbidity	IS 3025(Part 10):2023	1 Max.	NTU	BDL(MDL:0.1)
6.	Total Dissolved Solids	IS 3025(Part 16):2023	500 Max.	mg/L	146
7.	Total Hardness as CaCO ₃	IS 3025(Part 21):2009	200 Max.	mg/L	22.4
8.	Residual free Chlorine	APHA 24th Ed.2023,4500-Cl-G	0.2 Min.	mg/L	BDL(MDL:0.1)
9.	Chloride as Cl ⁻	IS 3025(Part 32):1988	250 Max.	mg/L	72.2
10.	Fluoride as F	IS 3025(Part 60):2008	1.0 Max.	mg/L	0.31
11.	Iron (as Fe)	IS 3025(Part 53):2003	0.3 Max.	mg/L	BDL(MDL:0.1)

Remarks: BDL= Below Detection Limit, MDL = Minimum Detection Limit,

Opinion & Interpretation (If required):


*****End of Report *****

Checked By



(Nilesh C. Patel)
(Sr. Chemist)

Authorized By



(Nitin B. Tandel)
(Technical Manager)

QCI-NABET Accredited EIA
Consultant Organization

GPCB Recognized Environmental
Auditor (Schedule-11)

ISO 9001 : 2015
Certified Company

ISO 45001 : 2018
Certified Company

Test Report (Microbiology)

Report No.	: 24/10/RO/DW/MIC/APSEZ-0014		
Name and Address of Company	: M/S. ADANI PORTS & SPECIAL ECONOMIC ZONE LTD. Village – Nanakapaya, TAL. - MUNDRA, DIST. - KUTCH - 370421.	Date Of Report	: 30/10/2024
		Customer's Ref.	: As Per W.O.
Sample Details	: RO Outlet Drinking Water Sample	Location	: SVCT
Sample Qty.	: 500ml	Appearance	: Colourless
Sampling Date	: 24/10/2024	Sample Receipt Date	: 25/10/2024
Test Start Date	: 25/10/2024	Test Completion Date	: 29/10/2024
Sampled By	: UERL-LAB	Sampling Method	: UERL/BIO/SOP/GB/03
UERL Lab ID. No.	: 24/10/RO/DW/MIC/APSEZ-0014		

TEST RESULTS:

DISCIPLINE : Biological Testing			GROUP: Water		
Sr. No.	Test Parameter	Test Method	Specified Limit as per IS:10500-2012	Unit of Measurement	Results
1	Total Coliform	APHA 24th Ed.2023, 9221-B	Absent	MPN Index/100 ml	<1.8 (Absent)
2	E. coli	IS :1622 1981	Absent	MPN Index/100 ml	<2 (Absent)

Remarks: The sample portion tested does/ doesn't comply as per the standard specifications.

Opinions and Interpretations: (if required)

***** End of Report *****

Checked By



Ayushi Rathod
(Microbiologist)

Authorized By



Meera D. Patel
(Sr. Microbiologist)

Annexure – 4

તાલુકા પંચાયત કચેરી

મુંદરા - કચ્છ.

તારીખ- ૨૫/૦૬/૨૦૨૪

પ્રમાણપત્ર

આથી પ્રમાણપત્ર આપવામાં આવે છે કે, મુંદરા તાલુકા પંચાયતના કાર્યક્ષેત્રના મુખ્ય ગામ શીરાયાની સીમના સ.નં. ૬/૧, ૮/૧, ૨૧/૨ અને ૧૮ આવેલા છે. આ સર્વે નંબરોવાળી જમીનો અદાણી પોર્ટસ એન્ડ સ્પે. ઈકોનોમિક ઝોનએ રહેણાંક હેતુ માટે બિનખેતીમાં ફેરવાયેલ છે. આ મજકુર સર્વે નંબરોવાળી જમીનથી નીચેના સ્થળોના અંતર અંગેના પ્રમાણપત્રની માંગણી કરવામાં આવેલ હોઈ, જરૂરી ખરાઈ કરી નીચેની વિગતે અંતર અંગેનું પ્રમાણપત્ર આપવામાં આવે છે.

આ સંબંધિત સ્થળોના અંતર અંગે તથા ચોકકસ અંતર તથા ચોકકસ અંતરમાં સ્થળની ઉપસ્થિતિ અંગે :-

સંબંધિત સ્થળનું નામ :- મોજે-શીરાયા, તાલુકો-મુંદરા, જિલ્લો- કચ્છ, (ગુજરાત)ના સ.નં. ૬/૧, ૮/૧, ૨૧/૨ અને ૧૮ (રહેણાંક હેતુ માટે બિનખેતી થયેલ જમીનો - એસવીસીટી કોલોની)

સંબંધિત એકમનું નામ :- અદાણી પોર્ટસ એન્ડ સ્પેશ્યલ ઈકોનોમિક ઝોન લીમીટેડ

સંબંધિત સ્થળથી સ્ટેટ હાઇવેલ નંબર ૬	:-	૧.૦૫ કિ.મી.
સંબંધિત સ્થળથી નેશનલ હાઇવેલ નંબર ૮	:-	૩.૦૦ કિ.મી.
સંબંધિત સ્થળથી સૌથી નજીકનું ગામ	:-	શીરાયા (૫૦૦ મીટર)
સંબંધિત સ્થળથી સૌથી નજીકનું રેલ્વે સ્ટેશન	:-	ભુજ (૫૨ કિ.મી.)
સંબંધિત સ્થળથી સૌથી નજીકનું એરપોર્ટ	:-	ભુજ (૫૫ કિ.મી.)

સંબંધિત સ્થળના સર્વેનંબરવાળી જમીનથી ૧૫ કિ.મી.ની ત્રિજ્યામાં ૩ લાખ કે તેનાથી વધુ વસ્તી ધરાવતું કોઈ ગામ કે શહેર આવેલ નથી.

પ્રતિ,

મેનેજરશ્રી,

અદાણી પોર્ટસ એન્ડ સ્પેશ્યલ ઈકોનોમિક ઝોન લી. મુંદરા - કચ્છ

ઠે. સ.નં. ૬/૧, ૮/૧, ૨૧/૨ અને ૧૮ (રહેણાંક હેતુ માટે

બિનખેતી થયેલ જમીનો - એસવીસીટી કોલોની)

ગામ-શીરાયા, તાલુકો-મુંદરા(કચ્છ)



તાલુકા વિકાસ અધિકારી
મુંદરા-કચ્છ

Annexure – 5

તા. ૬ જુન, ૨૦૨૪

પ્રતિ,
જિલ્લા કલેક્ટર શ્રી,
કલેક્ટર કચેરી,
ભુજ, કચ્છ.

વિષય: અદાણી પોર્ટ્સ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ દ્વારા ગામ: શિરાયા, તા. મુન્દ્રા, જિ. કચ્છ (ગુજરાત) ખાતે બિલ્ડીંગ અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દ્રા" માટે સ્ટેટ એન્વાયરોન્મેન્ટ ઇમ્પેક્ટ એસેસમેન્ટ ઓથોરિટી (SEIAA) દ્વારા મંજૂર કરાયેલ પર્યાવરણીય મંજૂરી (EC) ની જાણકારી બાબતે.

સંદર્ભ: EC ઓળખ નંબર EC24B038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/8(a)/820/2024, તા. ૫ મી જુન ૨૦૨૪

માનનીય સાહેબ શ્રી,

સવિનય સાથે જણાવવાનું કે, અદાણી પોર્ટ્સ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ દ્વારા ગામ: શિરાયા, તા. મુન્દ્રા, જિ. કચ્છ (ગુજરાત) ખાતે બિલ્ડીંગ અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દ્રા" માટે સ્ટેટ એન્વાયરોન્મેન્ટ ઇમ્પેક્ટ એસેસમેન્ટ ઓથોરિટી (SEIAA), ગુજરાત દ્વારા EC ઓળખ નંબર EC24B038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/8(a)/820/2024, તા. ૫ મી જુન ૨૦૨૪ ના રોજ પર્યાવરણીય મંજૂરી (EC) આપવામાં આવેલ છે.

સંદર્ભ પર્યાવરણીય મંજૂરી (EC) ની નકલ અમો આપની કચેરી ને આપશ્રી ની જાણ હેતુ રજૂ કરીએ છીએ.

આપના સહકારની અપેક્ષા સાથે,

આપનો વિશ્વાસુ

અદાણી પોર્ટ્સ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ વતી,
અધિકૃત અધિકારી

બિડાણ: ઉપરોક્ત સંદર્ભવાળી પર્યાવરણીય મંજૂરી (EC) ની નકલ

કારકુન
૨૪/૦૬/૨૪
રજીસ્ટ્રી (અવિક) શાખા.
કલેક્ટર કચેરી,
ભુજ-કચ્છ.

Adani Ports and Special Economic Zone Ltd
Adani House,
PO Box No. 1
Mundra, Kutch 370 421
Gujarat, India
CIN: L63090GJ1998PLC034182

Tel +91 2838 25 5000
Fax +91 2838 25 51110
info@adani.com
www.adani.com

Registered Office: Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad - 382421, Gujarat, India

adani

Ports and
Logistics

તા. ૬ જુન, ૨૦૨૪

પ્રતિ,
સભ્ય સચિવ શ્રી,
વડી કચેરી - ગુજરાત પ્રદૂષણ નિયંત્રણ બોર્ડ,
પર્યાવરણ ભવન, સેક્ટર 10-A,
ગાંધીનગર - 382010.

વિષય: અદાણી પોર્ટસ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ દ્વારા ગામ: શિરાયા, તા. મુન્દ્રા, જિ. કચ્છ (ગુજરાત) ખાતે બિલ્ડિંગ અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દ્રા" માટે સ્ટેટ એન્વાયરોન્મેન્ટ ઇમ્પ્રુવમેન્ટ એસેસમેન્ટ ઓથોરિટી (SEIAA) દ્વારા મંજૂર કરાયેલ પર્યાવરણીય મંજૂરી (EC) ની જાણકારી બાબતે.

સંદર્ભ: EC ઓળખ નંબર EC24B038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/8(a)/820/2024, તા. ૫ મી જુન ૨૦૨૪

માનનીય સાહેબ શ્રી,

સવિનય સાથે જણાવવાનું કે, અદાણી પોર્ટસ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ દ્વારા ગામ: શિરાયા, તા. મુન્દ્રા, જિ. કચ્છ (ગુજરાત) ખાતે બિલ્ડિંગ અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દ્રા" માટે સ્ટેટ એન્વાયરોન્મેન્ટ ઇમ્પ્રુવમેન્ટ એસેસમેન્ટ ઓથોરિટી (SEIAA), ગુજરાત દ્વારા EC ઓળખ નંબર EC24B038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/8(a)/820/2024, તા. ૫ મી જુન ૨૦૨૪ ના રોજ પર્યાવરણીય મંજૂરી (EC) આપવામાં આવેલ છે.

સદરહુ પર્યાવરણીય મંજૂરી (EC) ની નકલ અમો આપની કચેરી ને આપશ્રી ની જાણ હેતુ રજુ કરીએ છીએ.

આપના સહકારની અપેક્ષા સાથે,

આપનો વિશ્વાસુ

અદાણી પોર્ટસ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ વતી,
અધિકૃત અધિકારી

બિડાણ: ઉપરોક્ત સંદર્ભવાળી પર્યાવરણીય મંજૂરી (EC) ની નકલ

જિ
૩૧૦૬/૨૪
Gujarat Pollution Control Board
Head Office
Sector No.-10-A,
Gandhinagar-382010

Adani Ports and Special Economic Zone Ltd
Adani House,
PO Box No. 1
Mundra, Kutch 370 421
Gujarat, India
CIN: L63090GJ1998PLCO34182

Tel +91 2838 25 5000
Fax +91 2838 25 51110
info@adani.com
www.adani.com

Registered Office: Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad - 382421, Gujarat, India

તા. ૬ જુન, ૨૦૨૪

પ્રતિ,
પ્રાદેશિક અધિકારી શ્રી,
પ્રાદેશિક કચેરી - કચ્છ (પૂર્વ),
ગુજરાત પ્રદૂષણ નિયંત્રણ બોર્ડ,
ગાંધીધામ, કચ્છ.

વિષય: અદાણી પોર્ટ્સ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ દ્વારા ગામ: શિરાયા, તા. મુન્દ્રા, જિ. કચ્છ (ગુજરાત) ખાતે બિલ્ડીંગ અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દ્રા" માટે સ્ટેટ એન્વાયરોન્મેન્ટ ઇમ્પ્રોવમેન્ટ એસેસમેન્ટ ઓથોરિટી (SEIAA) દ્વારા મંજૂર કરાયેલ પર્યાવરણીય મંજૂરી (EC) ની જાણકારી બાબતે.

સંદર્ભ: EC ઓળખ નંબર EC24B038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/8(a)/820/2024, તા. ૫ મી જુન ૨૦૨૪

માનનીય સાહેબ શ્રી,

સવિનય સાથે જણાવવાનું કે, અદાણી પોર્ટ્સ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ દ્વારા ગામ: શિરાયા, તા. મુન્દ્રા, જિ. કચ્છ (ગુજરાત) ખાતે બિલ્ડીંગ અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દ્રા" માટે સ્ટેટ એન્વાયરોન્મેન્ટ ઇમ્પ્રોવમેન્ટ એસેસમેન્ટ ઓથોરિટી (SEIAA), ગુજરાત દ્વારા EC ઓળખ નંબર EC24B038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/8(a)/820/2024, તા. ૫મી જુન ૨૦૨૪ ના રોજ પર્યાવરણીય મંજૂરી (EC) આપવામાં આવેલ છે.

સદરહુ પર્યાવરણીય મંજૂરી (EC) ની નકલ અમો આપની કચેરી ને આપશ્રી ની જાણ હેતુ રજૂ કરીયે છીએ.

આપના સહકારની અપેક્ષા સાથે,

આપનો વિશ્વાસુ

અદાણી પોર્ટ્સ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ વતી,
અધિકૃત અધિકારી

બિડાણ: ઉપરોક્ત સંદર્ભવાળી પર્યાવરણીય મંજૂરી (EC) ની નકલ

13-6-24
Received
Gujarat Pollution Control Board
Regional Office
Kutch (East)

adani

Ports and
Logistics

o/c

તા. ૬ જુન, ૨૦૨૪

પ્રતિ,
મામલતદાર શ્રી,
મામલતદાર કચેરી,
મુન્દ્રા, કચ્છ.

વિષય: અદાણી પોર્ટ્સ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ દ્વારા ગામ: શિરાયા, તા. મુન્દ્રા, જિ. કચ્છ (ગુજરાત) ખાતે બિલ્ડીંગ અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દ્રા" માટે સ્ટેટ એન્વાયરોન્મેન્ટ ઇમ્પેક્ટ એસેસમેન્ટ ઓથોરિટી (SEIAA) દ્વારા મંજૂર કરાયેલ પર્યાવરણીય મંજૂરી (EC) ની જાણકારી બાબતે.

સંદર્ભ: EC ઓળખ નંબર EC24B038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/8(a)/820/2024, તા. ૫ મી જુન ૨૦૨૪

માનનીય સાહેબ શ્રી,

સવિનય સાથે જણાવવાનું કે, અદાણી પોર્ટ્સ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ દ્વારા ગામ: શિરાયા, તા. મુન્દ્રા, જિ. કચ્છ (ગુજરાત) ખાતે બિલ્ડીંગ અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દ્રા" માટે સ્ટેટ એન્વાયરોન્મેન્ટ ઇમ્પેક્ટ એસેસમેન્ટ ઓથોરિટી (SEIAA), ગુજરાત દ્વારા EC ઓળખ નંબર EC24B038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/8(a)/820/2024, તા. ૫ મી જુન ૨૦૨૪ ના રોજ પર્યાવરણીય મંજૂરી (EC) આપવામાં આવેલ છે.


સદરહુ પર્યાવરણીય મંજૂરી (EC) ની નકલ અમો આપની કચેરી ને આપશ્રી ની જાણ હેતુ રજુ કરીયે છીએ.

આપના સહકારની અપેક્ષા સાથે,

આપનો વિશ્વાસુ

અદાણી પોર્ટ્સ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ વતી,
અધિકૃત અધિકારી

બિડાણ: ઉપરોક્ત સંદર્ભવાળી પર્યાવરણીય મંજૂરી (EC) ની નકલ


મામલતદાર-કચેરી
મુંદ્રા - કચ્છ
તા. ૦૬/૦૬/૨૪

Adani Ports and Special Economic Zone Ltd
Adani House,
PO Box No. 1
Mundra, Kutch 370 421
Gujarat, India
CIN: L63090GJ1998PLC034182

Tel +91 2838 25 5000
Fax +91 2838 25 51110
info@adani.com
www.adani.com

Registered Office: Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad - 382421, Gujarat, India

તા. ૬ જુન, ૨૦૨૪

પ્રતિ,
સચિવ શ્રી,
ગુજરાત રિયલ એસ્ટેટ રેગ્યુલેટરી ઓથોરિટી,
૪ થો માળ, સહયોગ સંકુલ,
સેક્ટર-૧૧, ગાંધીનગર - ૩૮૨૦૧૦.

વિષય: અદાણી પોર્ટસ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ દ્વારા ગામ: શિરાયા, તા. મુન્દ્રા, જિ. કચ્છ (ગુજરાત) ખાતે બિલ્ડીંગ અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દ્રા" માટે સ્ટેટ એન્વાયરોન્મેન્ટ ઇમ્પ્રોવમેન્ટ એસેસમેન્ટ ઓથોરિટી (SEIAA) દ્વારા મંજૂર કરાયેલ પર્યાવરણીય મંજૂરી (EC) ની જાણકારી બાબતે.

સંદર્ભ: EC ઓળખ નંબર EC24B038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/8(a)/820/2024, તા. ૫ મી જુન ૨૦૨૪

માનનીય સાહેબ શ્રી,

સવિનય સાથે જણાવવાનું કે, અદાણી પોર્ટસ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ દ્વારા ગામ: શિરાયા, તા. મુન્દ્રા, જિ. કચ્છ (ગુજરાત) ખાતે બિલ્ડીંગ અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દ્રા" માટે સ્ટેટ એન્વાયરોન્મેન્ટ ઇમ્પ્રોવમેન્ટ એસેસમેન્ટ ઓથોરિટી (SEIAA), ગુજરાત દ્વારા EC ઓળખ નંબર EC24B038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/8(a)/820/2024, તા. ૫ મી જુન ૨૦૨૪ ના રોજ પર્યાવરણીય મંજૂરી (EC) આપવામાં આવેલ છે.


સદરહુ પર્યાવરણીય મંજૂરી (EC) ની નકલ અમો આપની કચેરી ને આપશ્રી ની જાણ હેતુ રજૂ કરીએ છીએ.

આપના સહકારની અપેક્ષા સાથે,

આપનો વિશ્વાસુ

અદાણી પોર્ટસ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ વતી,
અધિકૃત અધિકારી

બિડાણ: ઉપરોક્ત સંદર્ભવાળી પર્યાવરણીય મંજૂરી (EC) ની નકલ


18/6/2024
Guj. RERA
Gandhinagar

Adani Ports and Special Economic Zone Ltd
Adani House,
PO Box No. 1
Mundra, Kutch 370 421
Gujarat, India
CIN: L63090GJ1998PLC034182

Tel +91 2838 25 5000
Fax +91 2838 25 51110
info@adani.com
www.adani.com

Registered Office: Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad - 382421, Gujarat, India

adani

Ports and
Logistics

તા. ૬ જુન, ૨૦૨૪

પ્રતિ,
સબ ડીસ્ટ્રીક્ટ મેજિસ્ટ્રેટ શ્રી,
SDM કચેરી,
મુન્દ્રા, કચ્છ.

વિષય: અદાણી પોર્ટસ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ દ્વારા ગામ: શિરાયા, તા. મુન્દ્રા, જિ. કચ્છ (ગુજરાત) ખાતે બિલ્ડિંગ અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દ્રા" માટે સ્ટેટ એન્વાયરોન્મેન્ટ ઇમ્પેક્ટ એસેસમેન્ટ ઓથોરિટી (SEIAA) દ્વારા મંજૂર કરાયેલ પર્યાવરણીય મંજૂરી (EC) ની જાણકારી બાબતે.

સંદર્ભ: EC ઓળખ નંબર EC24B038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/8(a)/820/2024, તા. ૫ મી જુન ૨૦૨૪

માનનીય સાહેબ શ્રી,

સવિનય સાથે જણાવવાનું કે, અદાણી પોર્ટસ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ દ્વારા ગામ: શિરાયા, તા. મુન્દ્રા, જિ. કચ્છ (ગુજરાત) ખાતે બિલ્ડિંગ અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દ્રા" માટે સ્ટેટ એન્વાયરોન્મેન્ટ ઇમ્પેક્ટ એસેસમેન્ટ ઓથોરિટી (SEIAA), ગુજરાત દ્વારા EC ઓળખ નંબર EC24B038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/8(a)/820/2024, તા. ૫ મી જુન ૨૦૨૪ ના રોજ પર્યાવરણીય મંજૂરી (EC) આપવામાં આવેલ છે.

સદરહુ પર્યાવરણીય મંજૂરી (EC) ની નકલ અમો આપની કચેરી ને આપશ્રી ની જાણ હેતુ રજૂ કરીયે છીએ.

આપના સહકારની અપેક્ષા સાથે,

આપનો વિશ્વાસુ,

અદાણી પોર્ટસ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ વતી,
અધિકૃત અધિકારી

બિડાણ: ઉપરોક્ત સંદર્ભવાળી પર્યાવરણીય મંજૂરી (EC) ની નકલ

Adani Ports and Special Economic Zone Ltd
Adani House,
PO Box No. 1
Mundra, Kutch 370 421
Gujarat, India
CIN: L63090GJ1998PLC034182

Tel +91 2838 25 5000
Fax +91 2838 25 51110
info@adani.com
www.adani.com

Registered Office: Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad - 382421, Gujarat, India

adani

Ports and
Logistics

તા ૫ જુન ૨૦૨૪

પતિ,
તલાટી કમ સરપંચ શ્રી,
ગામ: શિરાયા,
મુન્દ્રા, કચ્છ.

વિષય: અદાણી પોર્ટ્સ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ દ્વારા ગામ: શિરાયા, તા. મુન્દ્રા, જિ. કચ્છ (ગુજરાત) ખાતે બિલ્ડીંગ અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દ્રા" માટે સ્ટેટ એન્વાયરોનમેન્ટ ઇમ્પ્રોવમેન્ટ એસેસમેન્ટ ઓથોરિટી (SEIAA) દ્વારા મંજૂર કરાયેલ પર્યાવરણીય મંજૂરી (EC) ની જાણકારી બાબતે.

સંદર્ભ: EC ઓળખ નંબર EC24B038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/8(a)/820/2024, તા. ૫ મી જુન ૨૦૨૪

માનનીય સાહેબ શ્રી,

સવિનય સાથે જણાવવાનું કે, અદાણી પોર્ટ્સ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ દ્વારા ગામ: શિરાયા, તા. મુન્દ્રા, જિ. કચ્છ (ગુજરાત) ખાતે બિલ્ડીંગ અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દ્રા" માટે સ્ટેટ એન્વાયરોનમેન્ટ ઇમ્પ્રોવમેન્ટ એસેસમેન્ટ ઓથોરિટી (SEIAA), ગુજરાત દ્વારા EC ઓળખ નંબર EC24B038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/8(a)/820/2024, તા. ૫ મી જુન ૨૦૨૪ ના રોજ પર્યાવરણીય મંજૂરી (EC) આપવામાં આવેલ છે.

સંદર્ભ પર્યાવરણીય મંજૂરી (EC) ની નકલ અમો આપની કચેરી ને આપશ્રી ની જાણ હેતુ રજૂ કરીયે છીએ.

આપના સહકારની અપેક્ષા સાથે,

આપનો વિશ્વાસ

અદાણી પોર્ટ્સ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ વતી,
અધિકૃત અધિકારી

બિડાણ: ઉપરોક્ત સંદર્ભવાળી પર્યાવરણીય મંજૂરી (EC) ની નકલ

Adani Ports and Special Economic Zone Ltd
Adani House,
PO Box No. 1
Mundra, Kutch 370 421
Gujarat, India
CIN: L63090GJ1998PLC034182

Tel +91 2838 25 5000
Fax +91 2838 25 51110
info@adani.com
www.adani.com

Registered Office: Adani Corporate House, Shantigram, Nr. Vaishno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad - 382421, Gujarat, India

adani

Ports and
Logistics

o/c

તા. ૬ જુન, ૨૦૨૪

પ્રતિ,

તાલુકા વિકાસ અધિકારી શ્રી,
તાલુકા વિકાસ અધિકારી કચેરી,
મુન્દ્રા, કચ્છ.

વિષય: અદાણી પોર્ટ્સ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ દ્વારા ગામ: શિરાયા, તા. મુન્દ્રા, જિ. કચ્છ (ગુજરાત) ખાતે બિલ્ડીંગ અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દ્રા" માટે સ્ટેટ એન્વાયરોન્મેન્ટ ઇમ્પ્રોવમેન્ટ એસેસમેન્ટ ઓથોરિટી (SEIAA) દ્વારા મંજૂર કરાયેલ પર્યાવરણીય મંજૂરી (EC) ની જાણકારી બાબતે.

સંદર્ભ: EC ઓળખ નંબર EC24B038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/8(a)/820/2024, તા. ૫ મી જુન ૨૦૨૪

માનનીય સાહેબ શ્રી,

સવિનય સાથે જણાવવાનું કે, અદાણી પોર્ટ્સ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ દ્વારા ગામ: શિરાયા, તા. મુન્દ્રા, જિ. કચ્છ (ગુજરાત) ખાતે બિલ્ડીંગ અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દ્રા" માટે સ્ટેટ એન્વાયરોન્મેન્ટ ઇમ્પ્રોવમેન્ટ એસેસમેન્ટ ઓથોરિટી (SEIAA), ગુજરાત દ્વારા EC ઓળખ નંબર EC24B038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/8(a)/820/2024, તા. ૫ મી જુન ૨૦૨૪ ના રોજ પર્યાવરણીય મંજૂરી (EC) આપવામાં આવેલ છે.

સદરહુ પર્યાવરણીય મંજૂરી (EC) ની નકલ અમો આપની કચેરી ને આપશ્રી ની જાણ હેતુ રજુ કરીએ છીએ.

આપના સહકારની અપેક્ષા સાથે,

આપનો વિશ્વાસુ

અદાણી પોર્ટ્સ એન્ડ સ્પેશિયલ ઇકોનોમિક ઝોન લિમિટેડ વતી,
અધિકૃત અધિકારી

બિડાણ: ઉપરોક્ત સંદર્ભવાળી પર્યાવરણીય મંજૂરી (EC) ની નકલ

ગુજરાત
સરકાર
તાલુકા વિકાસ
મુન્દ્રા - કચ્છ

Adani Ports and Special Economic Zone Ltd
Adani House,
PO Box No. 1
Mundra, Kutch 370 421
Gujarat, India
CIN: L63090GJ1998PLCO341B2

Tel +91 2838 25 5000
Fax +91 2838 25 51110
info@adani.com
www.adani.com

Registered Office: Adani Corporate House, Shantigram, Nr. Valshno Devi Circle, S.G. Highway, Khodiyar, Ahmedabad - 382421, Gujarat, India

Annexure – 6

કચ્છ, કચ્છીવંશ અને કચ્છીઆજુબી વ્યવસ્થાનું દર્વજું
કચ્છ જિલ્લો

જેઠ સુદ-૫, તા. ૧૧ જૂન, મંગળવાર

તંત્રી સ્થાનેથી.....

અહંકાર છોડો-કામ કરો :
સંઘ વડાની ટકોર :
શાનમાં સમજાય તે જરૂરી

ભાગ્યપુરમાં સંઘ સંગઠના તાલીમાર્ચીઓને સંબોધન વખતે ચુંટણી નિવેદનકારીઓએ બહાર આવવી દેવાની સમસ્યાઓ પર ધ્યાન આપવાની ખુલા મંચથી કરેલ ચતુર્વિધ સમચોચ

પ્રેમલગ્ન • ઘાટેલી વ્યક્તિનું મિલન
અલ્ટ્રા સુન્દર સ્ત્રી, સ્વ. પત્ની અનુભવ
કર્મકાંક્ષી, શ્રેણીકા વાડા/૫, રાજદાવાર
9712423531 • 7600223531
www.omsagarastrologer.com

ચામુંડા માતાજી મંદિર સામે,
શ્રી માગી કોલોની,
નાચગી ચાર રસ્તા થી ચીમકૂટ
સર્કલ તરફ, નવા અંજાર.
સંપર્ક : 98988 92190
સંપર્ક : 99780 02318

પશ્ચિમ રેલવે-અમદાવાદ ડિવિઝન
(ઇલેક્ટ્રિકલ ડિપાર્ટમેન્ટ)
ઇલેક્ટ્રિકલ કાર્ય
ઇ-ટેન્ડર-નોટિસ નં. SE/DEER/DT/4 (24-25) તા. 05.06.2024, ટેન્ડર નં. EL-60-1-AD/1-7-24-2824-25; કામનું નામ: અમદાવાદ ડિવિઝનમાં ગાંધીધામ ખાતે ઘાસ મિશ્રિટ કરીને સેન્ટર (RCC) ની સોળસાઈ સાથે સંબંધિત ઇલેક્ટ્રિકલ કાર્ય: સંગઠન નં: 1/2024/24/1/1; અંદાજ સ્વી: ₹ 2.53.500/-; ૫મ ઇન્ટરવેલની ઠરાવ અને સમયા: તા. 02.07.2024 ના 15.00 કલાક સુધી; બોલવણી ઠરાવ અને સમયા: તા. 02.07.2024 ના 15.30 કલાક; સોફ્ટવેરનું સરનામું: ઇનિ. ડિવિઝન ઇલેક્ટ્રિકલ સોલિયુશન્સ, ડી. ટાવર, ઓન. સોફ્ટવેર (૧, ૨). ચામુંડા વિજ વાડે, સુ. તી. એન. ઇન્સ્ટિટ્યુટ ઓફ નેશનલ સેન્ટ, રાજદાવાર, અમદાવાદ-382345; વેબસાઈટ લિંક: www.ircon.co.in
www.ircon.co.in
www.ircon.co.in

REQUIRED
A Reputed Business House
in Gandhidham Requires
• Sales Executive
• Marketing Executive
• Accountant
• Graphics Designer
• Purchase Executive
Having experience of
minimum 3 years
Drop resume on
mdglobal001@gmail.com
whatsapp on
78741 22299

હેલ્લા એક મહિનામાં કચ્છમાં હત્યાનો આ લ્હો બનાવ
આદિપુરમાં પ્રેમ લગ્નનો કડ્ડા અંજામ :
પતિએ છરીના ઘા ઝીકી પત્નીનું મોત નિપજાવ્યું

ગાંધીધામ : આદિપુરમાં બે વારી લેખર વિસ્તારમાં રહેતા ઇંપતિ વચ્ચે પ્રેમ લગ્નનો કડ્ડા અંજામ આજીવ્યો હતો. પૈસા અને આઘા સંબંધ મુદ્દેની વ્હેમ રાખીને પતિએ છરીના ઘા ઝીકી પત્નીને મોતને ઘાટ ઉતારતા ચકચાર મચી ગઈ છે. આરોપીને ઝડપી લેવા તપાસ તેજ બનાવાઈ છે.
આદિપુરમાં બે વારી લેખર કેમ્પ વિસ્તારમાં આવેલા રૂમ નંબર ૧૮માં સોમવારે બનેલી ઘટના અંગે હતભાગીના પ્રિતા સંજયમાં રહેતા પેલાઓએ અદાઈ પોર્ટ્સ એન્ડ સ્પેશિયલ ઇન્ફોર્મેશન ડિવિઝન

હત્યા કરીને ભાગી છુટેલા આરોપી પતિને ઝડપી લેવા તપાસ તેજ બનાવાઈ
રહેતા હરેશ દાના મહેશ્વરી સાથે પ્રેમલગ્ન કર્યા હતાં. આ આરોપી હરેશની આર્થિક પરિસ્થિતિ બરાબર ન હોઈ અને કામધંધો કરતો ન હોવાથી ઈકરીનો ધરસંસાર બરાબર ચાલે અને જમાઈ બરાબર ધંધો કરી શકે તે હેતુથી ફરિયાદીએ દોઢેક વર્ષ પહેલાં જમાઈને રિશા લેવાથી ફરિયાદીએ જમાઈ પાસે આકી નીકળતા પૈસાની માંગણી કરી હતી. પૈસાની માંગણી તેમજ ભાવના પ્રત્યે આઘા સંબંધનો વ્હેમ રાખી સોમવારે સવારે ઉઠેરાઈને પતિએ ભાવના પર છરી વડે આડેબડ હુમલો કર્યો હતો જેમાં આ યુવતીને ગળા, હાથ, પેટ, પીઠ, માથામાં ગંભીર ઈજાઓ પહોંચતાં તેનું મોત થયું હતું. બનાવને પગલે પરિવારજનો ઈ.ડી. આવા અને આરોપી હરેશ સામે હત્યાની કલમ તથા મુનો દાખલ

HAPPY BIRTHDAY
જન્મદિન મુબારક



કચ્છની જનતાની સેવામાં
કચ્છઉદયનું મહત્વપૂર્ણ યોગદાન
સરહદી કચ્છની જનતાને દેશ-દુનિયામાં બનતી રોજબરોજની ઘટનાઓથી વાકેફ કરવાની સાથે પ્રજાકીય પ્રશ્નોને સચોટ વાચા આપી કચ્છઉદય સાંખ્ય દૈનિકે કચ્છની જનતાની સેવા માટે મહત્વપૂર્ણ યોગદાન આપ્યું છે. કચ્છના લોકપ્રિય સાંખ્યદૈનિક કચ્છઉદયને ૩૦ વર્ષની સફળ સફર પૂર્ણ કરી ૩૧મા વર્ષમાં પ્રવેશ બદલ ખૂબ - ખૂબ અભિનંદન.
- કલેશ ગોસ્વામી
મુખ્ય વિભાગ સરકારી હોલ, કચ્છ સેશિયલ પ્રોસિક્યુટર, કેન્દ્ર સરકાર
કચ્છઉદય સદાય આપનું ખાણી રહેશે..!
શુભકામના-આશીર્વાદ બદલ આભાર

અદાઈ પોર્ટ્સ એન્ડ સ્પેશિયલ ઇન્ફોર્મેશન ડિવિઝન
ગામ: શિરાવા, તા. મુંદા, જિ. કચ્છ (ગુજરાત) ખાતે ઇલેક્ટ્રીક અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દા" માટે પચાવરણીય મંજૂરી (EC) અંગે ખર્ચ સુચના
આથી પહેરે વાછતા ને સૂચિત કરવામાં આવે છે કે અદાઈ પોર્ટ્સ એન્ડ સ્પેશિયલ ઇન્ફોર્મેશન ડિવિઝન (એપીએસઇડી) ટી. સોફ્ટિસ અદાઈ ઇન્ફોર્મેટ હાઉસ, ફાઉન્ડેશન, વૈષ્ણોદેવી સર્કલ નજીક, એન.જી. હાઇવે, રાજદાવાર-૩૮૨૪૨૫ (ગુજરાત) ને સર્વે નંબર ૬/૧ (પ્લોટ નં. ૧ થી ૨૬૪), ૬/૧ (પ્લોટ નં. ૧ થી ૨૬૫, ૩૩૭ થી ૫૬૪) અને ૨૧/૨ (પ્લોટ નં. ૧ થી ૫૦, ૬૨ થી ૯૪), શિરાવા ગામ, તાલુકા મુન્દા, જિલ્લો કચ્છ (ગુજરાત) ખાતે ઇલેક્ટ્રીક અને કન્સ્ટ્રક્શન પ્રોજેક્ટ "SVCT મુન્દા" માટે સ્ટેટ એન્વાયરોનમેન્ટ પ્રોટેક્ટ એક્ટિવેન્સ એગ્રીમેન્ટ એગ્રીમેન્ટ (SEIAA), ગુજરાત દ્વારા EC ઓળખ નંબર EC248038GJ122039, પત્ર ક્રમાંક નં SEIAA/GUJ/EC/B(a)/820/2024, ૫મી જુન, ૨૦૨૪ ના રોજ પચાવરણીય મંજૂરી (EC) આપવામાં આવેલ છે. આ પચાવરણીય મંજૂરીપત્રની નકલ ભારત સરકાર ના પચાવરણ, વન અને જળવાયુ પરીવર્તન મંત્રાલય (MoEF&CC), સ્ટેટ એન્વાયરોનમેન્ટ પ્રોટેક્ટ એક્ટિવેન્સ એગ્રીમેન્ટ એગ્રીમેન્ટ (SEIAA) તથા ગુજરાત પ્રદૂષણ નિયંત્રણ બોર્ડ (GPCB) ખાતે ઉપલબ્ધ છે. આ ઉપરાંત ભારત સરકાર ના પચાવરણ, વન અને જળવાયુ પરીવર્તન મંત્રાલયની વેબસાઈટ <https://parivesh.nic.in/> તથા અદાઈ પોર્ટ્સ એન્ડ સ્પેશિયલ ઇન્ફોર્મેશન ડિવિઝન ની વેબસાઈટ <https://www.adaniports.com/> Download પર પણ ઉપલબ્ધ છે.



તાવ હોય તો
આરોગ્ય કાર્યકર પાસે
લોહીની તપાસ મફત કરાવો
અને મેલેરિયા હોય તો,
સંપૂર્ણ સારવાર લો

મેલેરિયાનો ફેલાવો માદા ઓનોફિલીસ મચ્છર દ્વારા થાય છે

